

56602


ANNUAL REPORT
ON THE

MILITARY LOCK HOSPITALS

DIGITIZED

1889.

©



ANNUAL REPORT

ON THE

MILITARY LOCK HOSPITALS

OF THE

MADRAS PRESIDENCY,

FOR THE YEAR

1889,


L:422-2117-1889

PUBLISHED BY AUTHORITY,

MADRAS:
PRINTED BY THE SUPERINTENDENT, GOVERNMENT PRESS.

1890.

R
L:422-2117-1889
M90



SURGEON-GENERAL'S OFFICE,
HER MAJESTY'S FORCES,
MILITARY DEPT., GOVT. OF MADRAS,
Ootacamund, 10th July 1890.

No. 1843.

From

SURGEON-GENERAL SIR J. A. HANBURY, M.B., K.C.B.,
Her Majesty's Forces,

To

THE SECRETARY TO GOVERNMENT,
Military Department,
Ootacamund.

SIR,

I HAVE the honor to submit, for the information of Government, the report on the working of the following Military Lock Hospitals in the Madras Command for the year 1889:—

<i>First Class.</i>	<i>Second Class.</i>
Bangalore.	Bellary.
Belgaum.	Cannanore
Secunderabad.	St. Thomas' Mount.
	Wellington.

Registration of prostitutes and compulsory inspection have not been carried out at these stations in accordance with G.O., No. 5139, of 29th July 1888.

2. *Number of women admitted into hospital under the voluntary system.*—A comparative statement of the number of women admitted under the voluntary system, as compared with the previous two years, is given in the following table. Kamptee is omitted for purposes of comparison in this report, as this station was transferred to the Bombay Command on 1st October 1888:—

Stations.	1887.	1888.	1889.
Bangalore	261	144	21
Bellary	473	324	35
Belgaum	270	259	16
Cannanore	84	16	6
St. Thomas' Mount	201	92	10
Secunderabad	654	404	4
Wellington	119	55	12

It must be here observed that compulsion ceased at each of these stations about the end of August 1888. The above figures speak for themselves and indicate the difficulty of placing any really effective check on the propagation of venereal diseases under the present system.

3. *Statistics of sickness among prostitutes.*—The following table shows the number of women treated including remained, the average daily sick and the average stay of each case in hospital during the past five years:—

Years.	Number treated, including "remained."	Average daily sick.	Average stay of each case in hospital.
1885	1,880	113.85	22.10
1886	2,451	183.38	27.30
1887	2,584	200.91	28.37
1888	1,692	123.39	26.67
1889	118	13.88	42.93

R
L: 422-211 x M89
M90

R
L: 422-211 x M89
M90.

ANNUAL REPORT ON THE

Under the voluntary system, therefore, only 118 cases were treated altogether during the year, while the average daily sick has been 13.88, compared with 123.39 for the previous year and 200.91 for 1887, when the Contagious Diseases Act was in full working order. It may be noted that the average stay of each case in hospital has nearly doubled in comparison with former years, an indication of the severity of disease existing among those voluntarily seeking admission.

4. *Admissions into lock hospitals for primary syphilis.*—The statistics under this heading for the past five years are shown in the following table:—

Years.	Total admissions, exclusive of "remained."	Cases, exclusive of "remained," of primary syphilis.	Ratio of cases of primary syphilis per 1,000 of total admissions.
1885	1,733	432	249.27
1886	2,309	594	257.25
1887	2,387	314	131.54
1888	1,481	83	56.04
1889	104	21	201.92

For purposes of comparison, the years 1885 and 1886 must not be taken into account, as several cases, which were then returned under the head of primary syphilis and helped to swell the statistics of those years, are not now so returned. Excluding those years the increase in the ratio of admissions for primary syphilis is very marked, and when it is remembered that cases of primary syphilis in the female often escape self-observation and are only to be detected by skilled examination, it can be readily imagined how rife the disease must be among the general mass of those carrying on prostitution.

5. *Relation of primary syphilis among European Troops to admissions for the same disease into Lock Hospitals for five years.*—

Years.	Admissions for primary syphilis.	
	European Troops.	Lock Hospitals.
1885	494	432
1886	637	594
1887	558	314
1888	717	83
1889	1,074	21

A perusal of this table leaves little doubt that the extent to which primary syphilis has increased among British Troops is solely due to the abolition of registration and compulsory examination of prostitutes, the increase of admissions in the one case and decrease in the other being undoubtedly related as effect and cause.

6. *The following table gives the rates of admissions for all forms of venereal disease amongst British Troops:*—

Years.	Ratio of admissions per 1,000 of strength.
1885	273.30
1886	253.07
1887	352.23
1888	356.41
1889	457.17

This table has been compiled from stations where lock hospitals were established, and shows that, during the year under report, the ratio of admissions for venereal diseases among British Troops has increased by about 50 per cent.

compared with the average of the previous four years; and here it may be observed that primary syphilis, which in its after effects produces such an amount of inefficiency and invaliding, has proportionately increased to a greater extent than the milder forms of venereal affections.

7. *Comparative prevalence of venereal diseases among British Troops at the several stations where Lock Hospitals were established.*—

Stations.	Admission rate per 1,000 of strength.	
	1888.	1889.
Bangalore	308.14	361.14
Bellary	220.69	402.59
Belgaum	447.82	439.04
Cannanore	466.66	358.49
St. Thomas' Mount	453.23	558.73
Secunderabad	375.85	508.11
Wellington	296.39	486.85

The above table shows a marked increase in admissions for all forms of venereal disease in the several stations, with the exception of Cannanore, where the garrison is very small.

8. *Cost of Lock Hospitals.*

Stations.	1888.			1889.		
	RS.	A.	P.	RS.	A.	P.
Bangalore	25	4	7	91	5	2
Bellary	8	15	1	49	0	7
Belgaum	13	1	5	90	15	6
Cannanore	31	3	11	104	15	5
St. Thomas' Mount	23	14	8	99	1	6
Secunderabad	7	6	5	74	3	2
Wellington	25	12	8	67	8	2

This table shows a marked increase in the average cost of each patient as compared with the previous year. This is accounted for by the small number of admissions, the average cost of each patient being ascertained by dividing the total cost of each lock hospital by the number of patients treated. A reference to table I in appendix, however, shows that the total cost of lock hospitals has decreased, being only Rs. 8,991-13-10 for the year under report against Rs. 22,685-10-10 for the previous year and Rs. 29,440-5-10 in 1887.

9. *Bangalore.*—The total admissions for venereal among British Troops at Bangalore in 1889 were 697 against 681 for 1888, giving a ratio of 361.14 per mille of strength in 1889 compared with 308.14 for the previous year. Of these, 46.05 per cent. were for primary syphilis, against 28.78 in 1888.

10. *Bellary.*—The total admissions for venereal diseases among British Troops at this station have been 279 against 177 in 1888, giving a ratio per 1,000 of strength of 402.59 against 220.69 in 1888. Of these, 58.78 per cent. were for primary syphilis compared with 24.29 in the previous year.

11. *Belgaum.*—The total admissions for venereal among British Troops at this station were 558 against 515 for the previous year, giving a ratio of 489.04 per mille of strength against 447.82 for the previous year; and of these, 40.50 per cent. were for primary syphilis compared with 32.81 for the previous year.

12. *Cannanore.*—The total admissions for venereal diseases among British Troops at Cannanore were 21 against 46 for the previous year, giving a ratio of 210.00 per mille of strength compared with 460.00 for 1888. Of these, the percentage for primary syphilis was nil against 2.17 in 1888.

13. *Secunderabad.*—The total admissions for venereal diseases among British Troops at this station were 1,315 against 1,043 for 1888, giving a ratio per mille of

It is known that the women still practise prostitution in the neighbourhood of the Mount. No opportunity has been afforded to enable me to state what are the natures of their diseases, but the greater virulence of the disease among the troops is very marked.

Venereal diseases prevail to a considerable extent at this station among the prostitutes, yet the number that present themselves voluntarily for treatment is very few. The re-introduction of the "Contagious Diseases" Act, or some form of control over prostitution, is, therefore, urgently called for.

Extracts from the Annual Medical Report of the Lock Hospital at Belgaum, by
Surgeon K. C. SANJANA.

The arrangement, which has been in force lately, of soldiers pointing out the women who had diseased them, and of these women being offered the option of coming for examination and treatment, if necessary, in the lock hospital, or of clearing out of the cantonment, does not appear to be effective in diminishing the amount of disease, as so few women have been pointed out, and thus an infinitesimal proportion of the total number of prostitutes in cantonment have come under treatment. The only effective arrangement would be a return to the Contagious Diseases Act.

Extracts from the Annual Medical Report of the Lock Hospital at Secunderabad,
by Surgeon-Major E. LEVINGE.

Hospital accommodation is excellent and well suited to the requirements of a lock hospital.

Venereal diseases show a marked increase during the year under report.

Four women were treated in the hospital. These came voluntarily.

It is not possible to state how far disease has increased or decreased amongst the women, but disease has certainly assumed a more virulent and intractable type among the European troops.

APPENDIX.

Statement showing the Rules for the Prevention of Venereal Diseases were in force, and the Details of Expenditure on Military Lock Hospitals, &c., during the year 1889.

1	2	3	4	5	6	7	8	9	10	11
Number.		Local Government or Administration.	Date on which Lock Hospital was established.	Act under which the rules are in force.	Area over which the rules are in force.	Estimated native population within the area over which they are in force.	Average number of prostitutes on the register during the period the Act was in force.	Average monthly cost of establishment.	Whether a first-class or second-class Lock Hospital.	Remarks.
1	Bangalore ..	Local Government..	24th July 1855..					Rs. A. P. 160 5 6	First class.	
2	Bellary ..	Do. ..	May 1860..					132 3 10	Second class.	
3	Belgaum ..	Bombay Government.	29th Jan. 1869..					104 2 11	First class.	
4	Cannanore *	Madras Government.	June 1859..					74 8 9	Second class.	
5	St. Thomas' Mount.	Do. ..	10th Sept. 1863..					87 0 0	Do.	
6	Secunderabad ..	Local Government ..	Jan. 1859..					28 3 8	First class.	
7	Wellington ..	Commissioner of the Nilgiris.	1860..					78 0 6	Second class.	

* Lock Hospital, Cannanore, was closed on 17th July 1889 under G.O., Military Department, No. 4396 dated 5th July 1889.

Statement showing the Operations of the Rules for the Prevention of Venereal Diseases.

Number.	2	3		4	5	6	7	8	9	10	11	12	13	14
		European Troops. A B Average strength. Ratio of admissions from venereal diseases per 1,000.										Number of prostitutes who voluntarily presented themselves for treatment and were found diseased.	Average daily sick of prostitutes in hospital in 1889.	Remarks.
1	Bangalore ..	1,930	361-14									21	2-34	
2	Bellary ..	693	402-59									35	3-96	
3	Belgaum ..	1,141	489-04									16	1-96	
4	Bhamo ..	405	207-40									.	.	
5	Bernardmyo ..	167	89-82									.	.	
6	Caleut ..	98	622-44									.	.	
7	Cannanore ..	53	358-49									6	0-80	
8	Malapuram ..	149	382-55									.	.	
9	Madras ..	584	648-97									.	.	
10	Mandalay ..	704	788-35									.	.	
11	Myingyan ..	206	956-31									.	.	
12	Meiktila ..	232	314-65									.	.	
13	Port Blair ..	144	243-05									.	.	
14	Pallavaram ..	63	809-52									.	.	
15	Rangoon ..	988	501-01									.	.	
16	St. Thomas' Mount ..	315	558-73									10	2-76	
17	Sceunderabad ..	2,588	508-11									4	-54	
18	Koni ..	3	"									.	.	
19	Shwebo ..	286	346-15									.	.	
20	Salweenyo ..	64	484-37									.	.	
21	Tlayetmyo ..	570	391-23									.	.	
22	Toungchoo ..	505	253-36									.	.	
Depôts.														
23	Poonamallee ..	82	426-82									..	1-52	
24	Wellington ..	951	486-85									..	1-52	

C.

Statement showing the extent of Venereal Diseases among the European Troops in the Madras Presidency during the year 1889.


Stations.	Average strength.	Number of admissions from venereal diseases for a period of occupation.						Deduct cases contracted at other places.	Balance number of cases.	Ratio of admissions per 1,000 of strength for period of occupation.
		Primary syphilis.	Secondary syphilis.	Gonorrhoea.	Ulcer of Penis.	Other venereal diseases.	Total.			
Bangalore	1,930	321	44	297	7	28	697	4	693	361.14
Bellary	693	164	30	82	1	2	279	..	279	402.59
Belgaum	1,141	226	92	163	44	33	558	11	547	489.04
Cannanore	* 53	..	1	13	4	1	19	..	19	358.49
St. Thomas' Mount.	315	24	17	46	55	34	176	..	176	558.73
Secunderabad ..	2,588	292	228	406	288	101	1,315	23	1,292	508.11
Wellington ..	951	47	55	132	183	46	463	15	448	486.85

* This is the average annual strength from 1st January to 19th July 1889.

D.

Statement showing the Receipts and Expenditure on account of Lock Hospitals during the year 1889, and also the Funds from which the Expenditure has been met.

Number.	2	3			4				5			
		Receipts.			Expenditure.				How paid.			
		a	b	c	d	e	f	g	h	i	j	k
		Registration fees from prostitutes.	Fines levied under the rules.	Total receipts.	Pay of Medical Officer.	Pay of establishment.	All other expenses.	Total expenses.	By Government.	From Cantonment.	From other sources.	Total.
1	Stations.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.	RS. A. P.
1	Bangalore ..	..	..	..	600 0 0	1,324 2 6	267 9 8	2,191 12 2	2,191 12 2	..	..	2,191 12 2
2	Bellary ..	..	..	..	600 0 0	986 14 9	178 8 0	1,765 6 9	1,765 6 9	..	..	1,765 6 9
3	Belgaum ..	..	..	..	600 0 0	650 3 6	205 4 9	1,455 8 3	..	1,455 8 3	..	1,455 8 3
4	Cannanore ..	..	..	..	327 6 8	157 2 6	355 2 5	839 11 7	839 11 7	..	..	839 11 7
5	St. Thomas' Mount	..	..	..	600 0 0	444 0 0	244 4 5	1,288 4 5	1,288 4 5	..	..	1,288 4 5
6	Secunderabad ..	..	..	..	..	338 12 0	32 4 1	371 0 1	116 7 6	254 8 7	..	371 0 1
7	Dep't. Wellington ..	..	..	..	600 0 0	386 6 2	143 12 5	1,080 2 7	1,080 2 7	..	..	1,080 2 7



E.

Return of Sick treated in the undermentioned Lock Hospitals during the year 1889.

Average annual strength			..			..			..			..			..			..			..			..		
Stations			..			..			..			..			..			..			..			..		
Average daily sick			..			..			..			..			..			..			..			..		
Diseases.			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		
			..			..			..			..			..			..			..			..		

F.

Table of Admissions from Venereal Affections among European Troops from 1880 to 1889.

Stations.	1880.			1881.			1882.			1883.			1884.		
	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.
Bangalore	1,958	541	430.04	1,889	439	316.05	1,688	544	322.27	1,827	680	372.19	2,001	581	290.35
Bellary	1,376	185	492.04	445	177	397.75	942	372	394.90	983	300	305.19	832	274	329.32
Belgaum	1,026	186	182.04	507	209	230.43	812	190	233.99	693	112	161.61	760	198	260.52
Cannanore	481	92	191.26	593	96	161.85	710	98	138.02	686	83	120.99	717	173	248.25
Kamptee	770	126	163.03	818	123	145.04	810	134	165.43	652	91	164.85	764	184	240.83
St. Thomas' Mount	344	161	468.02	303	71	195.69	377	56	148.54	332	56	168.67	349	65	186.24
Secunderabad	2,530	833	329.24	2,401	594	247.89	2,534	665	262.43	2,286	631	276.03	2,386	604	253.14
Wellington	517	96	185.03	563	81	143.87	555	89	160.86	605	183	252.89	554	183	330.32
Total	7,302	2,190	299.92	7,509	1,790	238.38	8,428	2,148	254.86	7,964	2,106	264.44	8,363	2,267	271.07
Stations.	1885.			1886.			1887.			1888.			1889.		
	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.	Average strength.	Admissions.	Ratio of admissions per mille of strength.
Bangalore	1,172	278	237.20	1,589	498	313.40	2,066	532	257.50	2,210	681	308.14	1,930	697	361.14
Bellary	206	84	407.76	600	231	385.00	927	416	448.75	802	177	220.69	693	279	402.69
Belgaum	855	224	261.98	510	225	277.77	788	388	492.38	1,150	515	447.82	1,141	568	489.04
Cannanore	199	43	216.08	284	88	309.85	155	44	283.87	30	14	466.66	53	19	358.49
Kamptee	978	254	259.71	847	93	109.79	879	459	522.18	788	332	416.70	315	176	558.73
St. Thomas' Mount	287	52	181.18	316	79	250.99	293	84	286.68	278	126	453.23	315	176	558.73
Secunderabad	2,489	634	254.72	2,713	547	201.62	2,845	870	305.69	2,775	1,043	375.83	2,588	1,315	508.11
Wellington	377	215	570.29	416	156	375.00	722	263	364.26	749	222	296.39	931	463	486.85
Total	6,563	1,781	271.83	7,575	1,917	253.07	8,676	3,056	352.23	8,782	3,130	356.41	7,671	3,507	457.17

G.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

Station	BELLARY.										Total.
	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	
Years	..	..	..	..	..	752	221	..	..	..	973
Average strength	..	..	..	..	..	..	..	..	..	..	..
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.
	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.
Primary syphilis	..	..	..	..	..	307	76	..	..	..	383
Secondary do.	..	..	..	..	..	20	11	..	..	..	31
Gonorrhoea	..	..	..	..	..	172	73	..	..	..	245
Bubo	..	..	..	..	..	6	..	..	..	..	6
Balanitis	..	..	..	..	..	5	..	..	..	..	5
Phimosis and Paraphimosis	..	..	..	..	..	8	..	..	..	..	8
Gleet	..	..	..	..	..	9	..	..	..	..	9
Epididymitis	..	..	..	..	..	..	..	..	..	..	..
Total	..	..	..	..	..	527	160	..	..	..	687
	4	..	..	..	..	..	1	..	..	..	4

Station	CANNANORE.										Total.
	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	
Years	..	..	..	..	..	568	413	..	70	47	1,098
Average strength	..	..	..	..	..	..	..	..	..	..	..
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.
	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.
Primary syphilis	..	..	..	..	..	67	48	..	1	..	116
Secondary do.	..	..	..	..	..	23	32	..	1	..	56
Gonorrhoea	..	..	..	..	..	53	66	..	15	2	136
Bubo	..	..	..	..	..	..	..	..	..	..	..
Balanitis	..	..	..	..	..	3	..	..	..	..	3
Phimosis and Paraphimosis	..	..	..	..	..	..	..	..	..	..	..
Gleet	..	..	..	..	..	3	..	..	..	..	3
Epididymitis	..	..	..	..	..	5	..	..	..	..	5
Ulcer of penis	..	..	..	..	..	..	..	..	14	..	14
Other venereal diseases	..	..	..	..	..	..	..	..	1	..	1
Total	..	..	..	..	..	154	146	..	32	2	334
	..	..	..	..	..	..	1	..	..	..	1

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

Station	SETTARULDEE.										Total.
	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	
Years	..	..	..	..	..	..	..	..	..	..	..
Average strength	48	48	49	50	56	65	50	57	48	..	461
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.
	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.
Primary syphilis	1	2	..	2	1	1	5	2	1	..	18
Secondary do.	1	..	..	..	..	..	..	..	..	..	4
Gonorrhoea	5	5	4	2	1	15	7	6	6	..	51
Balanitis	..	..	..	..	..	1	..	..	..	..	2
Gleet	..	..	..	..	..	1	..	..	..	..	1
Epididymitis	..	..	..	..	..	3	..	..	..	..	3
Bubo	..	..	..	..	..	1	..	..	..	..	1
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..
Total	7	7	4	4	3	22	12	15	13	..	87

Station	MALAPURAM.										Total.
	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	
Years	..	..	..	..	..	..	..	..	..	..	..
Average strength	93	92	92	94	95	121	102	139	148	149	1,125
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.	Died.
	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.	Invalid.
Primary syphilis	3	6	22	2	6	27	45	23	6	19	159
Secondary do.	10	3	3	10	1	7	39	8	13	5	44
Gonorrhoea	..	12	10	..	14	2	..	29	24	30	185
Balanitis	..	..	..	..	1	..	..	..	..	..	3
Epididymitis	..	..	1	..	..	..	..	..	..	..	1
Bubo	..	..	..	..	..	..	..	..	..	..	2
Gleet	..	..	..	..	3	1	..	..	..	..	8
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	3
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..
Total	13	21	36	21	25	39	90	72	61	57	435

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

CALCUTTA.													
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total		
Years ..	100	97	101	93	102	113	111	103	99	98	1,022		
Average strength ..	100	97	101	93	102	113	111	103	99	98	1,022		
Diseases.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Died.
Primary syphilis ..	9	..	7	3	10	25	26	14	15	18	130	..	..
Secondary do. ..	1	..	6	1	7	8	17	6	2	7	43	..	..
Gonorrhoea ..	8	..	..	1	20	11	23	34	23	27	159	..	..
Balanitis ..	..	..	..	..	4	3	..	..	..	..	7	..	..
Epididymitis ..	..	..	..	..	..	..	..	..	..	..	1	..	..
Phimosis and Paraphimosis ..	..	..	..	..	2	..	..	..	1	..	2	..	..
Gleet ..	..	..	..	..	..	..	..	..	..	9	10	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	..	6	5	11	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	18	18	12	4	43	42	65	54	47	61	364	..	2

TAYRANGOON.													
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total		
Years ..	295	153	11	..	..	..	..	..	..	..	464		
Average strength ..	295	153	11	..	..	..	..	..	..	..	464		
Diseases.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Died.
Primary syphilis ..	7	..	..	..	..	..	..	..	..	..	14	..	..
Secondary do. ..	..	..	1	..	..	..	..	..	..	..	1	..	..
Gonorrhoea ..	20	5	..	..	..	..	..	..	..	..	26	..	..
Total ..	27	13	1	..	..	..	..	..	..	..	41	..	..

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

THONDOUNGEE.													
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total		
Years ..	..	..	..	12	18	10	..	..	..	..	40		
Average strength ..	..	..	..	12	18	10	..	..	..	..	40		
Diseases.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Died.
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Epididymitis ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	..	..	..	..	..

PORT BLAIR.													
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total		
Years ..	129	131	137	139	141	140	133	132	144	144	1,370		
Average strength ..	129	131	137	139	141	140	133	132	144	144	1,370		
Diseases.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Admitted.	Invalid.	Died.
Primary syphilis ..	3	..	1	1	4	3	5	..	2	..	26	..	..
Secondary do. ..	4	..	3	..	3	2	4	..	8	..	25	..	..
Gonorrhoea ..	8	..	..	..	5	9	17	..	..	..	67	..	..
Balanitis ..	..	..	..	..	1	..	..	..	..	..	2	..	..
Epididymitis ..	..	..	..	..	4	..	..	..	..	..	5	..	..
Rubo ..	..	..	..	..	3	..	..	..	..	..	3	..	..
Gleet ..	2	..	..	..	..	..	..	9	16	18	43	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	6	5	8	19	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	12	19	7	6	20	14	26	22	31	35	192	..	..

PALLAVARAM.

G--continued.

[illegible]

G—continued.

[illegible]

G—continued.

MYINGYAN.																								
Station ..	..	..	..	1880		1881		1882		1883		1884		1885		1886		1887		1888		1889		Total.
Years ..	..	..	..	Admitted.	Died.	Invalided.	Admitted.	Died.	Invalided.	Admitted.	Died.	Invalided.	Admitted.	Died.	Invalided.	Admitted.	Died.	Invalided.	Admitted.	Died.	Invalided.	Admitted.	Died.	421
Average strength ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diseases.																								
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	87
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	34
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	125
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	142
Total ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	23
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	411
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	197
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	41
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	214
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	40
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	58
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	47
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1

SHWEDO.																								
Station ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Total.
Years ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	484
Average strength ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Diseases.																								
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	96
Total ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	43
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	29
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	207
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	99
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	108
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12
	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..								

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

MEIKTILA.												
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total.	
Years ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	388	
Average strength ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	166	232
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	..	..	..	..
BERNARDINO.												
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total.	
Years ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	290	
Average strength ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	123	167
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	..	..	..	..

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

NINEPU.												
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total.	
Years ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	56	
Average strength ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	56	
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	..	..	..	..
KOMI AND FORT STEDMAN.												
Station ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	Total.	
Years ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	69	
Average strength ..	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	63	3
Diseases.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.	Admitted.
Primary syphilis ..	..	..	..	..	..	..	..	..	..	..	..	..
Secondary do. ..	..	..	..	..	..	..	..	..	..	..	..	..
Gonorrhoea ..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis ..	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases ..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	..	..	..	..

R
L:422-211 r m 8
M 30

SALEM MYO.															
Station	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Years	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Total.	Invalided.	Died.	Admitted.	118
Average strength	..	..	..	..	..	..	..	..	54	64	..	Invalided.	Died.	Admitted.	..
Diseases.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	..	Invalided.	Died.	Admitted.	..
Primary syphilis	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
Secondary do.	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..
Total ..	..	..	..	..	..	..	..	..	25	..	..	..	..	56	..
MAYMYO.															
Station	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Years	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Total.	Invalided.	Died.	Admitted.	45
Average strength	..	..	..	..	..	..	..	..	45	..	..	Invalided.	Died.	Admitted.	..
Diseases.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	..	Invalided.	Died.	Admitted.	..
Primary syphilis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Secondary do.	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..
Total ..	..	..	..	..	..	..	..	..	25	..	..	..	..	31	..

MAYMYO.															
Station	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Years	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Total.	Invalided.	Died.	Admitted.	45
Average strength	..	..	..	..	..	..	..	..	45	..	..	Invalided.	Died.	Admitted.	..
Diseases.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	Admitted.	Invalided.	..	Invalided.	Died.	Admitted.	..
Primary syphilis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Secondary do.	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Total ..	..	..	..	..	..	..	..	..	10	..	..	..	..	10	..

[illegible]

G—continued.

Return of Venereal Affections among the British Troops for ten years at stations where no Lock Hospitals existed.

Station	GONVINEZIT.									
	1880	1881	1882	1883	1884	1885	1886	1887	1888	Total.
Years	..	..	..	..	..	..	..	..	..	8
Average strength	..	..	..	..	..	..	..	..	..	..
Diseases.	1880		1881		1882		1883		1884	
	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.
Primary syphilis	..	..	..	..	..	..	..	..	..	..
Secondary do.	..	..	..	..	..	..	..	..	..	..
Gonorrhoea	..	..	..	..	..	..	..	..	..	..
Ulcer of penis	..	..	..	..	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..
Total	..	..	..	..	..	..	..	..	..	..

II.

Return of Venereal Affections among the British Troops for the five preceding years at stations where Lock Hospitals existed.

Station	BANGALORE.									
	1885	1886	1887	1888	1889	Total.	1885	1886	1887	Total.
Year established—1865	..	..	..	..	..	..	..	..	..	..
Average strength	..	..	..	..	..	8,927	..	..	..	3,223
Diseases.	1885		1886		1887		1888		1889	
	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.
Primary syphilis	118	..	225	..	184	..	196	..	381	..
Secondary do.	36	..	60	..	42	..	42	..	44	..
Gonorrhoea	105	..	213	..	239	..	357	..	297	..
Balanitis	17	..	..	..	..	..	..	..	..	..
Phimosis and Paraphimosis	..	..	..	..	..	..	..	..	..	..
Bubo	..	..	..	..	..	..	..	..	..	..
Gleet	1	..	..	..	..	..	..	..	..	..
Epididymitis	1	..	..	..	31	..	70	..	7	..
Ulcer of penis	..	..	..	..	36	..	16	..	28	..
Other venereal diseases	..	..	..	..	..	..	..	..	80	..
Total	278	5	496	1	532	5	681	8	697	19
Year established—1860	..	..	..	..	..	..	..	..	..	..
Average strength	..	..	..	..	..	..	..	..	..	..
Diseases.	1885		1886		1887		1888		1889	
	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.
Primary syphilis	25	..	124	..	145	..	43	..	164	..
Secondary do.	6	..	20	..	13	..	15	..	30	..
Gonorrhoea	49	..	87	..	116	..	86	..	82	..
Balanitis	4	..	..	..	..	..	..	..	..	..
Phimosis and Paraphimosis	1	..	..	..	..	..	..	..	..	..
Bubo	..	..	..	..	..	..	..	..	..	..
Gleet	..	..	..	..	..	..	..	..	..	..
Epididymitis	..	..	..	..	142	..	27	..	1	..
Ulcer of penis	..	..	..	..	..	..	5	..	2	..
Other venereal diseases	..	..	..	..	..	..	..	..	7	..
Total	81	..	231	..	416	1	177	..	279	3

H—continued.

Return of Venereal Affections among the British Troops for the five preceding years at stations where Lock Hospitals existed.

BEJGAUM.												
Station	1885	1886	1887	1888	1889	Total	1885	1886	1887	1888	1889	Total
Year established—1869	..	..	..	..	..	..	..	..	..	..	..	..
Average strength	855	810	788	1,150	1,141	4,744	..	..	..	..	..	..
Diseases.												
Primary syphilis	51	59	20	169	226	525	..	..	..	..	..	..
Secondary do.	22	11	20	55	92	200	..	..	..	..	..	..
Gonorrhoea	151	155	126	230	163	815	..	..	..	..	..	..
Ulcer of penis	..	..	182	43	44	269	..	..	..	..	..	..
Other venereal diseases	..	..	40	28	33	101	..	..	..	..	..	..
Total	224	225	388	515	558	1,910	..	..	..	..	..	..
CANNANORE.												
Station	1885	1886	1887	1888	1889	Total	1885	1886	1887	1888	1889	Total
Year established—1859	..	..	..	..	..	..	..	..	..	..	..	..
Average strength	199	284	155	30	53	721	..	..	..	..	..	..
Diseases.												
Primary syphilis	23	38	1	..	..	62	..	..	..	..	..	..
Secondary do.	1	11	8	..	..	18	..	..	..	..	..	..
Gonorrhoea	11	39	81	..	..	101	..	..	..	..	..	..
Balanitis	1	..	..	..	..	1	..	..	..	..	..	..
Gleet	1	..	..	..	..	1	..	..	..	..	..	..
Epididymitis	4	..	..	..	..	4	..	..	..	..	..	..
Phimosis and Paraphimosis	3	..	..	..	..	3	..	..	..	..	..	..
Bubo	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of penis	..	..	9	2	1	15	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	4	..	..	..	..	..	..
Total	43	88	44	14	19	208	..	..	..	..	..	..

H—continued.

Return of Venereal Affections among the British Troops for the five preceding years at stations where Lock Hospitals existed.

KAMPTEE.												
Station	1885	1886	1887	1888	1889	Total	1885	1886	1887	1888	1889	Total
Year established—1861	..	..	..	..	..	..	..	..	..	..	..	..
Average strength	978	847	819	763	..	3,492	..	..	..	..	..	..
Diseases.												
Primary syphilis	28	..	..	..	..	63	..	..	..	..	..	..
Secondary do.	4	..	..	..	..	39	..	..	..	..	..	..
Gonorrhoea	162	..	..	..	..	206	..	..	..	..	..	..
Balanitis	24	..	..	..	..	24	..	..	..	..	..	..
Bubo	..	..	..	..	..	..	..	..	..	..	..	..
Epididymitis	13	..	..	..	..	18	..	..	..	..	..	..
Phimosis and Paraphimosis	19	..	..	..	..	19	..	..	..	..	..	..
Ulcer of penis	4	..	..	..	..	4	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	35	..	..	..	..	..	..
Total	254	95	459	3	1,168	2,029	..	..	..	..	..	..
SECOND PEGAR.												
Station	1885	1886	1887	1888	1889	Total	1885	1886	1887	1888	1889	Total
Year established—1863	..	..	..	..	..	..	..	..	..	..	..	..
Average strength	2,496	2,713	2,846	2,775	2,705	13,111	..	..	..	..	..	..
Diseases.												
Primary syphilis	154	76	123	245	292	899	..	..	..	..	..	..
Secondary do.	33	48	83	118	228	510	..	..	..	..	..	..
Gonorrhoea	402	424	402	447	406	2,081	..	..	..	..	..	..
Balanitis	21	..	..	..	..	21	..	..	..	..	..	..
Phimosis and Paraphimosis	5	..	..	..	..	5	..	..	..	..	..	..
Bubo	..	..	..	..	..	..	..	..	..	..	..	..
Gleet	12	..	..	..	..	12	..	..	..	..	..	..
Epididymitis	7	..	..	..	..	7	..	..	..	..	..	..
Ulcer of penis	..	..	..	..	..	..	..	..	..	..	..	..
Other venereal diseases	..	..	..	..	..	..	..	..	..	..	..	..
Total	634	547	870	1,043	1,015	4,409	..	..	..	..	..	..

H—continued.

Return of Venereal Affections among the British Troops for the five preceding years at stations where Lock Hospitals existed.

Station	ST. THOMAS' MOUNT.									
	1885		1886		1887		1888		1889	
Year established—1863	287		316		293		278		315	
Average strength	287		316		293		278		315	
Diseases.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.
	Invalid.		Invalid.		Invalid.		Invalid.		Invalid.	
Primary syphilis	23	1	33	5	19	7	24	1	104	4
Secondary do.	11	1	23	36	7	49	17	1	58	1
Gonorrhoea	18	1	23	36	49	1	46	1	172	1
Balanitis	1	1	1	1	1	1	1	1	1	1
Bubo	1	1	1	1	1	1	1	1	1	1
Epididymitis	1	1	1	1	1	1	1	1	1	1
Gleet	1	1	1	1	1	1	1	1	1	1
Ulcer of penis	1	1	1	1	1	1	1	1	1	1
Other venereal diseases	1	1	1	1	1	1	1	1	1	1
Total	52	1	79	84	126	1	176	2	517	5

Station	WELLINGTON.									
	1885		1886		1887		1888		1889	
Year established—1860	377		416		722		749		931	
Average strength	377		416		722		749		931	
Diseases.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.	Admitted.	Died.
	Invalid.		Invalid.		Invalid.		Invalid.		Invalid.	
Primary syphilis	123	1	79	74	19	5	47	1	342	13
Secondary do.	16	1	36	124	55	132	55	1	286	1
Gonorrhoea	63	1	41	65	112	1	182	1	413	1
Balanitis	8	1	1	1	1	1	1	1	8	1
Gleet	1	1	1	1	1	1	1	1	1	1
Epididymitis	2	1	1	1	1	1	1	1	2	1
Phaenosis and Paraphimosis	2	1	1	1	1	1	1	1	2	1
Bubo	1	1	1	1	1	1	1	1	208	1
Ulcer of penis	1	1	1	1	1	1	1	1	57	1
Other venereal diseases	1	1	1	1	1	1	1	1	1	1
Total	215	1	156	263	222	7	463	1	1,319	13

I.

Statement showing the Expenditure incurred in the Military Lock Hospitals of the Madras Presidency during the year 1889.

Stations	Bangalore.	Bellary.	Belgaum.	Cannanore.	Secunderabad.	St. Thomas' Mount.	Wellington.	Total.
Average daily sick	2-34	3-96	1-96	0-8	5-4	2-76	1-52	13-88
Medical Officer's allowance	RS. A. P. 600 0 0	RS. A. P. 600 0 0	RS. A. P. 600 0 0	RS. A. P. 327 6 8	RS. A. P. 600 0 0	RS. A. P. 600 0 0	RS. A. P. 600 0 0	RS. A. P. 3,327 6 8
Medical Subordinate's salary	* 777 4 6	* 428 0 10	* 338 3 6	65 7 9	120 0 0	120 0 0	* 134 15 6	1,984 0 1
Nurses	72 0 0	120 0 0	144 0 0	39 4 7	..	120 0 0	96 0 0	591 4 7
Female coolies	..	66 13 11	..	..	..	..	..	66 13 11
Peons	71 10 0	72 0 0	..	..	66 0 0	60 0 0	..	269 10 0
Cook	83 12 0	72 0 0	..	26 3 1	60 0 0	60 0 0	45 6 8	347 5 9
Waterwoman	163 8 0	72 0 0	96 0 0	..	..	24 0 0	..	355 8 0
Toly	60 0 0	60 0 0	72 0 0	26 3 1	92 12 0	60 0 0	60 0 0	430 15 1
Perishable articles	144 4 7	32 4 0	75 5 4	35 14 2	..	12 14 9	9 5 5	310 0 3
Washing	96 0 0	96 0 0	7 13 6	2 12 9	2 5 7	4 3 6	..	209 3 4
Diets	120 5 9	146 4 0	98 13 11	57 5 0	29 14 6	227 2 2	13 4 4	891 11 8
Bedding and Miscellaneous	2 15 4	..	23 4 0	180 9 4	..	..	..	8,991 7 8
House-rent	..	..	..	78 9 2	..	..	..	78 9 2
Total	2,191 12 2	1,765 6 9	1,455 8 3	839 11 7	371 0 1	1,288 4 5	6 8 2	8,991 7 8
Average Cost	91 5 2	49 0 7	90 15 6	104 15 5	74 3 2	99 1 6	..	33

* Includes rice-money.

[illegible]

பா. சிதிரேசன்
கொப்பனுவதற்காக எடுத்துக்
கொள்ளப்பட்ட டைட்டி
மாதம் 1991 வருடம்
செப்பனிட முடித்த சிதிரேசன்
மாதம் 1992 வருடம்
சிதிரேசன் உதவியாளரின்
கையொப்பம். 31/1/92