

Ecclesiastical (1898) Department.

ORDINARY MS.

G.O., No. /

DATED 10.7.98

INDEXED

[Despatch Abstract.]

Sanctioning the purchase of
a strong box at a cost not
exceeding Rs 150 for the Mysore
Church on the understanding
that the purchase will not be
made until after the close
of the official year

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Ecclesiastical (1897) Department.

CURRENT No.



From
The Reverend W. Weston Elwes
Archdeacon of Madras

C.S.

In Orders.

Please see rule xxiv

(2) at in go. 20 70 Eccl dy

17. 9. 97. The Strongbox
at present in use is pro-
nounced quite unfit for

Orders are requested whether

Sanction may be accorded

Please see p. 100 993

Encl dy 30. 11. 97 flayed V

The Sankar Church was supplied
with a strong box in 90 35 at H

As
1894/7

1894/7

1894/7

1894/7

1894/7

Sanction for purchase
after close of
official year
1897-98

No. 4107

Dated 8th December 1897

Received 3 9 12 97
Registered

Enclosures 1/2

Spare copies

SUBJECT.

Applying for sanction for the
purchase of a strong box for
Sankar Church, at a cost of
Rs. 150/-

BACK PAPERS.

G.O.	No.	Department.	Date.
110/1.	Eccl	By 27/1/97	ms
35	do	By 18/6/97	6 ms (precedent)

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Encl. to Letter No. 4107.

1897,

No. 2630

From

The Superintending Engineer,
Western Circle,
Mysore, P. W. D.

To

The Chief Engineer
of Mysore.

Dated Mysore 2nd December 97.

Despatched

Enclosure No.

SUBJECT.

Chief Engineer's No. 6025
of 27th ult., forwarding
in original fire-~~light~~ ^{light}
to the Residents letter to
the Dewan of Mysore
regarding the condition
of strong box belonging
to St. Bartholomew's
Church at Mysore.

It has the honor to
report that the under-
signed saw the box
in question this morning.
It is merely an ordinary
wooden box, clamped
with iron, which a couple
of men could easily open.
Archdeacon of Madras.

It would be advisable to provide a good iron safe, which should be built round with brick masonry into one corner of the vestry. The Chaplain was away from Mysore on tour, but undressed was shown the box and its contents by Mr. George Burton one of the Church wardens.

I signed / W. McStutcheon
Superintending Engineer
Western Circle.

M 2837 dated 2nd December 97.

It is the honor to forward copy of the above to Reverend C. H. L. Wright, Chaplain, Mercara for information.

W. McStutcheon
Superintending Engineer
Western Circle.

MM

Date.
in
and
read

3.

ECCELESIASTICAL DEPARTMENT,

Madras, 8th December 1897.

No. 4107

From

THE VENERABLE W. WESTON ELWES, M.A.,

Archdeacon of Madras.

To

The Honorable
The Chief Secretary
to Government

Sir,

I have the honor to request that Government will be pleased to sanction under "Revised Rules Churches and Cemeteries Home Department Notification Government of India, Ecclesiastical, No. 178, May 21st 1894, part IV, rule XXIV (2)", the purchase of a strong box for the custody of the Communion Plate and records at Mysore, at a cost not exceeding 150 rupees.

2. The Chaplain of Mysore and the Superintending Engineer, Western Circle, Mysore Public Works Department report that the box at present in use is quite unfit for the purpose.

3. I enclose the Certificate required by the rules, signed by the Superintending Engineer, Western Circle, Mysore Department of Public Works, dated 2nd December 1897.

I have the honor to be,

Sir,
Your most obedient servant,

W. Weston Elwes
Archdeacon of Madras

1897
ECCELESIASTICAL DEPT.
Madras
No. 4107
Dec 8 1897

Ecl Dept
C No 336797

N/
Order No. 1810-1. 98
miss

Sanctioned at a cost
not exceeding Rs 150 on
the understanding that
the purchase is not made
until after the close
of the official year.
(from C's orders)

Cw
7.1.98

ML.
7/8
1

9/

The trouble the Andhra Pradesh (G)
" Asst Genl (a)) Dec/29
at Mumbai only 1/8

When given for copying 10/1
When copied 11/1
When examined 15/1
When signed 17/1

1891

READ AGAIN G.O. No. 189

DATED

CURRENT No.

ENCLOSURE TO O. No.

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT

STATEMENT WITH DETAIL

PA IS NOT FILLED UP, BEING MEANT FOR RESEARCH
IN ORIGINAL

A -- Copy in full
B -- Not to be copied
P -- Copy abstract only
Q -- Copy heading only