

Government of Madras.

EDUCATIONAL DEPARTMENT.

Recd.

Enclosures

Regd.

1907.

Spare copies

1
order
page no. 13

14

G.O., No. 724, 31st October 1907.

Building grant.

Sanctioning, subject to certain conditions, a — of Rs. 3,000 towards the cost of constructing an additional building for the school department of the St. Aloysius' College, Mangalore.

Educational (190)) Department.

ORDINARY PRINTED.

G.O., No. 724

DATED 31-10-07

[Despatch Abstract.]

Building grant

Sanctioning, subject to certain
conditions a — of Rs 3000 towards the cost
of constructing an additional building for
the School department of the St Aloysius
College, Mangalore.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

NOTES.

Government of Madras.

EDUCATIONAL DEPARTMENT.

A

Recd.

Regd.

1907.

Enclosures

Spare copies

G.O., No. 724, 31st October 1907.

Building grant.

Sanctioning, subject to certain conditions, a — of Rs. 3,000 towards the cost of constructing an additional building for the school department of the St. Aloysius' College, Mangalore.

GOVERNMENT OF MADRAS.

EDUCATIONAL DEPARTMENT.

READ—the following paper:—

Letter—from the Hon'ble Mr. T. T. LOGAN, B.A., Acting Director of Public Instruction.

To—the Secretary to Government, Educational Department.

Dated—Madras, the 13th June 1907.

No.—Ref. on C. No. 3617.

I have the honour to submit the enclosed plan with estimate, amounting to Rs. 9,220, for the construction of an additional building in connection with the school department of St. Aloysius' College, Mangalore, and to recommend that a grant of Rs. 3,073 be sanctioned under rule 51 of the Grant-in-Aid Code.

2. The object of the proposed building is to provide accommodation for two new classes which the management proposes to add to the institution, namely, the third and fourth classes each of which is to consist of two sections. Up till the present, the lowest class in the school has been the 1st form, which has been recruited from the primary schools in the neighbourhood, but since the introduction of the new rules it has been found desirable in this, as in many other secondary schools, to open two lower classes. The proposed building will also provide accommodation for the first form which is to be removed from the main building of the college for want of sufficient accommodation on account of the large increase in the number of pupils throughout the school department which has necessitated the division of each class into several sections. The class for which each room in the proposed building is intended is shown in the plan of the site which is enclosed.

3. Out of the allotment of Rs. 60,000 for building grant in the current year's budget, payment of Rs. 1,393 has been authorized.

Note by the Chief Engineer, P.W.D.

The Chief Engineer offers the following remarks:—

In foundations and on the top two feet should be of laterite in chunam, the remainder of laterite in mud. Plain mud walls as provided would not be durable.

The clerestory windows may be made 1 foot 6 inches deep so that the eaves may shade them. An iron king rod may be substituted for a king post in tin trusses. The following alterations in scantlings are recommended:—

	From	To
Common rafters	21" × 4 1/2"	21" × 4 "
Purlins	4 " × 6 1/2"	4 1/2" × 7 1/4"
Principal rafters	4 " × 5 1/2"	4 1/2" × 5 3/4"
Tie beams	4 " × 5 1/2"	4 1/2" × 6 "
Struts	4 " × 4 "	4 1/2" × 4 1/2"
Verandah rafters	3 " × 6 "	3 " × 5 1/2"
Bressummers	4 1/2" × 7 "	4 " × 6 1/2"
Wall purlins	3 1/2" × 5 "	3 " × 4 1/2"

A section of the wall and roof recommended is attached.

10th October 1907.

F. J. WILSON,
Chief Engineer.

Order—No. 724, Educational, dated 31st October 1907.

The Government are pleased to sanction a maximum grant of Rs. 3,000 towards the cost of constructing an additional building for the school department of the St. Aloysius' College, Mangalore, subject to the following conditions:—

(1) That in carrying out the work, the suggestions of the Chief Engineer in his note read above are adopted;

(2) that the work is completed before the 31st December 1908;

(3) that a certificate of the *actual* expenditure incurred on the work is submitted before the 31st January 1909;

(4) that the amount expended on the work does not fall short of Rs. 9,220 as actually verified;

(5) that all other conditions prescribed in the Grant-in-Aid Code have been duly complied with.

2. On the above conditions being fulfilled, the grant will be paid as funds become available.

(True Extract.)

H. D. TAYLOR,
Ag. Secretary to Government.

To the Director of Public Instruction, with plans and estimates.
,, Accountant-General.

EDUCATIONAL DEPARTMENT.

NOTES CONNECTED WITH G.O., No. 724, EDUCATIONAL,
DATED 31st OCTOBER 1907.

[SUBJECT.—*Building grant for St. Aloysius College, Mangalore.*]

From the Director of Public Instruction, dated 13th June 1907, No. 3617.

The Director [of Public Instruction submits the plan and estimate, amounting to Rs. 9,220, for the construction of an additional building for the School department of the St. Aloysius College, Mangalore, and recommends that a grant of one-third, viz., Rs. 3,073, may be sanctioned under article 51 of the Grant-in-aid Code.

2. It is submitted that the plan and estimate may, in the first instance, be forwarded u.o. to the Public Works Department for scrutiny. The question of the grant will be taken up on the return of the file from Public Works Department.

P.R.—26-6-07.

K. RANGASWAMI AIYANGAR—26-6-07.

C. A. SOUTER—27-6-07.

To the Public Works Department.

PUBLIC WORKS DEPARTMENT.

The estimate has been scrutinised, and is recommended by the Chief Engineer for sanction subject to the remarks in his note attached.

2. The work can be completed in twelve months.

P.V.—11-10-07.

A. G. ROMILLY—1-10-07.

[The estimate amounting to Rs. 9,220 for constructing a building at St. Aloysius College at Mangalore is recommended for sanction with] the following remarks. In foundations and on the top 2 feet should be of laterite in chunam, the remainder of laterite in mud. Plain mudwalls as provided would not be durable.

The clerestory windows may be made 1 foot 6 inches deep so that the eaves may shade them. An iron king rod may be substituted for a king post in ten trusses. The following alterations in scantlings are recommended :—

	From. feet.	To. feet.
Common rafters	$2\frac{1}{2} \times 4\frac{1}{2}$	$2\frac{1}{2} \times 4$
Purlins	$4 \times 6\frac{1}{2}$	$4\frac{1}{2} \times 7\frac{1}{2}$
Principal rafters	$4 \times 5\frac{1}{2}$	$4\frac{1}{2} \times 5\frac{1}{2}$
Tie beams	$4 \times 5\frac{1}{2}$	$4\frac{1}{2} \times 6$
Struts	4×4	$4\frac{1}{2} \times 4\frac{1}{2}$
Verandah rafters	3×6	$3 \times 5\frac{1}{2}$
Bressummers	$4\frac{1}{2} \times 7$	$4 \times 6\frac{1}{2}$
Wall purlins	$3\frac{1}{2} \times 5$	$3 \times 4\frac{1}{2}$

A section of the wall and roof recommended is attached.

A. G. ROMILLY—2-10-07.

F. J. WILSON—10-10-07.

To the Educational Department.

EDUCATIONAL DEPARTMENT.

Please draft for approval.

A lump grant of Rs. 3,000 may be given, but please first verify and see that no special grant for the allotment in aid of University Education has been given for the special work. The building is said to be for the *School department*.

H. D. TAYLOR—21-10-07.

A draft order is submitted for approval.

2. This additional building for the *School department* of the St. Aloysius College does not appear to be included in the works for which a grant from the University grant has been applied for. Please see paragraph 4 of the Director of Public Instruction's letter on page 7 of G.O., No. 570, Educational, dated 31st August 1907, see also the order.

T.K.—21-10-07.

K. RANGASWAMI AIYANGAR—21-10-07.

C. A. SOUTER—28-10-07.

H. D. TAYLOR—29-10-07.

Yes, with the slight addition of Chief Engineer's note shown.

G. S. F[ORBES]—30-10-07.

Issue.

H. D. TAYLOR—31-10-07.

[G.O., No. 724, Educational, dated 31st October 1907.]

CURRENT FILE.

CONTENTS.

From	Number.	Date.	Pages.
[1456] 269	3617	13-6-07	1-13

PAPERS PUT UP WITH CURRENT No. _____

Papers of the department to which the current belongs.

Number.	Date.	Original (=O) or spare copy (=S. C.).	Remarks. (In this column such of the papers as have been removed for copying, printing, etc., should be marked with a cross.)	Initials of Referencer with date in token of return to Reference department.

Papers of other departments.

Department.	Number.	Date.	Original (=O.) or spare copy (=S. C.).	Despatcher to note the return of the papers to the departments concerned.

Stock Form No. 135.
4,000-27-4-06.

EDUCATIONAL DEPARTMENT.



Received _____ 190 , Registered 20-6- 1907.

Subject.

Recommending that a Grant-in-aid of Rs. 3073 be sanctioned for the construction of an additional building for St. Aloysius College, Mangalore.

ENCLOSURES.

No. _____

Spare copies _____

Ref. one No. 3617/07

Station Madras, Dated the 13th June 1907.

From (Name) The Hon'ble Mr. T.T. LOGAN, B.A.,

(Designation) Ag. Director of Public Instruction.


To the Secretary to the Government of Madras,
Educational Department

Su,

I have the honour to submit the enclosed plan with estimate, amounting to Rs. 9220 for the construction of an additional building in connection with the school department of St. Aloysius College, Mangalore and to recommend that a grant of Rs. 3073 be sanctioned under Rule 51 of the Grant-in-aid Code.

2. The object of the proposed building is to provide accommodation for two new classes which the management proposes to add to the institution namely the third and fourth classes each of which is to consist of two sections. Up till the present the lowest class in the school has been the 1st Form, which has been recruited from the primary schools in the neighbourhood, but since the introduction of the new rules it has been found

desirable



50/5185 200-200

Received

7/12/07

2 9 20

desirable in this, as in many other secondary schools, to open two lower classes. The proposed building will also provide accommodation for the first Form which is to be removed from the main building of the college for want of sufficient accommodation on account of the large increase in the number of pupils throughout the school department which has necessitated the division of each class into several sections. The class for which each room in the proposed building is intended is shown in the plan of the site which is enclosed.

3. Out of the allotment of Rs. 60,000 for building grant in the current year's budget, payment of Rs. 1393 has been authorized. Rs. 145
CR

I have the honour to be,

Sir,

Your most obedient servant,

E. M. A. Lemast

For Director of Public Instruction.

*Rs.
12/12/07*

K.P.D.

White 724 Edl
31-10-07

10

Edl


DEPARTMENT.

JP

C. No. 1456 From the 503 No. 3617, dated 13-6-1907.

SUBJECT. Building Grant for St. Aloysius College

Mangalore.



(1906. Edition)

The Director of Public Instruction submits the plan and estimate amounting to Rs 9220 for the construction of an additional building for the St. Aloysius College, Mangalore, and recommends that a third grant, viz, Rs 3073 may be sanctioned under Article 51 of the Grant-in-aid Code.

2. It is submitted that the plan & estimate may in the first instance be forwarded, i.e. to the Public Works Dept for the usual scrutiny. The question of the grant will be taken up on the return of the file from P. W. D.

26/6/07
26.6.07
Prod. no.

27.6.7

P.W.D.

The estimate has been scrutinised and is recommended by the Chief Engineer for sanction subject to the remarks in his note attached.

2. The work can be completed in 12 months.

Ed No. 1456-1
27.6.07

P.W. no. Roro 721
(2/27.6.7)

for scrutiny
27/6/07



11.10.07
PU.

21/10/07

To Educational V.O.

25381

Not 4/20.

Omit

Substitute

The C.E. Pers

By

The estimate amounting to Rs 9220 for constructing a building at St. Aloysius College at Bangalore is recommended for sanction with the following remarks: ~~There are~~ in foundations and on the top two feet shown be of laterite in chunam, the remainder of laterite in mud. Plain mud walls as provided would not be durable.

The ~~ceiling~~ Clerestory windows may be made 1'6" deep so that the eaves may shade them.

An iron King rod may be substituted for a King post in the truss. The following alterations in scantling are recommended.

Common rafters	from $2\frac{1}{2} \times 4\frac{1}{2}$ to $2\frac{1}{2} \times 4$
Purlins	" $4 \times 6\frac{1}{2}$ " $4\frac{1}{2} \times 7\frac{1}{4}$
Principal Rafters	" $4 \times 8\frac{1}{2}$ " $4\frac{1}{2} \times 8\frac{3}{4}$
Li Brans	" $4 \times 8\frac{1}{2}$ " $4\frac{1}{2} \times 6$
Struts	" 4×4 " $4\frac{1}{2} \times 4\frac{1}{2}$
Veranda rafters	" 3×6 " $3 \times 5\frac{3}{4}$
Bressummen	" $4\frac{1}{2} \times 7$ " $4 \times 6\frac{1}{2}$

[Faint, mostly illegible handwritten notes, possibly bleed-through from the reverse side.]

Cin - 29-10-07
Box no. 23

2

P. W. DEPARTMENT.

12
3P
Wale purlins from $3\frac{1}{2} \times 5$ to $3 \times 4\frac{3}{4}$
a section of the wale & roof rafter
is attached.

Dr

21/10/07

10/10/07
E.W.

Please Dept for approval.

A lump sum of Rs 3000 was given -
but please first verify and see that
no special fund for the All India
aid of University B. has been given
for the special work. The building is said
to be for the School Dept.

A draft order is submitted for approval.

2. This additional building for the School Dept.
of the St. Alphonsus College does not appear to be
included in the works for which a grant from
the University grant has been applied for. Please
see para 4 of the D.P. I's letter on page 7 of
G.O. no. 570 Bdl dt 31-8-07; see also the order.

7/11
21-10-07
21-10-07

Sec.
Chd.
18.10.07.

31.10.07

Yes, with the slight addition of C. S. note
Sharon (9.11). 874 507

190

C. No. 1456, From the D.P.I., No. 3617, dated 13-6-1907.

[illegible][illegible]

Note by the Chief Engineer " " " " " 10 - 10 - 1907.

No. 724, dated 31-10 1907.

P. S.

THE Government are pleased to sanction a maximum

grant of Rs. 3,000 towards the cost of

Constructing an additional building for
the School dept of the St. Aloysius College, Mangalore

subject to the following conditions :—

(1) That in carrying out the work, the suggestions of the Chief Engineer in his note read above are adopted;

(2) that the work is completed before the 31st Dec. 1908.

(3) that a certificate of the actual expenditure incurred on the work is submitted before the 31st January 1909

(4) that the amount expended on the work does not fall short of Rs. 9220 as actually verified;

(5) that all other conditions prescribed in the Grant-in-aid Code have been duly complied with.

2. On the above conditions being fulfilled the grant will be paid as funds become available.

To

The Director of Public Instruction. *with plans & estimates.*
 „ Accountant-General.

7.74.
21100

100/26

21. 10. 0

First copy sent to Press.

Returned for signature.

Despatched in print.

READ AGAIN G.O. No.
190

DATED

CURRENT No.

1456 A

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT.

A
Notes A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILLED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

- A = Print in full.
- B = Not to be printed.
- P = Print abstract only.
- Q = Print heading only.

NUMBER OF COPIES
REQUIRED.

Order complete.

Letter only.

Order complete with Letter.

50

14

12P
Whe 16-4

Proo
Proof please
31-10-07

A
A

A
A

sent
Proof please
31-10-07