

Government of Madras.

EDUCATIONAL DEPARTMENT.

Recd.

Regd.

} 1908.

Enclosures

Spare copies

G.O., No. 74, 28th January 1908.

N. P.

Government Museum.

Requesting the Superintendent — to obtain plans and estimates for the construction of a dividing wall between the grounds of the museum and the Maternity hospital, Madras, and submit them to Government for sanction.

Educational (1908) Department.

ORDINARY PRINTED.

G.O., No. 74

DATED

28/1-00

[Despatch Abstract.]

Government Museum

Requesting the Supdt. ~~Gen. Secy.~~, to obtain plans & estimates for the construction of a dividing wall between the grounds of the Museum & the Maternity Hospital, Madras, and submit them to Government for sanction.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Government of Madras.

EDUCATIONAL DEPARTMENT.

Recd.


Regd.

} 1908.

Enclosures

Spare copies

G.O., No. 74, 28th January 1908.



Government Museum.

Requesting the Superintendent — to obtain plans and estimates for the construction of a dividing wall between the grounds of the museum and the Maternity hospital, Madras, and submit them to Government for sanction.

GOVERNMENT OF MADRAS.
EDUCATIONAL DEPARTMENT.

READ—the following paper :—

Letter—from E. THURSTON, Esq., Superintendent, Government Museum, Madras.
To—the Secretary to Government, Educational Department.
Dated—the 8th January 1908.
No.—18.

I have the honour to forward herewith correspondence relating to the construction of a dividing wall between the grounds of the museum and the Maternity hospital.

2. As the Maternity hospital has taken up a certain portion of the museum grounds and the dividing line is now close to one of the main drives leading to the museum, I am strongly in favour of the erection of a neat railing rather than a high wall or one capped with broken glass, and to request that, if possible, sanction may be accorded for its construction.

Order—No. 74, Educational, dated 28th January 1908.

The Government consider that a compound wall will secure more privacy to the Maternity hospital than an iron railing. The Superintendent, Government Museum, will therefore be requested to obtain plans and estimates for a wall and submit them to Government for sanction.

(True Extract.)

H. D. TAYLOR,
Ag. Secretary to Government.

To the Superintendent, Government Museum, with enclosures.
" Public Department.
" Public Works Department.

EDUCATIONAL DEPARTMENT.

NOTES CONNECTED WITH G.O., No. 74, EDUCATIONAL, DATED
28TH JANUARY 1908.

[SUBJECT.—Construction of a dividing wall between the grounds of the Museum and the Maternity hospital, Madras.]

From the Superintendent, Government Museum, dated 8th January 1908, No. 18.

The Superintendent, Government Museum, (Mr. Thurston), forwards the correspondence on the subject of construction of a dividing wall between the grounds of the Museum and the Maternity hospital.

2. The necessity for this work is explained in the Executive Engineer's report. G.O., No. 1057 W., dated 4th October 1907. A strip of land 50 feet wide having been taken up for extending the Government Maternity hospital the compound wall between the two buildings which was more or less old was demolished.

3. Two alternative proposals have now been made and estimates have been prepared for both the proposals.

The first is to provide a masonry wall 7 feet high the cost of which is estimated at Rs. 2,740. The second is to provide an iron railing 6 feet high over 2½ feet height of masonry dwarf wall. The cost of this is estimated at Rs. 9,140.

4. The Surgeon-General is in favour of the masonry wall mainly on grounds of economy, while the Superintendent, Government Museum, and the Superintendent, Maternity hospital, are decidedly in favour of the iron railing on æsthetic grounds and also on the ground that a wall would interfere with the ventilation of that portion of the hospital nearest the compound wall.

5. The Superintendent of the Museum (Mr. Thurston) now requests that sanction may be accorded to the construction of the railings.

6. As the work is one which concerns both the Maternity hospital and the Government Museum, it is submitted that the paper may be sent u.o. to the Public Department for remarks.

K. RAN CASWAMI AIYANGAR—9-1-08.

C. A. SOUTER—10-1-08.

To the Public Department.

PUBLIC DEPARTMENT.

The Surgeon-General advocates a wall chiefly on the ground that it would be so much cheaper than a railing. If Government are willing to bear the cost of a railing, he would probably withdraw his objection. The question is thus one of expense, and is for the decision of Government.

C. S. SIMPSON—11-1-08.

A. GALLETT—13-1-08.

For orders whether a railing at a cost of Rs. 9,140, or a wall at Rs. 2,740 should be erected. The Superintendents of the hospital and the Museum prefer a railing. For privacy's sake I should have thought a wall preferable.

H. BRADLEY—14-1-08.

I agree. I think, it should be a wall. There is nothing in common between a Museum and a Maternity hospital?

G. S. F[ORBES]—15-1-08.

Draft please.

H. BRADLEY—16-1-08.

The case may be returned to the Educational Department.

C. S. SIMPSON—16-1-08.

A. GALLETTI—17-1-08.

To the Educational Department.

EDUCATIONAL DEPARTMENT.

Draft please.

C. A. SOUTER—18-1-08.

The draft placed below is for approval. It may be sent to the Public and the Public Works Departments for acceptance.

K. RANGASWAMI AIYANGAR—18-1-08.

C. A. SOUTER—18-1-08.

Issue.

H. D. TAYLOR—20-1-08.

Before issue will Public and Public Works Departments please accept the draft?

C. A. SOUTER—21-1-08.

To the Public Department u.o.

PUBLIC DEPARTMENT.

The draft may be accepted in the Public Department.

C. S. SIMPSON—22-1-08.

A. GALLETTI—23-1-08.

To the Public Works Department u.o.

PUBLIC WORKS DEPARTMENT.

The draft may be accepted in Public Works Department.

P. K. SUBBA AIYAR—24-1-08.

Accepted in Public Works Department.

A. G. ROMILLY—27-1-08.

To the Educational Department.

EDUCATIONAL DEPARTMENT.

Issue.

C. A. SOUTER—28-1-08.

[G.O., No. 74, Educational, dated 28th January 1908.]

CURRENT FILE.

CONTENTS.

From	Number.	Date.	Pages.
[64] s.l.g.m.	18	8. 1. 07	1-17

PAPERS PUT UP WITH CURRENT No. _____

Papers of the department to which the current belongs.

Number.	Date.	Original (=O.) or spare copy (=S. C.).	Remarks. (In this column such of the papers as have been removed —for copying, printing, etc., should be marked with a cross.)	Initials of Referencer with date in token of return to Reference department.

Papers of other departments.

Department.	Number.	Date.	Original (=O.) or spare copy (=S. C.).	Despatcher to note the return of the papers to the departments concerned.

Stock Form No. 135.
4,000-27-4-06.

EDUCATIONAL DEPARTMENT.

Received..... 190 , Registered..... 9-1-1908

Subject.

Forwarding correspondence relating to the construction of
a dividing wall between the grounds of the Museum and
the Maternity Hospital and requesting, if possible, sanction
for the construction of a neat railing rather than a high
wall or one capped with broken glass.



No. 18

Station Madras , Dated the 8th January 1908

From (Name) Edgar Thurston Esq.
(Designation) Superintendent, Govt. Museum.

To the Secretary to the Government of Madras,
Educational Department

Sir,

I have the honour to forward here
with correspondence relating to the construc-
tion of a dividing wall between the grounds
of the Museum and the Maternity Hos-
pital.

2. As the Maternity Hospital has
taken up a certain portion of the Museum
grounds and the dividing line is now close
to one of the main drives leading to the Mus-
eum, I am strongly in favour of the
erection of a neat railing rather than a

high wall or one capped with broken glass,
and to request that, if possible, sanction
may be accorded for its construction.

I have the honour to be,

Sir,
Your most obedient Servant,

Edgar Thurston

Superintendent,
Govt. Museum

Construction of a Compound wall
between the Govt Museum and the
Maternity Hospital Madras

NOTES.

5000/-
1000/-

[E.]
2,000-27-5-07.

Also connected with G.O. No. 74 11/27/28-1-28

Educational DEPARTMENT.

C. No. 64 From the Supt. Govt. Museum No. 18, dated 8th Jan'y 1907.

SUBJECT

Construction of a dividing wall between the grounds of the Museum and the Maternity Hospital, Madras.

The Superintendent Govt. Museum, Mr. Thurston forwards the Correspondence on the subject of construction of a dividing wall between the grounds of the museum and the maternity hospital.

2. The necessity for this work is explained in ~~paragraphs~~ of the Executive Engineer's report. A strip of land 50 ft wide having been taken up for extending the Govt. maternity hospital the compound wall between the two buildings which was more or less old was demolished.

3. Two alternative proposals have now been made and estimates have been prepared for both the proposals.

The first is to provide a masonry wall, 9 feet high, the cost of which is estimated at Rs 2740. The second is to provide an iron railing 6 ft high over 2 1/2 feet height of masonry dwarf wall. The cost of this is estimated at Rs 9140.

4. The Surgeon General is in favour of the masonry wall mainly on ground of economy, while the Supt. Govt. Museum and the Supt. Maternity Hospital

Page 5 of 4.

So 1057W Z.
4.10.07

vide also para. 1 of the report on p. 5 of 4

vide the Surgeon General's letter on pp. 11 & 12 of 4
vide letter on p. 10 of 4

Letter connected with G.O. No. 74 (M.D.) 28-1-08

18

[E.]
2.
2,000-27-6-07.

Educational DEPARTMENT.

C. No. 64 From the Supt Govt Museum No. 18, dated 8th Jan 1907.

SUBJECT

Construction of a dividing wall between the grounds of the Museum and the Maternity Hospital, Madras.

The Superintendent Govt Museum, Mr. Thurston forwards the Correspondence on the subject of Construction of a dividing wall between the grounds of the museum and the maternity hospital.

2. The necessity for this work is explained in ~~paragraphs of~~ the Executive Engineer's report. A strip of land 50 ft wide having been taken up for extending the Govt maternity hospital the compound wall between the two buildings which was more or less old was demolished.

3. Two alternative proposals have now been made and estimates have been prepared for both the proposals.

The first is to provide a masonry wall ^{9 feet high}, the cost of which is estimated at Rs 2740. The second is to provide an iron railing 6 ft high over 2 1/2 feet height of masonry dwarf wall. The cost of this is estimated at Rs 9140.

4. The Surgeon General is in favour of the masonry wall mainly on ground of economy, while the Supt Govt Museum and the Supt maternity hospital

Page 5 of 4.

Go 1057W Z.
4.10.07

vide also para 1 of the report on p. 5 of

vide the Surgeon General's letter on pp. 11 & 12 of cf
vide letter on p. 10 of cf

92P

hospital are decidedly in favour of the
 iron railing on ~~on~~ aesthetic grounds
 and also on the ground that a wall
 would interfere with the ventilation of
 that portion of the hospital nearest the
 Compound wall.

5. The Superintendent of the Museum
 (Mr. Thurston) now requests that sanction
 may be accorded to the construction of
 the ~~for~~ railings.

6. As the work is one which con-
 cerns both the maternity hospital and
 the Govt museum, it is submitted that the
 paper may be sent ~~up~~ to the Public
 Dept for remarks.

*Ed. any answer
 9.1.08*

*Chamber
 10.18.*

Pub. no.

CURRENT NO.
0130
 PUBLIC

Regd u. 1.08

PUBLIC DEPARTMENT.

from the U.S.

The Surgeon General advocates
 a wall chiefly on the ground that it
 would be so much cheaper than a
 railing. If Govt. are willing to bear
 the cost of a railing, he would probably

no page 10 of 11

?

Page 2 of 11

*DP
 10/1/08
 Ed. no. 1-1*
 CHIEF SECRETARY
 11 JAN 1908
 MADRAS GOVT

Circulated 15.1.08
R. 16.1.08

3

3P

withdraw his objection - the question is
thus one of expense, & is for the decision
of Govt.

Chief Secretary.

C. C. Srinivasan
11.1.08
Agallatti
13.1.08

The Hon. Sec. Feb 1889

For orders whether a railing
at a cost of Rs 9140, or a wall
at Rs 2740 should be erected.
The Sup^r of the Hospital & the
Museum prefer a railing. For
privacy's sake I should have
thought a wall preferable.

H. B. Srinivasan
13/1/08

I agree. I think it sh^d be a
wall. There is nothing in
common bet. a Museum
& a Mat. Hospital!

G. F. Srinivasan
15

Dr. F. Srinivasan

H. B. Srinivasan
16/1/08

The other two are not at all
 similar to each other. The
 one on the left is a small
 - looking object, and the
 other is a large, well-developed
 - looking object. The one on the
 left is a small, well-developed
 - looking object. The one on the
 right is a large, well-developed
 - looking object. The one on the
 left is a small, well-developed
 - looking object. The one on the
 right is a large, well-developed
 - looking object.



Public No. 120-1
 17.1.08

From the U.S.

The case may be returned to
 the Educational Dept.

C. Chinnam
 16.1.08

See u.o.

Educational Dept.

Draft please.

C. Chinnam
 18.1.08

The draft placed below is for approval.
 It may be sent to the Public & the P.W.D. Departments for approval.
 R. D. Chinnam
 18.1.08


See
 C. Chinnam
 18.1.08

my
 20.08

Before issue will Pub. & P.W.D.
 please accept the draft?

C. Chinnam
 21.1.08

Pub. } Please pass on
 P.W.D. } U.O.



Regd. 22.1.08



From the U.S.

The draft may be accepted

in Public -

R. D. Chinnam
 24.1.08 P.W.D. UO

Public No. 290-1
 P.W.D. No. 92 23.1.08
 24.1.08

12 5P
P.W.D.

Sw

The Draft may be accepted in P.W.D.

P. K. S. S. S.
24.1.08.

3

Accepted in P.W.D.

Sw

27/1/08

Educational. u.o.

Educational Dept

W. S. S.
O. S. S.
28.1.8.

0000

0000

” ” ” ” ” ” 190

C. No. 64, From the Superintendent, No. 18, dated 8--1--1908
Govt. Museum.

" " , " " , " , " 190

" "....." " "....." " "....." " "....." " "....." 190

ORDER.
P. S.

No. 74, dated 28th Jan 1901

The Government consider that a compound wall will secure more privacy to the Maternity hospital than an iron railing. The Superintendent, Government, Museum, will therefore be requested to obtain plans and estimates for a wall and submit them to Government for sanction.

K.R.
18-1-08.

C.A.S.
18-1-08.

To The Supt. Govt. Museum. *with enclosures*
 " Public Department.
 " Public Works Department.

19/2/81

First copy sent to Press.

Returned for signature.

Despatched in print.

NUMBER OF COPIES REQUIRED. { Order complete. 40
Letter only.
Order complete with Letter.

HEAD AGAIN G.O. No. , DATE
190

CURRENT No. 94 A

3P
1/5 5

ENCLOSURE TO C. No.

Press
Proof please
30.1.08

ORDER OF GOVERNMENT. A
Notes A

LETTER OF GOVERNMENT

STATEMENT WITH DITTO.

PAPERS NOT FILED BY, BEING WANT FOR DIRECTION
IN ORIGINAL.

N.B.—

- A = Print in full.
- B = Not to be printed.
- C = Print abstract only.
- D = Print heading only.