

Government of Madras.

EDUCATIONAL DEPARTMENT

Recd.

Regd.

} 1910.

Enclosures

Spare copies

G.O., No. 6, 6th January 1910.

Building Grant.

Sanctioning, subject to certain conditions, a grant not exceeding Rs. 3,000 for constructing out-houses attached to the building occupied by the St. John's Girls' High school, Nazareth.

Government of Madras.

EDUCATIONAL DEPARTMENT

Recd.

Reqd

} 1910.

Enclosures

Spare copies

G.O., No. 6, 6th January 1910.

Building Grant.

Sanctioning, subject to certain conditions, a grant not exceeding Rs. 3,000 for constructing out-houses attached to the building occupied by the St. John's Girls' High school, Nazareth.

GOVERNMENT OF MADRAS.

EDUCATIONAL DEPARTMENT.

READ—the following papers:—

I

G.O., No. 450, Educational, dated 3rd August 1909.

ABSTRACT.—Sanctioning a grant not exceeding Rs. 9,200 for constructing a building for St. John's Girls' school and St. John's Training school for Mistresses, Nazareth, Tinnevely district.

II

Letter—from the Hon'ble Dr. A. G. BOURNE, D.Sc., F.R.S., C.I.E., Director of Public Instruction.

To—the Secretary to Government, Educational Department.

Dated—Madras, the 14th August 1909.

No.—Ref. on Cur. 4920-A.

I have the honour to submit an application with plan and estimate, amounting to Rs. 13,900, for building grant towards the construction of out-houses to the new building of the St. John's Girls' High school, Nazareth, towards the construction of which a grant of Rs. 9,200 was sanctioned in G.O., No. 450, Educational, dated 3rd August 1909.

2. In 1906 when the late manager (Rev. Mr. Margoschis) proposed to provide the school with a new building he stated that there were a suitable latrine and other out-houses already in existence and that no provision was therefore made for out-houses. The present manager says that since the new building has its foundation laid on a new site which is more suitable than the one selected by Rev. Mr. Margoschis the proposed out-houses are necessary. He further says that the dormitory is not to be constructed at present. The proposed arrangements seem very elaborate. I think it is enough if a grant of Rs. 3,000 is sanctioned which I accordingly recommend.

III

Letter—from the Rev. C. W. WESTON, Correspondent, St. John's High School for Girls, Nazareth.

To—the Director of Public Instruction (through the Inspectress of Girls' Schools, Southern Circle.)

Dated—the 29th November 1909.

No.—1603.

In continuation of my letter No. 827, dated 8th July 1909, I have the honour to request you to be so kind as to pass early orders on my application for a building grant on behalf of the out-houses of the new Girls' High school-building which is now in course of construction.

Endorsement No. 6469, dated 4th December 1909.

Submitted to the Director of Public Instruction in continuation of this office No. 3828, dated 13th July 1909, for orders.

C. M. LYNCH,
Inspectress of Girls' Schools, Southern Circle.

Endorsement Ref. on Cur. No. 4920-A, dated 9th December 1909.

Submitted to Government, Educational, in continuation of this office letter, R.C. No. 4920-A, dated 14th August 1909.

A. G. BOURNE,
Director of Public Instruction.

IV

Note by the Chief Engineer, Public Works Department, dated 18th December 1909.

The Director of Public Instruction submits for sanction estimates, aggregating Rs. 13,900, for constructing out-buildings attached to the St. John's High school for girls at Nazareth in the Tinnevely district.

2. The estimates and plans have been scrutinised in the Chief Engineer's office and necessary alterations of scantlings and other details have been effected.

3. The estimates as altered by the Chief Engineer, aggregating Rs. 14,005, are recommended for sanction.

P. HAWKINS.

ENCLOSURE.

Estimate Form—Abstract.

Quantity.	Description of work.	Rate.	Per.	Amount.	Total.
1	2	3	4	5	6
	CONSTRUCTING OUT-HOUSES TO THE NEW BUILDING OF ST. JOHN'S GIRLS' HIGH SCHOOL, NAZARETH, TINNEVELLY DISTRICT.				
	DRAWINGS—ONE TRACING SIGNED BY THE DIRECTOR OF PUBLIC INSTRUCTION ON 17TH AUGUST 1909.				
	Bath-rooms, matron, sick and store rooms.	RS. A. P.		RS.	RS.
4,881 c. ft.	Earthwork excavation	3 8 0	1,000 c. ft.	..	17
4,881 "	Concrete broken stone in mortar	10 0 0	100 "	..	488
978 "	Rough stone in mortar	10 4 0	100 "	..	100
	" Brickwork "				
4,442 "	Brick in clay	12 0 0	100 "	538	
101 "	Archwork brick in mortar	17 0 0	100 "	17	
	" Finishing "				556
6,587 s. ft.	Plastering with mortar two coats	2 8 0	100 sq. ft.	165	
428 "	Pointing with chunam	1 8 0	100 "	6	
1,470 "	Flooring with 6" concrete and plastered over with cement ½" thick.	12 0 0	100 "	..	171
	" Woodwork "				176
21.13 c. ft.	Congoo wood wrought and put up	3 0 0	C. ft.	63	
1,386 r. ft.	Palmyrah rafters including tarring two coats	0 1 6	R. ft.	130	
2,096 s. ft.	Roofing with flat and pan tiles over congoo reapers, chunam borders, etc., complete.	23 0 0	100 sq. ft.	..	193
	" Doors and windows "				488
159 "	Doors (teakwood) batten with frames, hinges, fastenings, etc., complete.	1 0 0	Sq. ft.	159	
38 "	Teak windows batten with iron bars, etc., complete.	1 8 0	"	57	
476 "	Painting with silicate paint two coats (dark oak)	3 0 0	100 sq. ft.	..	316
	Total	..	..	..	14
	Contingencies	..	..	120	2,413
	Petty supervision	..	..	57	
	Grand Total	..	..	..	177
					2,590

Estimate Form—Abstract—cont.

Quantity.	Description of work.	Rate.	Per.	Amount.	Total.
1	2	3	4	5	6
	CONSTRUCTING OUT-HOUSES TO THE NEW BUILDING OF ST. JOHN'S GIRLS' HIGH SCHOOL, NAZARETH, TINNEVELLY DISTRICT—cont.	RS. A. P.		RS.	RS.
	<i>Constructing pounding, paddy-drying and kitchen rooms.</i>				
4,599 c. ft.	Earthwork excavation	3 8 0	1,000 c. ft.	..	16
4,599 "	Concrete broken stone in mortar	10 0 0	100 "	..	460
916 "	Rough stone in mortar	10 4 0	100 "	..	94
	<i>" Brickwork."</i>				
3,893 "	Brick in clay	12 0 0	100 "	456	
114 "	Archwork brick in mortar	17 0 0	100 "	19	
					476
	<i>" Finishing."</i>				
5,534 sq. ft.	Plastering with mortar two coats	2 8 0	100 sq. ft.	138	
443 "	Pointing with chunam	1 8 0	100 "	7	145
					188
1,562 "	Flooring with 6" concrete and plastered over with cement $\frac{1}{2}$ " thick.	12 0 0	100 "	..	
	<i>" Wood-work."</i>				
33-15 c. ft.	Congoo wood wrought and put up	3 0 0	C. ft.	96	
1386 r. ft.	Palmyrah rafters including tarring two coats	0 1 6	R. ft.	130	226
					497
2,142 sq. ft.	Roofing with flat and pan tiles over congoo reepers, chunam borders, etc., complete.	23 0 0	100 sq. ft.	..	
	<i>" Doors and windows."</i>				
91 "	Teak doors batten with frames, hinges, fastenings, etc., complete.	1 0 0	sq. ft.	91	
140 "	Teak windows with frames, hinges, fastenings and iron bars, etc., complete.	1 8 0	"	210	
601 "	Painting with silicate paint two coats	3 0 0	100 sq. ft.	..	301
					18
	Total				2,420
	Contingencies			120	
	Petty supervision			60	
					180
	Grand total of estimate				2,600
	<i>Constructing a dormitory.</i>				
7,365 c. ft.	Earthwork excavation	3 8 0	1,000 c. ft.	..	26
7,365 "	Concrete broken stone in mortar	10 0 0	100 "	..	787
	<i>" Stone-work."</i>				
1,473 "	Rough stone in mortar	10 4 0	100 "	151	
31-5 "	Cut stone work	1 0 0	c. ft.	32	182
	<i>" Brickwork."</i>				
5,819 "	Brick in clay	12 0 0	100 c. ft.	693	
313 "	Archwork brick in mortar	17 0 0	100 "	53	
					751
	<i>" Finishing."</i>				
3,998 sq. ft.	Plastering with mortar two coats	2 8 0	100 sq. ft.	225	
748 "	Pointing with chunam	1 8 0	100 "	11	236
					250
2,913 "	Flooring with 6" concrete and plastered over with cement $\frac{1}{2}$ " thick.	12 0 0	100 "	..	
	<i>" Woodwork."</i>				
37-65 c. ft.	Congoo wood wrought and put up	3 0 0	C. ft.	113	
2,574 r. ft.	Palmyrah rafters including tarring two coats	0 1 6	R. ft.	241	
					354
3,845 sq. ft.	Roofing with flat and pan tiles, over congoo reepers, chunam borders, etc., complete.	23 0 0	100 sq. ft.	..	884

Estimate Form—Abstract—cont.

Quantity.	Description of work.	Rate.	Per.	Amount.	Total.
1	2	3	4	5	6
	CONSTRUCTING OUT-HOUSES TO THE NEW BUILDING OF ST. JOHN'S GIRLS' HIGH SCHOOL, NAZARETH, TINNEVELLY DISTRICT—cont.	RS. A. P.		RS.	RS.
	<i>" Doors and windows."</i>				
252 sq. ft.	Teak doors batten with frames, hinges, fastenings, etc., complete.	1 0 0	Sq. ft.	252	
570 "	Teak windows batten with iron bars, frames, hinges, fastenings, etc., complete.	1 8 0	"	855	
1,850 "	Painting two coats with silicate paint	2 0 0	100 sq. ft.	..	1,107
					56
	Total				4,684
	Contingencies			234	
	Petty Supervision			117	
					351
	Grand Total				5,035
	<i>Constructing a latrine.</i>				
2,090 c. ft.	Concrete broken stone in mortar	10 0 0	100 c. ft.	..	209
	<i>" Stone-work."</i>				
412 "	Rough stone in mortar	10 4 0	100 "	42	
8-62 "	Cut stone work	1 0 0	C. ft.	9	
					51
1,690 "	Brick in clay	12 0 0	100 c. ft.	..	203
	<i>" Finishing."</i>				
2,071 sq. ft.	Plastering with mortar two coats	2 8 0	100 s. ft.	52	
239 "	Pointing with chunam	1 8 0	100 "	4	
					56
600 "	Flooring with 6" concrete and plastered over with cement $\frac{1}{2}$ " thick.	12 0 0	100 "	..	72
	<i>" Wood work."</i>				
1,900 c. ft.	Congoo wood wrought and put up	3 0 0	C. ft.	57	
420 r. ft.	Palmyrah rafters including tarring two coats	0 1 6	R. ft.	39	
					96
645 sq. ft.	Roofing with flat and pan tiles, congoo reepers, chunam borders, etc., complete.	23 0 0	100 sq. ft.	..	144
2,078 c. ft.	Earthwork excavation	3 8 0	1,000 "	..	7
	Total				842
	Contingencies			30	
	Petty supervision			28	
					58
	Grand Total				900
	<i>" Sinking a well."</i>				
1,261 c. ft.	Blasting hard rock	9 0 0	100 c. ft.	..	112
	<i>" Stone-work."</i>				
694 "	Rough stone in mortar	10 4 0	100 "	71	
6-03 "	Cut stone work	1 0 0	C. ft.	6	
					77
155 "	Brick in mortar	15 0 0	C. ft.	..	23
	<i>" Finishing."</i>				
347 sq. ft.	Plastering with mortar two coats	2 8 0	100 s. ft.	9	
595 "	Pointing with chunam	1 8 0	100 "	9	
					18
255 "	Flooring with 6" concrete and plastered with cement $\frac{1}{2}$ " thick.	12 0 0	100 s. ft.	..	31

Estimate Form—Abstract—cont.

Quantity.	Description of work.	Rate.	Per.	Amount.	Total.
1	2	3	4	5	6
CONSTRUCTING OUT-HOUSES TO THE NEW BUILDING OF ST. JOHN'S GIRLS' HIGH SCHOOL, NAZARETH, TINNEVELLY DISTRICT—cont.					
"Sundries or Miscellaneous."					
	Baling water	RS. A. P.	L.S.	RS.	RS.
1,666 c. ft.	Earthwork excavation	3 8 0	1,000 c. ft.	6	
46 "	Concrete broken stone in mortar	10 0 0	100 "	5	
	Picottah beam with bucket, etc., complete		L.S.	15	
	Total				46
	Contingencies			12	
	Petty supervision			10	
	Grand Total				22
	Compound wall				339
10,915 c. ft.	Earthwork excavation	3 8 0	1,000 c. ft.		38
10,915 "	Concrete broken stone in mortar	10 0 0	100 "		1,092
1,909 "	Rough stone in mortar	10 4 0	100 "		195
4,486 "	Brick in clay	12 0 0	100 "		538
717 r. ft.	Coping with brick in mortar including two coats of plastering	0 6 0	R. ft.		269
"Finishing."					
7,170 sq. ft.	Plastering with mortar two coats	2 8 0	100 s. ft.	917	
2,151 "	Pointing with chunam	1 8 0	100 "	32	
	Doors for gateway		L.S.		211
	Total				25
	Contingencies			91	
	Petty supervision			90	
	Grand Total				181
	GENERAL ABSTRACT				2,550
1	Constructing bath-room, matron, sick and store rooms			2,590	
2	Constructing pounding, paddy-drying and kitchen rooms			2,600	
3	Constructing dormitory			5,035	
4	Constructing a latrine			900	
5	Sinking a well			330	
6	Constructing compound wall			2,550	
	Grant Total				14,005

Order—No. 6, Educational, dated 6th January 1910.

The Government are pleased to sanction a grant not exceeding one-third of the actual expenditure, nor exceeding Rs. 3,000, towards the cost of constructing out-houses attached to the building occupied by the St. John's Girls' High school, Nazareth, subject to the following conditions:—

(1) that in carrying out the work the suggestions of the Chief Engineer in his note read above are adopted;

(2) that the work is completed before the 31st July 1910;

(3) that a certificate of the actual expenditure incurred on the work is submitted before the 30th September 1910;

(4) that all other conditions prescribed in the Grant-in-Aid Code have been duly complied with.

2. On the above conditions being fulfilled the grant will be paid as funds become available.

(True Extract.)

L. M. WYNCH,
Ag. Secretary to Government.

To the Director of Public Instruction, with plans, original estimates and
a copy of the Chief Engineer's revised estimate.
,, Accountant-General.

NOTES CONNECTED WITH G.O., No. 6, EDUCATIONAL, DATED
6TH JANUARY 1910.

SUBJECT.—*Grant of Rs. 3,000 in aid of constructing out-houses to the new building of St. John's Girls' High School, Nazareth.*

From the Director of Public Instruction, dated 14th December 1909, No. 4920-A.

The Director of Public Instruction submits a plan and estimates amounting to Rs. 13,900 for the construction of out-houses to the new building of the St. John's High School for Girls, Nazareth, and recommends that a grant of Rs. 3,000 may be sanctioned.

2. The grant of Rs. 3,000 recommended by the Director of Public Instruction is in respect of the following works for which the estimates provide:—

	RS.
(1) Construction of bath-room, matron's, sick and store rooms ..	2,570
(2) Construction of paddy drying and kitchen rooms ..	2,580
(3) „ dormitory	5,000
(4) „ latrine	870
(5) Sinking a well	330
(6) Construction of a compound wall	2,550
Total ..	13,900

But the correspondent of the school states that the dormitory which is estimated to cost Rs. 5,000 will not be built now. Paragraph 2 of Director of Public Instruction's letter; also column 8 of application. It is not known why in that case the correspondent applies for a grant and submits plan and estimates in respect of the dormitory also. Nor is it known what amount of grant the Director of Public Instruction is prepared to recommend in respect of the remaining items of works only.

3. It is for consideration whether, before any action is taken on the present application for a grant, the Director of Public Instruction may be requested to state whether the grant of Rs. 3,000 recommended by him is in respect of all the proposed buildings including the dormitory, and if it is, what amount of grant he will recommend with regard to the proposed out-houses, excluding the dormitory.

P.R.—21-8-09.

K. RANGASWAMI AIYANGAR—21-8-09.

Under rule 51 of the Grant-in-Aid Code a grant of $\frac{1}{3}$ of the cost may be given. Deducting the cost of the dormitories the total is Rs. 8,900 and Rs. 3,000 is therefore too much. The Director of Public Instruction, however, seems to recommend a grant of Rs. 3,000 for the whole building. This would be inadvisable when Rs. 5,000 of the estimate may possibly never be spent. The Director of Public Instruction may be asked what grant he would recommend in respect of the buildings actually to be constructed now.

C. A. SOUTER—21-8-09.

ORDINARY.

PRESS SLIP.

PREFERENCE.

URGENT (a)

EDUCATIONAL DEPARTMENT.
LEGISLATIVE



Current No. 1569, dated 19 ..
G.O., No. 6, dated 1-1-1910 ..

Number of MS. pages sent { Correspondence including order or orders
(b)
Notes.....

Docket... Building grant Sanctioning
grant not exceeding Rs. 3000
for constructing on houses attached
to the building occupied by the St. John's
Girls' High School, Nazareth

Number (c) of copies required when struck off (not including
copies for volumes and editors' table which are retained
in the Press). Complete
correspondence
and orders. Notes

FOR RECORD.*					
Madras Records	...	...	...	30	15
Ooty Records	...	...	...	2	5
For filing with original	...	...	...	1	1
Total				34	19

FOR ISSUE.†

	Letter only.	Complete G.O.	Special issue copies (d) of G.O.		Notes.
			No.	Papers.	
Signature copies.....					
India Office.....					
Govt. of India.....Dept.					
Public Department.....					
Judicial Department.....					
Financial Department.....					
Revenue Department.....					
Public Works Department.....					
Local and Municipal Department.....					
.....Dept.					
Total					
Spare copies.	The Director of Public Instruction.....				
	The Comr. for Govt. Examinations.....				
	The Superintendent, Govt. Museum.....				
	The Surgeon-General.....				
	The Accountant-General.....				
	The Collector of.....				
	The P. D. B.....				
	The.....				
	The.....				
	The.....				
	The.....				
	The.....				
Total					

INSTRUCTIONS FOR THE SECRETARIAT.

(a) If a paper is marked to be printed urgently, the Superintendent of the section concerned should sign the Press slip. The Superintendent should exercise a careful discretion in the matter.

(b) Each letter, memorandum, or order, or set of orders, in the file of correspondence should be headed in succession with the Roman numeral I, II, III, etc., the number being written in red ink or blue chalk above the item. The particular papers to be printed in the special issue-copies should be indicated by the Roman numeral (I, II, etc.) by which that item has been headed in the correspondence file. All matter, including marginal remarks or references, to be printed should be written in ink and matter which should not be printed should be encircled. Initials and signatures that are not quite legible should be re-written distinctly.

(b¹) For rules regarding printing of notes, see the rules in G.O., No. 1220, Public, dated 30th November 1900.

(c) The number of copies and the details of distribution should be filled in by the Superintendent or Referencer concerned.

(d) In the absence of special instructions to the Press to keep matter standing for a specified period, ordinary papers of 8 pages and under will be kept standing for one week, and larger papers for two weeks only. The type of notes and of all confidential papers is distributed immediately after striking.

(e) This slip, properly and completely filled in, should accompany every paper sent to Press; it will be returned by the Press when proofs are furnished; it should be sent to the Press when a call is made for revised proofs or when a corrected proof is sent for striking. When finally returned by Press it should be filed with the original order or letter.

INSTRUCTIONS FOR THE PRESS.

(a) If, in the opinion of the Superintendent of the Press, a paper has been marked urgent unnecessarily, he should send the Press slip to the Deputy Registrar with a remark to that effect.

(b) Unless a note to the contrary is made against the matter, pencil entries should not be printed. The Superintendent of the Press may bring to the notice of the Deputy Registrar any instance of incomplete or careless editing.

(c) Signature copies of letters to the Secretary of State or to the Government of India should be printed on hand-made paper.

(d) This slip should be returned by the Press to the Secretariat when proofs are furnished; it will be sent back to the Press when proofs are returned corrected and should be finally returned to the Secretariat when struck-off copies are supplied.

(e) The names of the Secretary and Members should be printed in full when they occur on the right hand side, but only the first time when they appear on the left side, the initials alone being printed later.

* Copies distributed on.....*(Press Clerk.)

† Copies distributed on.....*(Despatcher.)

TO PRESS, MADRAS.
OOTY.

A	B	C
Please send proof in triplicate. The papers have been carefully edited.	Proof returned corrected. Please strike off and send number of copies as indicated.	As the matter is clear manuscript and has been carefully edited, (b) proof need not be sent. Please print and supply number of copies as indicated.
Type may be released after usual interval.	Type may be released after usual interval.	Type may be released after usual interval.
.....Clerk.	Clerk.	Clerk.
.....Supdt.	Supdt.	Supdt.

(b) Three copies of proof of all notes should be sent for approval, except when instructions are given to the contrary.

SPECIAL INSTRUCTIONS.

TO BE FILLED IN BY THE PRESS.

Diary.	Initials of Press official.
Received in Press on.....	7-1-10
First proof furnished on.....	12-1-10
Call for revised proof received on.....	
Revised proof furnished on.....	
Corrected proof received for striking on.....	19-1-10
Final copies supplied on.....	28-1-10

Account of copies.	Complete copies.	Notes.	Issue copies.
Supplied to Secretariat for Record.....	34	19	
" " " Issue.....	15		
For Volumes.....	11		
For E.T.....			
Total ...	60	19	