

[2.5.6]
1,000-19-8-19.

Educational (1913) Department.

ORDINARY MS.

G.O., No. 393

DATED 1st May 1913 .

12

153/11/10/11

[Despatch Abstract.]

Wesley College — Approving with remark the
proposal of the Principal — regarding the modi-
fications in the plan of the College hostel, Royapettah

செப்பனிருபவர் பெயர்
செப்பனிருபதற்காக எடுத்துக்
கொள்ளப்பட்ட நாள்
செப்பனிடகு முடித்த நாள்
சாப்பார்க்கும்
மு.பா.எ.
கையொப்பம்.
ஆராய்ச்சி
உதவியாளர்
கையொப்பம்.

Please quote this in the reply.

Ref. on C. No. 2935 of 1912
Dis. 3-3-1913
Dated 3-3-1913



Ed. B 12,000-14-5-12
2 (A)

Ans 169320
recd 5-3-13

PROCEEDINGS OF THE DIRECTOR OF PUBLIC INSTRUCTION.

5-MAR-1913

Read the following paper:—

Letter from The Rev. C. Pollard, M.A., Principal, Wesley College, No 5, dated 26th February 1913, to The Director of Public Instruction, Madras.

In reference to your Proceedings R. on C No. 2935 of 1912, dated 15th February 1913, I have the honour to request ^{that} you will ask the Chief Engineer to Government to reconsider sections (2) (3) (4) & (5) of para 2 of his note referred to in the above Proceedings.

As stated in my letter 223, dated 31st October 1912, applying for a grant, the construction of the bungalow had been begun and was almost finished. It has been completed and occupied for two months. The Municipal ENGINEERS passed the plans and I am assured by the architect who designed the building and supervised its erection that in reference to section (2) the 12" X 5" girders, according to P.W.D., scales, give a reasonable margin of safety though, of course, not so ample as that proposed. With regard to the foundations of the outhouses I am informed that there are concrete foundations resting on natural sand and that though brick in mortar in basement work would be superior yet brick in mud is strong enough. Win in mortar.

Under the circumstance that the plans for the Ward

The house is ready for certificate may be granted.

Forwarded to the Chief Engineer, P.W.D., for favor of
 rly opinion. The grant of Rs. 29,000/- has been authorised
 or payment in advance and the Principal has been requested to
 draw the amount before 31st March 1913.

R. a. anive
 For Director of Public Instruction.

Stock Form No. 141.
 20,000-8-12-09.

PUBLIC WORKS DEPARTMENT.

CURRENT No

172522

ENCLOSURES. { Plans No.
 Others No.

Received 19

Registered 8/3/13 19

SPARE COPIES.

Total

Passed on by Registering Clerk

" " U. R. Clerk

" " Referencer

" " Record Superintendent.

" " Drafting Officer

Subject.

*Wardens quarters, Wesley College
 Royapetah - Re certain modification
 in the plan*

Re No.

Station, Dated the 19

From (Name) *J. D. J.*

(Designation)

To The Chief Engineer
 The Secretary to the Government of Madras.

Public Works Department,

Per,

*1725173722
 1913*

108

The previous reference referred to by
 the D.C. is his letter *Wardens* is now
 under ch. Those accounts may also be sent
 to the

(4)

*108
 8/3/13*

(5) X

Copy of letter No. 56, dated 26th February 1913, from the
Principal, Wesley College, Royapettah, Madras.

Cir 17255R
up 4.3.13

With reference to Proceedings No. 2935 of 12, dated 15th
February 1913, I have the honour to request you to ask the
consent of the Chief Engineer to the following slight modifi-
cation of the plan. In the note of the Chief Engineer
appended to above Proceedings, para 2 (1) is

"Providing rolled steel girders to support and brick-nogged
partitions in the 1st and 2nd floors of the hostel."

I request permission to put double girders, and instead of
brick-nogged partitions to put a wall on the second and third
floors. Owing to the High price of timber the cost will be
approximately the same, and a wall will be better than a partition.

Re 2935/12 29.3.13 (True copy)

Forwarded to the Chief Engineer, P. W. D., for favour of
early opinion, in continuation of Proceedings, R. C. No. 2935/12,
dated 3rd March 1913.

R. A. A. A. *Cir 1893*

For Director of Public Instruction.

K.V.T.

ad
4.3.13

D43

(5)

508
4.3.13

Copy of letter No. 65, dated 4th March 1913, from the Principal, Wesley College, to the Director of Public Instruction, Madras.

Ans 173792

Regd 5-3-13 With reference to your Proceedings, no. 2935 of 12, dated 15th February 1913, and in continuation of my letter 55, dated 26th February 1913, I have the honour to state that it is only in two downstairs rooms that the steel girders are 12" x 5". In the two upstairs rooms the girders put up in the house are 15" x 5" but have been wrongly shown in the plan as 12" x 5".

Re. 2935/12

(True copy)

5-3-13

Forwarded to the Chief Engineer, Public Works Department, in continuation of Proceedings, R. C. No. 35/12, dated 5th March 1913.

7-MAR-1913

R. A. Arne

For Director of Public Instruction.

K.V.T.

12
5-3-13

DC 3

6

502
7-3-13

Copy of letter from the Principal, Wesley College,
Madras, No. 67, dated 5th March 1913, to the Director of
Public Instruction, Madras.

I have the honour to make the following requests in
reference to para 4 of the note by the Chief Engineer
appended to the Above proceedings.

(1) The designs referred to are not suitable for
connection to the Madras Municipal drains. I have written
to the President of the Corporation of Madras asking that
the municipal Engineers may be allowed to prepare a scheme
for the drainage of the Hostel (latrines, kitchen etc.,).
I have been informed that this is possible on the payment
of a percentage on the estimate.

(11) It is suggested that the latrine be detached from
the main building. The plan as originally designed showed
the latrine at a distance of 16 ' 4" away from the main
building but connected thereto by a barred passage way. This
was done deliberately for it is considered desirable to have
the Hostel so arranged that the place can be locked up at
night and no one be admitted except through the porter's
lodge. The hostel is for youth in statu pupillari and there
can be no question as to the advisability of having the
latrine connected in this way with the main building. The
adoption of the drainage scheme suggested in para (1) will
do away with any objection on sanitary grounds.

I have, therefore, the honour to ask that Government
will allow me to substitute the drainage scheme referred to
in para (1) for the latrines suggested in the Chief Engineer's

originally sent up.

Reference on Current No. 2935/12, dated 7th March 1913.

Forwarded to the Chief Engineer, Public Works Department, in continuation of Proceedings R. C. 2935/12 dated 5th March 1913.

R. A. Arivie.
15.3.13.
For Director of Public Instruction.

15.3.13

Stock Form No. 151.
5,000-4-2-11.

Educational

LOCAL AND MUNICIPAL DEPARTMENT.

CURRENT No. 992-El

Received



Registered 26/3

191

Subject.

Recommending that the management of the Wesley College, Rayapettah, may be permitted to make certain alterations in the plan relating to the construction of a hostel attached to the college.

ENCLOSURES.

No.

Spare copies

Ref on Current No. 2935/12

Station Madras. Dated the 20th March 1913

From (Name) The Hon'ble Sir Alfred Gibbs Bourne, D.Sc.F.R.S.
K.C.I.E.,

(Designation)

Director of Public Instruction,

Madras.

To The Secretary to the Government of Madras,

Educational ~~Local and Municipal~~ Department.
Fort Saint George, Madras.

Sir,

I have the honour to submit copy of letter No. 76, dated 17th March 1913 from the Principal, Wesley College, Rayapettah, together with the plans and to recommend his request for the sanction of Government. The Principal informed that he had seen the Chief Engineer, Public Works Department, and the modification proposed was approved.

A grant of Rs 29,000/- was sanctioned in G.O. No. 112,

N Educational, dated 11th February 1913, and the Principal has been asked to draw the amount in advance in the current official

No. 76.

Wesley College, Madras, S.V.,

17th March 1913.

From

The Rev. C. Pollard, M.A.,

Principal,

Wesley College.

To

The Director of Public Instruction,

Madras.

Sir,

I have the honour to forward herewith the original tracings of the plan sanctioned for the Hostel. Without applying for any increased grant I wish to be allowed to make the alterations indicated in red.

The alteration will make each of the wings 1 foot wider and 3ft longer. In this way we provide for slightly larger rooms and do away with the necessity for the frame partitions on the West side. The East side is also altered to correspond with the West side, but the single room is put to the North in place of South side.

I shall be glad if you will be good enough to sanction this as early as possible.

I have the honour to be,

Sir,

Your most obedient servant,

/Sd/ C. Pollard,

/True Copy/

R. A. Anwar
for Director of Public Instruction

aa
93/13

bkt-7cf

Cr 1693 D.L. From the D.G. Ref on Cr 2935. 12.3.13
Cr 1725 D.L. From — do — Ref on Cr 2935 9.5.13
Cr 1737 D.L. From — do — Ref 2935/12.3.13
Cr 2034 D.L. From — do — Ref 2935/17.3.13

Construction of hostel + wardens quarters,
Wesley College, Nagapattanam

05.

Pursuant of the letter read above is
Solicited.

2 The Chief Engineer's note referred to by
the Principal of the Wesley College, Nagapattanam,
in his letter under reference, was sent to
Educational in P.W. N 933 D.L-1 on 3.2.13. &
Orders there have not yet been received in this
dept.

3 Of the various proposals made by the
Principal, the Chief Engineer recommends -
that the proposals contained in para 1 of letter
N 55 of 26.2.13 regarding the points dealt
with in Sections (2), (3), (4) & (5) of para 2 of the
Chief Engineer's note and that contained in
his letter N. 67 of 5.3.13 ^{re: latrines} may be accepted.
As regards the proposals in his letter N 56 of
26.2.1913, the carrying of thick partitions
walls on rolled steel joists should be



Y 1012C - R
1213
page 3 of 10

Regulation has been furnished to
P.W.D.

bkt-

bkt-

bkt-

(12)

PUBLIC WORKS DEPARTMENT.

Avoided. ~~the~~ ^a hybrid partition carried
and order as specified in the Chief
Engineer's note II(10) is recommended. If
however the hotel building has not proceeded
^{too} far, the best thing to do would be to
shift the wall between the reading room
and the passage was to make the passage
8 ft wide instead of 5 ft & to build
solid walls on the 1st and 2nd floors above.

With the above recommendation, the
file may be sent to Ed. for necessary action.

Wk 26.3.13
TBN 26.3.13

26.3.13

PW No. 169322

27.3.13.

C. 1041 Ed

29.3.13

① Vide page 3 of this
note above.

P. 97 C.F.

Page 24

Ed. W.D.

Educational Department

The D.P.G.'s letter R.O.C. no. 2935/12 dt 20th March 1913
since received in this department has been added to
the current file (pages 8 & 9).

2. There are two sets of proposals in the current file—
one set submitted by the Principal ^{direct} to the Chief Engineer
through the D.P.G. and the other submitted to Govt. thro' the
D.P.G. The Ch. Eng. has already passed orders on the
communication received by him. The proposals con-
tained in the Principal's letter no. 76 received in this
department may also be accepted, if the Chief Eng.
finds no objection to them. The Principal is reported to
have stated that the Chief Engineer has already approved them
also.

3. A draft order is submitted for approval

(12)

If approved, it may be sent to P.W.D. for acceptance.

OP
19.4.13

P.W.D. u.s.

19.4.13

Ed. no. 1041-1

19.4.13

21 APR. 13

pages 1, 4, 6 of C.F.
page 9 of C.F.

The City of London
with the Council of the City

163752-3
25-4-13

DS

For orders if the draft may be accepted. It follows the recommendation made by the Dept. on page 1-2 supra. Regarding the Correspondents' letters Nos 55, 56 of 24/4/13. As regards the alterations suggested in the Principals letter No 76 of 1913. it is stated that Ew has already agreed to them.

mpd

24/4/13

accepted

Ed. w.s.o.

25.4.13

Educational Dept.

Submitted that the draft may now issue.

CA
29.4.13

Issue

1513

READ AGAIN G.O. No. 112 SFC, dated 11-2-1913

" " " " " " " "

" " " " " " " "

C. No. 992, From the 209, No. 2935/12 dated 20-3-1913

1041 Prod 1693-1 27-3-1913.

Note by the Ch. Eng^s 26-3-1913.
[H. E. the portion enclosed in red chalk]

ORDER.

His

No. 393 ^{with} ^{his}, dated 1-5-1913

o page 1 get
 -# page 6 get
 9 page 9 get
 -# page 4 get

The proposals of the Principal, Wesley
College, Royapettah, contained in his
(56 & 57) @
letters Nos 55 dt 26.2.13, 67 dt 5.3.13 and
76 dt 17.3.13 are approved. As regards the
other proposals ~~of~~ in his letters 56 & 26.2.13 #
his attention will be drawn
to the Chief Engineer's note read aloud
and ~~to be~~ he will be requested to adopt
Pop the suggestions contained therein
19.4.13
A
19.4.13

To, she ~~do~~ ^{go} with plans, ^{circle}
" A. G. [✓]
" D. W. D. [✓]