

Low (1925) Department.

Educative ?

Ordinary SERIES.

G.O. No. 916

DATED 1 - 6 - 1925

67-13

14

[Despatch Abstract.]

S U B S I D Y.

Municipal Council, Salem--towards repairs to the compound wall of the girls schools transferred under G.O.No.1132, L. 17. dated the 23rd September 1922--negatived.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

F. 30-18,658-3-10-23.

Local Self Government

DEPARTMENT.



Received

192

Registered

18218

192

Subject.

Application for additional subsidy- repairs to the wall

of the Muhammeden Girls' School, Shevapat.

ENCLOSURES.

No.

Letter 92 in original

Spare copies

R. C. No. 342 B/24

Station Madras, Dated the 23- 6- 24 192

From (Name) R. Littlehailes Esq., M.A.,

(Designation) Director of Public Instruction,

Madras

To The Secretary to the Government of Madras,

Local Self Government

Department.

Sir,

In submitting herewith letter R.O.C.No.140 G1 of 22 dated 8- 4- 24 together with its enclosures received from the Chairman,Municipal Council,Salem, addressed to Government for a grant of subsidy towards the cost of repairs to the compound wall of the Muhammeden girls school,Shevapat, I have the honour to state as follows:-

2. In G. O. No. 1132 Law(Education) dated 23-9-22 the Government Muhammeden Girls School at Shevapat was transferred to the control of the Municipal council,Salem, on condition that an annual recurring subsidy approximately

equal

equal to the expenditure incurred from provincial funds on the maintenance of the school would be given to the council. The Chairmans statement ~~in~~ that the entire cost of its maintenance will be paid to the council is incorrect.

3. The Chairman requests for the payment of a subsidy of Rs.1203. The expenditure is justifiable in view of the remarks of the Municipal Engineer. The Inspectress of Girls Schools, Western circle also supports the request.

4. The council has carried out the repairs completely and the amount of Rs.1203 now applied for represents the actual expenditure incurred by the council. I recommend the payment of this amount, ~~the~~ expenditure can be met from the provision of Rs.1 lakh in the Civil Budget Estimate for 24- 25 under "31 (C)(b) (iii) Education- Primary-grants to local bodies for Primary Education-voted-contribution to local bodies towards the construction of Elementary school buildings"

5. With reference to Government Memo (Law (Education) dated 4220 A-6 dated 2- 4- 24, I may state in this connection that the application received from local bodies have been referred to the inspecting officers for remarks. Proposals will be submitted to Government for the distribution of the amount after the receipt of the reports.

I have the honour to be,
Sir,
Your most obedient servant,

Z R Sundararam

for Director of Public Instruction

A.P.24/6/24

92
3182-24-11
5,000-23-8-23.

Local Self Government DEPARTMENT.

Received 192 . Registered 192 .

Subject.

ENCLOSURES.
No. <u>2</u>
Spare copies

Station S A L E M , Dated the 8th April 1924. 192 .

From (Name) M.R.Ry. S.C.Vankatappa Chettiar Avarhal B.A.; B.L;
(Designation) Chairman, Municipal Council, Salem.

To The Secretary to the Government of Madras,

Local Self Government -- Department.
Through The Collector of Salem & The Director of Public Instruction, Madras.
Sir,

The Shevapet Mahomedan Girls School which was maintained from Provincial Funds was transferred to the Municipal Council subject to the condition that the entire cost of its maintenance will be paid to the Council. A portion of the compound wall of the school building fell down on 13-9-23. I enclose a copy of the report of the Municipal Engineer from which it could be seen that it was not possible to set the wall right unless certain portions were reconstructed and the repairs suggested by him were carried out. An estimate for Rs.1450 was prepared. On account of the non-entertainment of a teacher on Rs.40 and otherwise there was a saving of Rs.76 on 1-4-23. I proposed to utilise this amount and apply to

413

A

-2-

Government for a grant for the balance. But in G.O.No.25 Law
(Education) dated 8-1-24 sanctioning the distribution of
subsidies for the year 1923-24 the amount was reduced by
Rs.763. The work being an urgent one was let on contract
and taken up long before the receipt of the G.O.under reference
The Head Mistress was often complaining that grown up girls
had stopped away as there were no facilities to observe the
gosha system and that it was also difficult for the teachers
to move about as the whole building was exposed to the public
view. Temporary thatties were put up and this was not considered
sufficient either by the teachers or by the ~~people~~ pupils

I have the honour to enclose a copy of the estimate &
a copy of the bill and to request that the Government may be
pleased to give a grant of Rs.1203- 5 - 2 for the purpose.

I have the honour to be
Sir,

Your Most Obedient Servant.

S. Subbalakshmi

Chairman.

N 3182-24-13

Endorsement

DESPATCHED.

12 APR. 1924

Forwarded.

W. H. M. S. S. S.
Collector.

DESP

17 APR 1924

The Secretary to Govt L. S. G.

Through the Director of Public Instruction
Madras

Copy of the report from the Municipal Engineer

I inspected the school building today and found that not only
the southern half of the west compound wall but also 50 feet -
length of the north compound wall is out of plumb. In the west
wall roots of vadanarayana trees are found growing at the ground -
level into the wall. But this gradual coming down of the wall is
more due to the yielding of foundation which may be either due
to insufficiency of dimensions or weakness of sub soil. Any how
these portions require reconstruction at a very early date. Besides
this the outside face of the compound walls on the north, west and
south has become salt petered to a height nearly 4 1/2 to 5 feet -
and as such requires a thick coat of surki or cement plaster.

DESPATCHED.

12 APR. 1924

(True copy)

(SD) S. Ramalingam.
Municipal Engineer.

S. Subbalakshmi

Chairman.



If necessary, the Executive Engineer, Salem Division should be consulted.

LAW (EDUCATION)

DEPARTMENT. ⑥



192 . Registered 192 .

L. For 2034
20/1/25

Subject.

Repairs to the Compound wall - Muhammadan Girls' School,
Shevapet - Municipal Council, Salem.

ENCLOSURES.

No.

Spare copies

R.C. No. 342-B/24.

Station Madras , Dated the 19th January, 1925.

From (Name) R. LITTLEHAILES, Esq., M.A.,

(Designation) DIRECTOR OF PUBLIC INSTRUCTION.

To The Secretary to the Government of Madras,

LAW (EDUCATION) Department.

Sir,

With reference to Government Memo No. 2749 A-3
dated 29-10-24, I have the honour to submit herewith extracts
furnishing the required information from the Executive
Engineer's letter No. 6.M dated 3-1-25.

2. The enclosures are herewith resubmitted. pp 6-10 aut

I have the honour to be,
Sir,
Your most obedient servant,

for Director of Public Instruction.

M.R.P. 19/1.

R/C

(P.T.O)

Exxx Extracts from letter No.6.M dated 3-1-25 from the Executive Engineer, Salem Division.

With reference to your No.R.C.35-S/24 dated 7th November 1924, I have the honour to inform you that the original cost of constructing the compound wall round the Muhammadan Girls' School at Shevabet as per original estimate was Rs.1704 and a further sum of Rs.631 was incurred in raising the compound wall. The total cost thus amounts to Rs.2335/-.

2. The existing type of floor is of 6" square pressed mission tiles. The provision of Cuddapah slabs floor now made in the estimate is only for renewing the worn out tiles all along the edges of the Verandah and of tiffin shed.

x

x

x

x

Clack
for Director Public Instruction

28
14 (2)
C.M. From the D.P. & M. Re 302/24 of 19-1-25

Muhammadan Girls' School -
Shevabet - Repairs to the
Compound wall.

Memo No 177 W.S. 15-1-25

With reference to his letter No 6 M of 3-1-25, the Ex. Eng^r, Salem Dⁿ is requested to report ^{at once} the original cost of ~~the~~ construction of ~~the~~ ^{that} portion of the compound wall which was reconstructed ~~and~~ by the Municipal Council, Salem.

As sent 4/3/25

DESPATCHED

12 FEB 1925

Mib
8.2.25
9

ph. 15
10.2.25


To The Ex Eng^r Salem Dⁿ ✓
Copy to the S. & Com. Bator Link

As 13.2.25 17.3.

11/2/25
Z.S.

C.F. 32 (a)

In reply, please quote
number, date and short
title.*



PUBLIC WORKS DEPARTMENT.

Received _____ Registered (4)

From (Name) M.R.Ry. K.V. Sankara Ayyar, Avl.,

(Designation) Executive Engineer, Salem Division.

Post Box _____, (Station) Salem

Telegraphic Address _____

To The Secretary to Government,

Public Works Department, Madras.

Reference:- Your No. 177/Wks.B-25-1 of 11th Feb: 25.

No. 628 M, dated 24th March 1925.
8 M

Sir,

* Subject:- Mahomedan Girls School, Shevapet - Repairs
to compound wall.

The original cost of construction of 351 feet of the
compound wall which was reconstructed by the Municipality
may be taken as Rs.700.

ENCLOSURES _____

SPARE COPIES _____

True copy forwarded

By order

(sd) K. V. Sankara Ayyar
Executive Engineer, Salem Divn.

628
24.3.25

Acctt + Manager in charge

(9)

L.S.G. Dept.

2749A
87.14

Cuo. 18218 from the D.P.D.

Request for a grant
of Rs 1203
for carrying out repairs to Shevapet
Muhammadian girls school - Salem mld. Co.

The girls school was transferred
to the control of the Salem mld. cl. from the
Govt and certain necessary repairs
have been carried out by the mld. cl.
at a cost of Rs 1203. This sum is
requested as a grant from the Govt.
which the request is supported
by the D.P.D. who states that
the amount can be disbursed
out of the provision in the C.R.C.
for contribution to local bodies for
the construction of elementary
school buildings.

This Dept. may recommend the
grant & remit the file to the Law
(Edu) Dept for consideration & issue of orders.



CU
7.7.24

7882
7728

Let no 18218-1

8/7/24

Secy
Law Dept

Law Dept

217
Law Secy, Dept

The DP's proposal may be accepted.
Draft Subd It may be sent to Finance
w/o for acceptance perusal

Apparently the re-building
of a wall cannot be
classed as 'repair' in
reference to para. 2 of
G.O. 1132 of 23-9-22

AD
11/7/24
N/S
16/7

17.7.24

VTK
19.7
Finance u.o.

The mural
Engraving says
the postmark to be
reconstructed

Law Secy 2749A
21.7.24

Finance (Exp.)




Please see para. 2 of
G.O. 1132 Law (30th.) of 23.9.1922. The
building was handed over to the
Municipal Council on condition that
it should keep it in good


repair. It was consequently the
duty of the Municipal Council
to rebuild the compound wall & it
has no claim for a grant from
Provincial funds. Finance cannot,
it is submitted, agree to the grant
proposed.

23.7.24
23.7.24

RWD
24/7



Law Secy 2749A
23.7.24



The O.W.D. may be asked to advise
whether the work in question should be classed
as 'original' work or as mere repair

25/7

27.7.24
30.7.


P.W.D.

183
10
P.W.D.

U.S.

The Chief Engineer remarks as follows:-

- "The estimate provides for reconstructing a
- "portion of the Compound wall & for certain
- "repairs to the Main building. The original cost
- "of the Compound wall now demolished &
- "rebuilt is not known to see if the cost of
- "reconstruction has or has not exceeded the
- "original amount. If the cost of reconstruction
- "does not exceed the original amount
- "the cost may be charged to repairs.
- "The cost of reconstruction utilising
- "some of the old bricks works to about
- "Rs 2-4 per Sq. ft. As the original cost
- "might not have been less than this
- "the work may be classed as original
- "repair. If necessary the Council may be
- "asked to report on the original cost
- "in consultation with the Dy. Secy. Salem D.
- "The estimate provides for flooring
- "with Cuddapah slabs etc. Information
- "regarding the type of floor that existed
- "prior to the adoption of the Cuddapah
- "slab floor will have to be obtained
- "from the Municipal Council.
- "The other items of work may be classed
- "as repair"



with

9/19

the above remarks the file may be returned to Law (Edu)


ms. 23/10/24
Law (Edu)
19/10/24
26/8/24

Law (Edu) P.W. 0000 2114/11618/24
20.10.24

A reference may be made as suggested in the P.W. D note above. Draft memo sub

23/10/24
28/10

L. Edu 3924A
21/10/24



p. 11 CF

p. 12 CF

[Memo no. 2749 A-3 of 28.10.24]

[C No 203A] from the P.D. no. 342 B/24 of 19.1.25.

The original cost of constructing the compound wall was Rs 1704 + 631 ^{Rs 2335} while the estimate on pp 9-10 CF. Show that an expenditure of Rs 1203-5-2 only was incurred by the Municipal Council now. ^{The latter expenditure is in the construction of a portion only of the compound wall}

~~It is not correct to say that the expenditure of Rs 1203-5-2 was incurred by the Municipal Council for the construction of the compound wall.~~

~~It is not correct to say that the expenditure of Rs 1203-5-2 was incurred by the Municipal Council for the construction of the compound wall.~~

~~It is not correct to say that the expenditure of Rs 1203-5-2 was incurred by the Municipal Council for the construction of the compound wall.~~

Submitted
that the file may be sent (no) to P.W.D. for further remarks.

Law Edu no 2749 A-4/25
21.1.25



AG

20

P.W.D.

W.S. The chief engineer remarks as follows:-

"The total book value of the compound wall is reported by the Ex. Eng^r Salem as Rs 2335/. The municipal Council has incurred an expenditure of Rs 1203-5-2 as follows:-

- (i) (a) Rebuilding the fallen compound wall - Rs 978-11-6
 - (b) Repairing the entrance gate, Rs 55-14-6
 - (ii) Repairs to roof. Rs 39-10-8
 - (iii) Repairs to the floor Rs 129-0-6
- Rs 1203-5-2

Item (a). The original cost of construction of the compound wall which was reconstructed by the Municipal Council Salem is as reported by the Eng^r. Rs 700-0-0
Difference Rs 278-11-6

This is of the nature of replacement - owing to the progressive rise of rates. Since original construction is to be improved - need charged to original works with reference to para 125 (ii) P.W.D. Code.

Capital work. Items (i) (a) & (ii) are only repairs. As regards item (iii), the original floor is reported to be of pressed tiles pointed with cement & the renewal is of Cuddapah slabs pointed with cement.

approved

"The Schedule rate at Salem for the former is Rs 34/- & for the latter Rs 32-0-0
 "Hence the altered flooring does not increase the capital cost and may be classified under repairs.
 with these remarks the file may be returned to Law (Edn)

ms 16.4.25
 18.4.25

Law (Edn)

Law (Education) Deptt.

A.S.


In view of the opinion expressed by the Chief Engineer, a subsidy of Rs 979/- may be sanctioned to the Municipal Council towards the cost of rebuilding the fallen compound wall. The file may be sent (u.o.) to Finance for remarks.

1.5.25


V.T.K. 2.5

Law (Edn) 2748A-5 5-5-25

Finance u.o.




17894A-1 6.5.25



Marginal remarks on Page 5 ante

L. En 1851A 25/5/25



Fin uo 17894 Exp-1 25-5-25

Finance (Exp)

(Previous Finance notes on p. 2 ante).

Para 175(II) of the P.W.D. Codes provides that:

"When a portion of an existing structure is to be dismantled and replaced, if the cost of such replacement represents a genuine increase in the permanent value of the property as an asset, the work should be classed as 'original work' the cost (which should be estimated if not known) of the portion replaced being credited to the estimate for 'original work' and debited to 'repairs'. In all other cases the whole cost of the new work should be charged to 'repairs'."

In the present case the P.W.D. Secretary is of the opinion that the work of rebuilding the fallen compound wall is of the nature of replacement and not of improvement and that it need not go to increase the capital cost. The work is therefore of the nature of repairs and the cost should be borne entirely by the M.C. Council - vide Finance note on p. 2 ante. No case has been made for a grant to the Municipal Council.

15.5.25

23.5.25

Law (Edn)

Law (Edn) Deptt.

Submitted for orders. The P.W.D. note purporting to be that of the Chief Engineer contains a different view. Tell m. Council so. Draft approved V.T.K. 9.5

Date.	Initials.
-------	-----------

2. 16

11 227

26

[illegible]

M.C. Saleem - ~~Report~~ towards
repairs to the compound wall of the girls'
Schools transferred under G.O. 1132 L.E.G.
23.8.22 - negatived

” ” ” ” ” 192 .

READ ALSO:—

C. No. 3926A, From the _____, No. _____, dated _____ 192_____

” ” ” ” ” ” 192

99 9. " " " " 192

ORDER.

No. 916 dated 1-6- 1925.

The Govt are unable to sanction a subsidy to the Municipal Council, Salem, towards the cost of repairs to the compound wall of the Mechummed girls' School. Shewaper, transferred to the management of the Council under G.O no 1132 L.D. 23.4.12. Under para 2 of the G.O. the municipal Council ^{graph} should meet the cost of such repairs from its own funds

DESPATCHED

2 JUN 1925

See D.P.S. (write ref to his letter no
342B/26 g 23.6.24)

.. CMC Salem (with ref to his letter
No. C no 14088-424) with
~~plant~~ estimate ret'd

21/1/25

V.TK
29.5

When given for copying _____
 When copied _____ } 192
 When examined _____
 When signed _____

READ AGAIN G.O. No. _____, DATED _____
 192 .

CURRENT No. _____

ENCLOSURES TO C. No. _____

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED OF, BEING MEANT FOR DESPATCH
 IN ORIGINAL.

N.B.—
 A = Copy in full.
 B = Not to be copied.
 P = Copy abstract only.
 Q = Copy heading only.

14