

Law Education (1926) Department.

Qu SERIES.

G.O. No. 851

DATED 14-5-26

[Despatch Abstract.]

Museum - Government - Madras - Electric Current - Consumption -
Annual allotment - Increased.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.


FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.


C.F. 30

DEPARTMENT.

Received 192 Registered 192



Subject.



ENCLOSURES.

No.

No. 132-1/26

Spare copies

Station Madras Dated the 6th February 1926

From (Name) F.H.Gravelly Esqr., D.Sc.,

(Designation) Superintendent, Government Museum,

To The Secretary to the Government of Madras

Law (Education) Department.

Sir,

Reference U.O. No. 3625 C-2 dated 2nd February 1926 communicating copy of Finance U.O. Note No. 38007 B.E.IV-3 dated 27th January 1926. Alteration of Budget provision to Rs. 200/- under "Non-Contract Contingencies Voted - Electric current". I have the honour to state that the sum of Rs. 196/- fixed in G.O. No. 1825 W dated 24th November 1925 represents merely ~~xxxx~~ current consumption charges and does not provide for monthly meter rent of Rs. 2/- per mensem or Rs. 6-8-0 per mensem for current consumption in the Superintendent's office room in the quarters (vide G.O. No. 1446 W dated 7th November 1911). This was pointed out to the

Electrical

Electrical Engineer when the proposal for fixing the contingent allotment was first made and he was addressed to provide a sum of Rs. 102/- over and above the current consumption charges in fixing the contingent allotment. It is not understood how this was overlooked in fixing the contingent allotment for this office. Later when the G.O. was issued the matter was again brought to the notice of the Electrical Engineer requesting him to address the Government for providing for the actual expenses. It will clearly be impossible to meet the charges if actual expenses are not provided for. I have accordingly to request that the Government will be pleased to increase the provision to Rs. 300/- instead of reducing it to Rs. 200/-.

I have the honour to be,
Sir,
Your most obedient servant,

J. B. Gravelly
Superintendent.

3
3
Law (Education) Deptt.

1001-206 C. No. 354 C - From the Superintendent,
Government Museum, No. 132-1/26, dated
6-2-1926.

Provision for the consumption of
electric energy in the Government Museum,
Madras - Increase -

Endt. No. 354 C/26-2 dated 23.2.26

Referred to the Electrical Engineer,
Madras, for remarks.

To

The Electrical Engineer, Madras.
(with c. f. in original to be returned
taxes with reply)

Reminder: Three weeks after issue.

17/3


cds/23/2/31/2

DEPARTMENT.

A. Ed 665 C

Received 192 Registered 192

573/26



Subject.

ENCLOSURES.

No.

No. 259-1/26

Spare copies

Station Madras Dated the 5th March 1926

From (Name) F.H.Gravelly Esqr., D.Se.,

(Designation) Superintendent, Government
Museum,

To The Secretary to the Government of Madras

Law (Education) Department.

Sir,

With reference to the provision of Rs. 200/- entered in the sheets of the first edition of the Civil Budget Estimate for 1926-27 forwarded to me with Finance Department Circular Memo. No. 6233 (Budg. Comp.) -1 dated 2nd March 1926 I have the honour to invite a reference to my letter No. 132-1 dated 6th February 1926 and to request that before the Budget is finally passed by the Legislative Council, the Government will be pleased to increase the provision to Rs. 300/- for the reasons explained in my letter referred to.

I have the honour to be,
Sir,
Your most obedient servant,

F.H. Gravelly
Superintendent.

Page 205 of
CAE 26-27
is passed

Page 1-2 ante
is passed
to the Electrical
Engineer

DEPARTMENT.

H. Cr 1048 C
303/26

Received 192 . Registered 192

Subject.



What has happened
to this?
Hm

ENCLOSURES.

No.

No. 259-2/26.

Spare copies

Station Madras Dated the 29th March 1926From (Name) F.H.Gravelly Esqr., D.Sc.,(Designation) Superintendent, Government Museum,

To The Secretary to the Government of Madras

Law (Education) Department.

Sir,

Reference my letter No. 259-1/26 dated 5th
March 1926 - Budget provision for 1926-27 under
"Electric Current". I have the honour to request that
Government will be pleased to issue very early orders
increasing the provision to Rs. 300/- for reasons al-
ready explained.

I have the honour to be,

Sir,

Your most obedient servant,

F.H. Gravelly
Superintendent.

FR

Law (Education) Deptt.

Memo No. 354 C - 3 dated 7-4-26

Refce: Letter from the Superintendent,
Government Museum, No. 259 - 2 /26,
dated 29-3-1926 - Provision for the
consumption of electric energy in
the Government Museum, Madras -
Increase.

The Superintendent, Government
Museum, is informed that his proposal
that the provision for the consumption
of electric energy in the Museum may be
raised to Rs. 300 has been referred to
the Electrical Engineer for remarks, and
that the ^{expenditure} excess in 1926-27 will have
to be met by re-appropriation.

DESPATCHED
9/10 9- APR 1926

To
The S. G. M.

10/11
3/13
12/13

10/11
12/13

C.F. 52 (e)

In reply, please quote
number, date and short
title.

DEPARTMENT.

Received

Registered

From (Name)

(Designation)

Post Box, (STATION)

Telegraphic Address

To The

Secretary to Government

(Law (Education) Department,

Madras

No. 1104, dated 31/8/1926

Sir,

With reference to your endorsement No. 354 C/26-2 dated 23/2/1926 regarding annual contingent allotment on account of current consumption charges for the Government Museum I have the honour to recommend in view of the circumstances explained by the Superintendent that the contingent allotment be raised to Rs. 300/- per annum. In this connection I would

ENCLOSURES

one letter.

SPARE COPIES

10/10-2

auto

1924C

8
-2-

would however like to point out that if the monthly limit of Rs.6/8/0 on account of current consumption charges in the Superintendent's office room in his Quarters is not to be exceeded, a separate meter will have to be provided to watch the ~~meter~~ consumption in ~~excess~~ the office room so that consumption in excess of the limit of Rs.6/8/0 might be billed for.

I have the honour to be,

Sir,

Your most obedient servant,

[Signature]
3/3/26
Offg. Electrical Engineer PWD

10p 1-20-6

Law (Eon) Dept.
C. No. 354 C. From the S. G. M.,
No. 132-1/26, dated 6.2.1926.

Museum - Budget provision
for electric current.

2

In G.O. No. 1825 W., dated
24.11.1925, the annual allot-
ment for the consumption
of electric energy in the
Museum was fixed at Rs 196.
In accordance with ^{this} the budget
provision for 1926-27 for electric
current in the Museum was
reduced to Rs 200. The Finance
Dept. has already stated that
it is now too late to include
any new provision in the
budget. The letter of the
Superintendent may first
be sent to the P.W.D. for
remarks.

Page 205 of CAE.
26-27 (1st edn) (X)
Sunderland

10p 1-20-6

Law & Gen. 354 C-1
15.2.26.



[Handwritten signatures and initials]
12/2
12/2
K. V. S.

[Handwritten signatures and initials]
13/2
P. W. D.

W 2

P. W. D

The limits fixed in G.O. 1825 W of 24-11-25 were only tentative and were ~~also~~ accepted by the Law (Edn) Dept. If the limits are unworkable in the circumstances explained by the Engrs, Govt Museum, there is no objection ~~to~~ Law (Edn) fixing a ~~business~~ reasonable revised limit with the concurrence of Finance for the consumption of ^{elec. energy} ~~power~~ in the Govt Museum. They may also consult the Elec. Engrs in the matter, if necessary.

1825 W
1826 W
1826 W

Law (Edn) no

11/19.2.26

Law (Edn) Dept

The S.G.M.'s letter may be referred to the Electrical Engineer for remarks. A draft Encl. is subd.

1825 W

1826 W

1826 W


[Issued as Encl. No. 354 E d. 23.2.26] p 3 c. f

C. No. 1600. From the S.G.M.,
No. 259-1/26, dated 5.3.1926.

1826 W
1826 W
1826 W

The letter of the S.G.M. requesting that the provision

1825 W
1826 W
1826 W



X.E 487C
19.2.26

11

9

p 3 c. f

p 1 and

for the consumption of electric energy in the Museum may be raised from Rs. 200 to Rs. 300 has been sent to the Electrical Engineer for remarks. The Finance Dept. has already stated that it is now too late to include any new provision in the budget. The extra provision required is only Rs. 100 and this can, if need be, be met by re-appropriation. The file may lie over till the remarks of the Electrical Engineer are received.

1825 W
1826 W
1826 W

1825 W
1826 W
1826 W

C. No. 1048 E. From the S.G.M.,
No. 259-2/26, dated 29.3.1926.

p 5 c. f

The S.G.M.'s proposal for increasing the provision for the consumption of electric energy in the Museum was referred to the Electrical Engineer

p 3 c. f

for remials. The S.G. M. may
be informed accordingly.
A draft Memo is subd.

13/12
31/12
S
31/12

1/4

[Issued as Memo No. 354e/26.3 p. 6 c. f.
d. 7.4.26]

C. No. 1075C. From the Electrical
Engineer, No. 1104 dated 31-3-26. p. 7-8 c. f.

The Electrical Engineer to Government recom-
mends that the allotment under "Non-contract contingen-
cies- Voted- Electric current" for the Government Museum
may be raised to Rs. 300. The recommendation may be
supported. The suggestion that a separate meter may be
provided in the Museum Superintendent's office may also be
accepted. The file may be forwarded to the P.W.D.
through Finance for issuing orders. While communicating
a copy of the proceedings on the case, the Superintend-
ent may be told that the excess expenditure in the
current year should be met by re-appropriation of funds.

13/12
16/12
16.4.26

1/4
S
V.R.
23.4
Fin
Prod
10



C. No. 13449 B.C.
7.4.26

(no. 1075C) 25.4.26
26.4.26

% from Rs 196.
(Rs 1825W)
26-11-25
p. 8, c. f.

p. 7-8 c. f.

13 5/10

Finance (Bnd. Genl.)

Page 3 of 2

Page 285 of 286
26-11-25

Page 4 ante

of Rs. 1446W
7-11-11

In G.O. 1825 W & 24-11-25 the
maximum limit for the consumption
of electric energy in the Govt. Museum
was fixed at Rs 196 per annum.
Accordingly in the C.B.F. for 1926-27
a provision of Rs 200 has been
made against the Secondary unit
'Electric Current' in the Museum
budget. The present proposals are
(i) to raise the annual maximum
limit to Rs 300;
and (ii) to provide a separate meter
for the Office portion of the quarters
of the Supdt. Govt. Museum, so that
the current consumption in respect
of that portion may be watched and
kept within the limit of Rs 6 1/2
per mensem fixed for the purpose.


2. The proposals may, it is held,
be accepted in Finance - please see the
letter from the Supdt. Govt. Museum on pages
1-2 C.F. and the Electric Engineer's letter
on pages 7-8 C.F.. It may be pointed out
at the same time that the additional
appropriation which the Supdt. Govt.
Museum may require in 1926-27 under

14 ⁶

'Electric Current' will have to be found by reappropriation of funds within the Museum budget.

CM 29.4.26

Dele 29.4.26 Law (Edw) 29.4.26



En 13422 29.4.26
Law (Edw) 29.4.26

Law (Edw)


Law (Edw) no 354C-5 3-5-26

May be forwarded to P.W.D.

29.4.26

flm 1/5

P.W.D. no



P.W.D.

As charges on account of the consumption of electric current are debitable to the Non Contract Contingent grant of the department concerned ^{and 22.6.41 cur. works} it is appropriate that orders ~~are~~ increasing the allotment for the Govt Museum are issued in Law (Edw)

Go no 18254 of 24.11.25 fixing the

maxima for the several offices in Madras City, ~~which~~

was issued in P.W.D. with the concurrence

of the departments concerned, because the

question of fixing the maxima was raised

by the Retrenchment Committee in 1923-24.

The consolidated order had to be issued.

If the limits fixed in this Go are unworkable,

orders increasing the allotments may be issued by the administrative departments

Go no 18254 of 24.11.25

15

Concerned. With these remarks, the file may be returned to Law (Edw). The S.G.A. may also obtain an estimate direct from the El Eng. for fixing a meter in his office room in quarters.

This is the procedure adopted by Dept of Secy

48/55.26 6.5.26

Registry

P.W.D. no 5789 of 7.5.26

FD

240 7/5

L. En 1448C

10/5/26



Law (Edw) no

Law (Edw) sept.

A draft order is subd.

13/5

14.5.26

flm 1/5

V.T.K. 12.5



16

12

7

Electric current - Consumption -

Date. Initials.

14/5/76

14/5 WJ

This is a photograph of a single sheet of white, lined notebook paper. The paper features horizontal blue or grey ruling lines spaced evenly apart. A single vertical line runs down the left side of the page, creating a margin. The paper appears slightly aged or off-white. There are some faint smudges and marks on the surface, particularly near the bottom edge. The lighting is even, highlighting the texture of the paper.

1825 W.

7

24 - 11 -

.....192⁵.

192 .

C. No. From the, No., dated 192 .

” ” ” ” ” ” 192 .

192

No. 851, dated 14. 5. 1926.

The Government direct that the maximum contingent allotment for meeting ^{the} charges on account of electric current ~~consumed~~ in the Government Museum, Madras, be raised from Rs. 196 to Rs. 300 ^{a year}.

The extra expenditure in the current year should be met by re-appropriation of funds within the Museum Budget.

2. The Government also approve of the Electrical Engineer's proposal that a separate meter should be installed in the office room of the quarters of the Superintendent so as to ensure that the cost of electric current consumed by the fan and the lights in the office room is kept within the limit of Rs. 6-8-0 ^(2 months) fixed for the purpose. Any excess over this limit should be billed for ^{Separately} and ~~and~~ recovered from the ⁿ Superintendent. The Superintendent may get an estimate for

p. 8, e. f.

y: Geo. 1446W

7-11-11

~~the installation of~~ ^{installing} meter from the Electrical Engineer direct.

DESPATCHED
9 MAY 1926

195
11-5-26

145

V.T.
12-5-

To

The S.G.M. (with refce. to his letter No. 259-2/26, dated 29-3-26).
" A. G. thro' the Finance Deptt.
" Electrical Engineer (with refce to his letter No. 1104, dated 31-3-1926)
" P. W. D.

When given for copying
When copied
When examined
When signed

192

READ AGAIN G.O. No. 192 DATED

CURRENT No.

ENCLOSURE TO G. No.

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT

STATEMENT WITH DITTO.

PAPERS NOT FILED OF, BEING MEANT FOR DESPATCH IN ORIGINAL.

N.B.—
A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.