1

1

Educational (1906) Department.

ORDINARY PRINTED.

G.O., No. 527

(16)

DATED 9-8-06

N. P.

[Despatch Abstract.]

St.
Saint Aloysius' High School, Vizagapatam - Requesting the DPI to call on the authorities of the do to have the estimates for additional buildings for the school revised in accordance with the recommendations of the Chief Engineer contained in his memorandum printed with G.O. No 232 Edl dt 29.3.06.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Government of Madras.

EDUCATIONAL DEPARTMENT.

Recd. } 1906. *Enclosures*
Regd. } *Spare copies*

G.O., No. 527, 9th August 1906.

I. P

St. Aloysius' High School, Vizagapatam.

Requesting the Director of Public Instruction to call on the authorities of the — to have the estimates for additional buildings for the school revised in accordance with the recommendations of the Chief Engineer contained in his memorandum printed with G.O., No. 232, Educational, dated 29th March 1906.

GOVERNMENT OF MADRAS.

EDUCATIONAL DEPARTMENT.

Read—the following papers:—

I

G.O., No. 232, Educational, dated 29th March 1906.

Abstract.—Sanctioning, subject to certain conditions, a building grant not exceeding Rs. 22,000 towards the construction of additional buildings for the St. Aloysius' High School, Vizagapatam.

II

Letter—from the Rev. J. L. Contat, Manager, St. Aloysius' High School, Vizagapatam.
To—the Director of Public Instruction.
Dated—the 16th May 1906.
No.—368.

With reference to the note of the Chief Engineer, I have the honour to forward the information and plans required.

I am also forwarding together with the two sketches required by the Chief Engineer the plan and estimate sanctioned for our school.

III

Ref. on Cur. No. 5157, dated 1st June 1906.

Submitted to the Secretary to Government, Educational Department, with reference to the Chief Engineer's note read in G.O., No. 232, Educational, dated 29th March 1906.

A. G. Bourne,
Director of Public Instruction.

Order—No. 527, Educational, dated 9th August 1906.

The Director of Public Instruction will be requested to call on the authorities of the St. Aloysius' High School at Vizagapatam to have the estimates for additional buildings for the school revised in accordance with the recommendations of the Chief Engineer contained in his memorandum printed with G.O., No. 232, Educational, dated 29th March 1906. The Chief Engineer approves of the depth ($10\frac{1}{2}$ feet) of foundations provided for but considers that it may with advantage be increased to 11 feet.

2. The section on line X Y now furnished serves no purpose. When the revised estimate is submitted it should be continued across the road beyond Y to see how the level of the bath room compares with the road as the floor of the former is 8 feet below that of the remainder of the building.

(True Extract.)

H. D. Taylor,
Ag. Secretary to Government.

To the Director of Public Instruction, with plans and estimates.

EDUCATIONAL DEPARTMENT.

NOTES CONNECTED WITH G.O., No. 527, EDUCATIONAL, DATED 9TH AUGUST 1906.

[SUBJECT.—*Building grant for St. Aloysius' High School, Vizagapatam.*]

From the Director of Public Instruction, dated 1st *June* 1906, *No.* 5157/05.

In G.O., No. 232, Educational, dated 29th March 1906, a grant not exceeding Rs. 22,000 was sanctioned towards the construction of additional buildings for the St. Aloysius' High School, Vizagapatam, under certain conditions, one of which was that the authorities of the school should carry out the work in accordance with the recommendations of the Chief Engineer in his memorandum read with the same Government Order. The Chief Engineer in his memorandum called for information on the following points from the manager of the college :—

(*a*) nature of surface soil ;

(*b*) Do. subsoil ;

(*c*) cross-sections of the site from foreshore across the road and proposed buildings ;

(*d*) cross-sections of the retaining-wall marked A on the plan at cross-section M N with dimensions and depth of foundations.

2. The manager of the school now submits through the Director of Public Instruction the information and plans required together with the plan and estimate sanctioned for the school. The information is noted in the two sketches now newly submitted. The manager's letter and its enclosures may be forwarded to the Public Works Department.

3. Under the Chief Engineer's memorandum on page 6 of G.O., No. 232, Educational, dated 29th March 1906, a revised estimate seems also necessary, but this has not been called for nor submitted. It has, however, been stipulated that for a grant of Rs. 22,000 the actual expenditure should not fall short of Rs. 46,580 and the completion certificate will show what the actual expenditure is and whether the work has been carried out in accordance with the sanctioned plan and estimate.

Paragraph 1 (4) of G.O., No. 232, Educational, dated 29th March 1906.

P.K.M.—11-6-06.

P. T. THARYAN—11-6-06.

This may go to the Public Works Department.

C. A. SOUTER—12-6-06.

Yes.

H. D. TAYLOR—13-6-06.

To the Public Works Department.

PUBLIC WORKS DEPARTMENT.

The manager of the school forwards the original estimate with cross-sections and nature of soil, etc., as called for by the Chief Engineer in his notes printed with G.O., No. 232, Educational, of 29th March 1906.

2. The surface and sub-soils are stated to be sand—*vide* note of cross-section No. 1.

3. Cross-section No. 1 marked T.V.V.W. on ground plan shows the section of the retaining-wall A, the road and foreshore. The road level here is 8·55 feet below the upper ground level which is supported by the retaining-wall. At the outer edge of the road is another retaining-wall. The 10½-feet depth of foundations allowed for the building may be considered sufficient.

Yes.
A. G. ROMILLY.

4. Cross-section No. 2 marked X Y on the ground plan serves no purpose. It might have been continued across the road beyond Y to see how the level of the bathroom compares with the road as the floor of the former is 8 feet below that of the remainder of the building.

5. The estimate has not been revised on the lines of the alterations ordered by the Chief Engineer. The Educational Department states that a revised estimate was not called for, but that it has been stipulated that for a grant of Rs. 22,000 the actual expenditure should not fall short of Rs. 46,580.

Paragraph 1 (4) of G.O., No. 232.

It is just possible that Rs. 46,580 could be shown as actual expenditure without carrying out any of the alterations ordered by the Chief Engineer and under such circumstances there appears no necessity to have such estimates scrutinized. It would perhaps, it is submitted, be better that the estimate should be revised as per alterations ordered by the Chief Engineer to avoid future complications.

Yes; this should be done.
A. G. ROMILLY.

D.E.—17-7-06.

A. G. ROMILLY—19-7-06.

The 10½-feet depth of foundations are under the circumstances correct, and indeed might have been made 11 feet with advantage. The Director of Public Instruction is, it is presumed, satisfied that the arrangement he has made will ensure work being done according to instructions. Personally I don't quite see where the security comes in. The section given on line X Y serves no purpose as it stops exactly where it would, if continued, have afforded information.

J. P. DAVIDSON—23-7-06.

To the Educational Department.

EDUCATIONAL DEPARTMENT.

The draft placed below is submitted for approval. As it deals with a technical matter, the Public Works Department may be asked to state whether it is all right.

P. T. THARYAN—4-8-06.

Yes.

H. D. TAYLOR—6-8-06.

To the Public Works Department.

PUBLIC WORKS DEPARTMENT.

The technical matter in the draft seems to be in accordance with the notes in the Public Works Department.

P.V.—8-8-06.

Accepted in the Public Works Department.

J. P. DAVIDSON—8-8-06.

To the Educational Department.

EDUCATIONAL DEPARTMENT.

Issue.

H. D. TAYLOR—9-8-06.

[G.O., No. 527, Educational, dated 9th August 1906.]

Printed

Ed. Ind. no. 527

9-8-86

[L. & M. / 46.]
1,500—30-11-05.

NOTE FOR THE

[E.]
1,500—12-12-

EDUCATIONAL DEPARTMENT.

5

CURRENT FILE.

CONTENTS.

	From	Number.	Date.	Pages.
[930]	The D. P. I.	5157/05	6-6-06	1+2 with plans & estimates

[P. T. O. FOR PUT UP PAPERS.

PAPERS PUT UP WITH CURRENT No.

Papers of the department to which the current belongs.

Number.	Date.	Original (=O) or spare copy (=S. C.).	Remarks. (In this column such of the papers as have been removed for copying, printing, &c., should be marked with a cross.)	Initials of Referencer with date in token of return to Reference department.

Papers of other departments.

Department.	Number.	Date.	Original (=O) or spare copy (=S. C.).	Despatcher to note the return of the papers to the departments concerned.

---

7 - G.O. 232: 29-3-06
G.O. 599/05 eby ✓
30/06 ✓

Stock Form No. 135
3,700—17-6-05.

CURRENT No. 930

EDUCATIONAL DEPARTMENT.

6

Received 190 , Registered 5-6- 1906

LOCAL & MUNICIPAL
5 - JUN 1906
SECRETARIAT.

Subject.

Submitting certain particulars in regard to the remarks of the Chief Engineer in his note read in G.O. No. 232, Educational, dated 29 March 1906 sanctioning a grant of Rs 22,000/- towards the cost of additional buildings for St. Aloysius High School, Vizagapatam. ~~No.~~

Ref: our cur No 5157 of 1905

ENCLOSURES.
No. Plans & estimates sent separately.
Spare copies

Station Madras, Dated the 1st June 1906.

From (Name) The Hon'ble Mr. A. G. Bourne, D.Sc.; F.R.S.

(Designation) Director of Public Instruction

To The Secretary to the Government of Madras,
Educational Department.

Sir,

2

7 28

No. 368. II

St. Aloysius' High School,
Vizagapatam,
Dated 16th May 1906.

From Rev J. L. Contat
The Manager,
St. Aloysius' High School,
Vizagapatam.

To
The Director of Public Instruction,
Madras.

Hon'ble Sir,

With reference to the note of the Chief Engineer, I have the honour to forward the information and plans required.

I am also forwarding together with the two sketches required by the Chief Engineer, the plan and estimate sanctioned for our school.

I have the honour to be,
Sir,
Your most obedient servant,

III

(Sd.) J. L. Contat
Manager.

Ref. memo no. 5757 ====================

Submitted to the Secretary to Government, Educational Department with reference to the Chief Engineer's note read in G.O. No. 232, Educational, dated 29th March 1906.

Madras
1. 6-06

CWMiddlemast
For Director of Public Instruction.

31-5-06
K.P.D.

[Notes connected with G.O. no. 527 Education-al dated 9th August 1906]

EDUCATIONAL DEPARTMENT.

8 1P

[2.]
1,500—3-12-01

C. No. 930 From the D. P. I. No. 5157/05 dated 1-6-1906.

SUBJECT.

Building grant for St. Aloysius' High School, Vizagapatam

In G.O. No. 232 Edl dated 29th March 1906, a grant not exceeding Rs 22,000 was sanctioned towards the construction of additional buildings for the St. Aloysius' High School, Vizagapatam, under certain conditions, one of which was that the authorities of the School, should carry out the work in accordance with the recommendations of the Chief Engineer, in his memorandum read with the same G.O. The Chief Engineer in his memorandum called for information on the following points from the manager of the College:—

(a) Nature of surface soil
(b) Do of subsoil
(c) Cross sections of the site from foreshore across the road and proposed buildings
(d) Cross sections of the retaining wall marked A on the plan at cross section M N with dimensions & depth of foundations.

Pres
Please print and show proof
14/8/06

III

~~Noted~~ Urgent

2.

9 28

2. The Manager of the School now submits through the D.P.I., the information and plans required, together with the plan & estimate sanctioned for the School. The information is noted in the two sketches now newly submitted. The Manager's letter & its enclosures may be forwarded (u.o.) to the P.W.D.

3. Under the Chief Engineer's memorandum on page 6 of G.O. No. 232 Edl, dated 29th March 1906 a revised estimate seems also necessary~~, but~~ this has not been called for, nor submitted. ~~but~~ It has however been stipulated that for a grant of Rs 22,000, the actual expenditure should not fall short of Rs 46,580 and the completion certificate will show what the actual expenditure is and whether the work has been carried out in accordance with the sanctioned plan and estimate.

Q

Para. 1 C W Mem. No 232 Edl d/29-3-06 Q.

13 JUN 1906
PUBLIC WORKS DEPARTMENT

P.K.M

11/6/06

11/6/6

This may go to the P.W.D.

12.6.06.

H D [illegible] for
13.6.06

Edl No. 435 D
13.6.06

To the P.W.D (u.o.).

P.W.D. H. R. No. 692
13-6-6

(5 Plans)

38

St. Aloysius
High School, Vizagapatam

10

To P.W.D.

Technical section

For very early Scrutiny.

P.V.
14.6.06.

A.G. R[illegible]
14/6/06
D.W.

De
16.6.06

RK.

Please have original papers & T note put up.

De
16.6.06

Ref
16/6/06

T

The papers you refer to are ~~pap~~ apparently the papers & T note which led to the Chief Engr's note of 27. 2.06 printed in G.O. No 232 Edn of 29.3.06. If so they are at Ootacamund being no reference.

Flag A

16.6.06

RK

Please obtain the papers

De
16.6.06

T

Papers received from Ootacamund office today & put up
20/6/06

De
20/6/06

4

11 4 89

Public Works Department.

NOTE BY TECHNICAL SECTION.

Current No 40692 from Educational Department
G.O. No 435 D of 13 June 1906

Names of Officers.

Name of Work Constructing St. Aloysius' Roman Catholic School at Vizagapatam

Amount of Estimate Rs. 46580.

The manager of the School forwards the original estimate with Cross Sections and nature of Soil &c as called for by the Chief Engr in his notes printed with G.O No 232 Educational of 29th March 1906.

Hog Q

The Surface and Sub Soils are stated to be sand vide note of Cross Section No. 1.

Cross Section No 1 marked T.U. V.W. on ground plan, shows the section of the retaining wall A, the road and foreshore. The road level here is 8.55 ft below the upper ground level which is supported by the retaining wall. At the outer edge of the road is another retaining wall. The 10½ ft depth of foundations allowed for the building may be considered sufficient.

Gps.

Cross Section No. 2 marked XY on the ground plan

P. W. 60.
500—15-8-05.

Read

serves no purpose. It might have been continued across the road beyond Y to see how the level of the bathroom compared with the road as the floor of the former is 8ft below that of the remainder of the building.

- Vide p 14 of report.

The estimate has not been revised on the lines of the alterations ordered by the Chief Engr. The D.P.I. states a revised estimate was not called for, but that it has been stipulated for a grant of Rs 22,000 the actual expenditure should not fall short of Rs 46,580.

- p 2 N.F. ? Edl Note to this effect

- para 4 of G.O No 232 E flag Q.

It is just possible that Rs 46580 could be shown as actual expenditure without carrying out any of the alterations ordered by the Chief Engr and under such circumstances there appears no necessity to have such estimates scrutinized. It would perhaps, it is submitted, be better that the estimate should be revised as per alterations ordered by the Chief Engr. to avoid future complications.

A.G. Romilly

D.C.
17.7.06

19/7/06

Yes. This should be done -

Read

5 P

12

W
C.J.
17.7.06

Submitted.
19/7/06

LOCAL & MUNICIPAL
25 JUL 1906
SECRETARIAT.

The 10½ ft depth of foundations are under the circumstances correct, and indeed might have been made with distinct advantage. The D.P.I. is, it is presumed, satisfied that the arrangement he has made will ensure work being done according to instructions — personally I don't quite see where the saving comes in — The section given on line X Y serves no purpose, as it stops exactly where it would, if continued, have afforded information.

J. P. Davidson

23/7/06

the Educational Dept u.o.

2.7.6

SECRETARY TO GOVERNMENT,
7 AUG 1906
PUBLIC WORKS DEPARTMENT.

25/7/6

Educational Deptt

The draft placed below is submitted for approval. As it deals with a technical matter P.W.D. may be asked to state whether it is all right.

4/8/6

Yes

6.8.6

To the P.W.D. u.o.

P.W. No. R No 935
7-8-6

(5 plans)

Edl no 551 D
7.8.06

Desp
6/8/6

821835

New

St. Aloysius High School,
Vizagapatam

I

6 8

P.W.D.

13

For the Secretary

The technical matter in the draft seems to be in accordance with the notes at pages 4 to 6 Supra.

P.V.
8.8.06.

accepted in the P.W.D.

J. J. Bauth
8/8/06.

70

To the Educational dept U.O.

Educational Dept

Issue
9.8.06

[G.O. No. 527 Edl dt 9-8-06]

527 Edie

[L. 5.]
300-17-11-04.

Educational ~~LEGISLATIVE~~ DEPARTMENT.

14

38

I

READ AGAIN G.O., No 232, dated 29-3-1906.
" " " " , " 190 .

READ ALSO:—

C. No. 930, From the D.P.I., No. 5157, dated 1-6-1906.
" " , " " , " , " 190 .
" " , " " , " , " 190 .

ORDER No. 527, dated 9-8-1906.

P.P.

Desp in ms sharp & then print 9/8/6

The D.P.I. will be requested to call on the Authorities of the St Aloysius' High school at Vizagapatam to have the estimates for additional buildings for the school revised in accordance with the recommendations of the Chief Engineer contained in his memorandum printed with G.O. No 232 Edl dt 29th March 1906. The Chief Engineer approves of the depth of (10½ feet) ~~depth~~ of foundations provided for but considers ~~that~~ it may with advantage be ~~made~~ increased to 11 feet.

Q.

2. The section on line X Y now furnished serves no purpose. When the revised estimate is submitted it ~~It~~ should be continued across the road beyond Y to see how the level of the

bath room compares with the road as the floor of the former is 8 feet below that of the remainder of the building.

P.H.
4/8/06

6-8-06

on the Authorities of the St Aloysius' High school at Vizagapatam to have the estim
for additional buildings for the school re
in accordance with the recommenda
of the Chief Engineer contained in
memorandum printed with G.O. No.
dt 29th March 1906. The Chief Engineer approves of the (10½ feet) depth of foundations provided for but considers that it may with advantage be made 11 feet.

2. The section on line X Y, now furnished in the revised
necessary purpose of [illegible]

To the D.P.I. with plans & estimates.

Despd
9/8/06

First copy sent to Press.

Returned for signature.

Despatched in print.

abstract

NUMBER OF COPIES REQUIRED. { Order complete. 30
Letter only.
Order complete with Letter. 16

READ AGAIN G.O., No. I 232 Edl., DATED 29-3-06 — P
190

II Letter from Rev. J. L. Corbett to D.P.I. — A

III D.P.I.'s cnt. no. 579 — A

Abstract. — Sanctioning subject to certain conditions, a building grant not exceeding Rs 22,000 towards the construction of additional buildings for the St. Aloysius' High School Vizagapatam

CURRENT No.

Press
Please print and show proof
M.H.
14/8/06

57P
not 1-6 p

ENCLOSURES TO O. No.

ORDER OF GOVERNMENT

LETTER TO GOVERNMENT

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH IN ORIGINAL.

N.B.—

A = Print in full.
B = Not to be printed.
P = Print abstract only.
Q = Print heading only.