

E. F. P. H. (1946) Department

MS. SERIES.

G.O. No.

12. Edu

Dated

3-1-1946

(4)
[Despatch Abstract.]

Stationery - Flat file cases II sort - Additional supply to the
Chief Electrical Inspector to Government - Sanctioned.

Further Papers.

G.O.	No.	Department.	Date.

G.O.	No.	Department.	Date.

Electricity Department

From

Sri K.V.Karantha, M.A.,
Chief Electrical Inspector to Government,
Post Box 417, Chepauk, Madras.

To

The Secretary to Government,
Education and Public Health Department,
Fort, St. George, Madras.

4 - DEC. 1943
5145

No. 608/G/45-2 dated 30th November 1945.

1990

Stationery - Flat file cases -
Additional supply to the Office of the
Chief Electrical Inspector to Government,
Madras - Requested.

I have the honour to invite reference to G.O.

P.T.O.

D-1-5145-45

G.O. No.1323 Education and Public Health of 2-10-43 wherein my indent for additional supply of flat-file cases was reduced by 50%. With increase in the work of the office, additional staff has been sanctioned by Government. Owing to inadequacy of flat file boards, much difficulty is experienced in maintaining the open files in an efficient manner. Hence I request that the Superintendent of Stationery may kindly be authorised to supply 50 urgent and 250 ordinary flat file cases to this office.

Ch. araulia

Chief Electrical Inspector
to Government.

MVN/DSR.3-12-45.

The Superintendent
of Stationery.

Remarks
4/12/45 km
5/12/45

Edt No. 552168/45-1 Ch. dated 5.12.45
Referred to the Superintendent of Stationery for
(P.O.)
Ch. araulia
Deputy Secretary to Govt.


STATIONERY OFFICE (MADRAS) AT GUINDY, SAIDAPET P.O.

ENDORSEMENT NO.D-1-5145-45 DATED 21-12-45.

59040

Returned.

2. Sanction may be accorded for the additional supply of 300 (50 urgent and 250 ordinary) flat file cases. It sort for the office of the Chief Electrical Inspector to Government, Madras.



Ch. araulia
for Superintendent.

SGK.22.12.
To The Secretary to Government,
Education & Public Health Department, Madras.

Ch. araulia

No.

FROM

MADRAS,

To

MADRAS.

Madras, _____ 194

Recd. Ex 1323 Edmd. 2.10.43

CR 55-216-13/45 - from the chief electrical inspector letter 10-608/Cr/45-2d-
4 590400 duration 5 yrs, 10. 5145-45-dl, 21.12.45

Subject to the chief clerk
Stationery - Flat file cases II - sub - add in supply

Go 12 Edn dated 3.1.46

Sanction is accorded to the additional supply of 30 cases II sort (50 urgent and 250 ordinary) to the office.

Chief Electrical Inspector to Govt.

The Supt of State ✓
" Chief Electrical
Inspector to Govt

28/12/45
1624
28/12/45

2/1/2016

