

Education and Public Health

(1947) Department.

SERIES. ①

G.O. NO. 2623 Edn.,

Dated 9-12-1947.

[Despatch Abstract.]

College-Government College for Muslim Women, Madras-Provision of gas and water connections to the laboratories-Expenditure-Sanctioned.

Division. As the connections have to be provided urgently, I am countersigning and sending the estimate to the Chief Engineer with the request to put the work on hand in anticipation of the sanction of Government. In the circumstances I request that Government may kindly approve my action and sanction an expenditure not exceeding Rs. 3100/- on the provision of gas and water connections to the laboratories of the above college.

2. The expenditure is debitable to "37(b)C.4.Laboratory charged--Voted". There is no provision in the current year's budget to meet the expenditure. I shall apply for the necessary additional funds in due course along with the amount required for installing the gas holder - vide Government Memorandum No. 27416-A/47-2 Education dated 19.5.1947.

3. I request the favour of very early orders.

I have the honour to be, Sir,
Your most obedient servant,

For Director of Public Instruction.

Copy to the Chief Engineer(P.W.D.) General & Buildings with the plan and estimate duly countersigned. Gas and Water connections being urgently required, the work may be put on hand in anticipation of the sanction of Government and completed as early as possible. Urgent instructions may kindly be issued to the Executive Engineer, South Presidency Division in the matter.

ks. 17. x.

Very Urgent.

Office of the Chief Engineer, P.W.D.,
General, Chempauk, Madras.

Endorsement No. 5909 Wks/47-1 dated 4th November 1947.

College - Government College for Muslim Women -
Madras - Installation of gas plant ~~gas~~ - gas and water
connections to the Laboratories - expenditure - sanction.
The Director of Public Instruction to the Secretary to
Government, E. & P.H. Deptt. letter No. Rec. 915/A2/46
a/16-10-47.

Copy forwarded to the Suptg. Engr., Madras Circle.

2. He is requested to put the work on hand in anticipation of sanction of Government.

A.R. Venkata Acharya,
Chief Engineer, P.W.D. (Genl.).

To the Suptg. Engr., Madras Circle.

Endorsement No. 5909-Wks/47-2 dated 4th November 1947.

Copy submitted to Government. My action in having requested the Suptg. Engr., to start the work in anticipation of sanction of Government may please be approved.

To the Secretary to Government, Public Works Department.
Copy to the Secretary to Government, Education and Public Health Deptt.
" Director of Public Instruction.

aka/4-11-47

Very Urgent.

Office of the Chief Engineer, P.W.D.,
General, Chempauk, Madras.

Endorsement No. 5909 Wks/47-1 dated 4th November 1947.

College - Government College for Muslim Women -
Madras - Installation of gas plant ~~gas~~ - gas and water
connections to the Laboratories - expenditure - sanction.

From the Director of Public Instruction to the Secretary to
Government, E. & P.H. Deptt. letter No. Rec. 915/A2/46
d/16-10-47.

Copy forwarded to the Suptg. Engr., Madras Circle.

2. He is requested to put the work on hand in anticipation
of sanction of Government.

A.R. Venkata Acharya,
Chief Engineer, P.W.D. (Genl.).

To the Suptg. Engr., Madras Circle.

Endorsement No. 5909-Wks/47-2 dated 4th November 1947.

Copy submitted to Government. My action in having
requested the Suptg. Engr., to start the work in anticipation
of sanction of Government may please be approved.

For Chief Engineer, P.W.D. (Genl.).
To the Secretary to Government, Public Works Department.
Copy to the Secretary to Government, Education and Public Health Deptt.
Director of Public Instruction.
ska/4-11-47

Letter ROC. No.915-A2/46 dated 16-10-47 from the Director of Public Instruction, Madras, to the Secretary to Government, Education and Public Health Deptt.

College - Government College for Muslim Women, Madras -
Installation gas plant - gas and water connections to
the Laboratories - Expenditure - sanction requested.
Reference: 1. G.O. Ms.825 P.W.D. d/22-3-47. (A) a.k. 83678/47A
2. Government Memo No.27416-A/47-2 Edn. d/19-5-47. (H) 13107 in 47

In their Order Ms. No.825 P.W.D. dated 22-3-47 Government sanctioned an expenditure of Rs.5,900/- on the construction of a gas house and brick tank in the Government College for Muslim Women, Madras for installing the gas plant of the college. This work will be completed shortly and then the gas plant will be installed. On completion of this work, it is necessary to provide gas and water connections to the work tables in the demonstration room, Chemistry Laboratory, Physics Storeroom and Laboratory, Natural Science Laboratory and animal room. The expenditure on these connections may amount to Rs.3,100/- as per the estimate forwarded by the Executive Engineer, South Presidency Division. As the connections have to be provided urgently, I am countersigning and sending the estimate to the Chief Engineer with the request to put the work on hand in anticipation of the sanction of Government. In the circumstances I request that Government may kindly approve my action and sanction an expenditure not exceeding Rs.3100/- on the provision of gas and water connections to the laboratories of the above college.

2. The expenditure is debitable to "37(b) C.4. Laboratory charged - Voted". There is no provision in the current year's budget to meet the expenditure. I shall apply for the necessary additional funds in due course along with the amount required for installing the gas holder - vide Government Memorandum No. 27416-A/47-2 Education dated 19-5-47.

3. I request the favour of very early orders.

Copy to the Chief Engineer, P.W.D. General, Buildings with the plan and estimate duly countersigned. Gas and water connections being urgently required, the work may be put on hand in anticipation of the sanction of Government and completed as early as possible. Urgent instructions may kindly be issued to the Executive Engineer, South Presidency Division in the matter.

(True copy)

Superintendent.

ska/5-11-47

[Faint, mostly illegible text on the left page, possibly bleed-through from the reverse side.]

CNO. 6486 C/47
my urgent:
x (A) 1
L 131 (2) x

P.W.D. u.o.
6486 C/47-1
14.11.47

90660

P.A. u.o. 90660-1/47A
dated 25.11.47

P.W.D. u.o.
6846 C/47-2
27.11.47

(A) 495
Routine: A
Babbar - new copy sent
Q.O. MS. No. 825 P.W.D. Dt 22-3-47 and Govt
Memo 27416-A/47-2 Edm Dt 19-5-47 which
are urgently required for the disposal of this
file are not available in the C.R.B. Vide
C.R.B. slips kept below.

E. & P.H. Dept may be requested
to put up the papers and return the file urgently.

14.11.47 EYPH.
14.11.47

The papers referred to above
are put up in the linked file. This may be returned
to P.W.D. u.o.

21.11.47 JWD

Please see note in lf
27.11.47

P.W.D. (C) 5
(6)

E.P.H. (A)

P.W.D.

GOVERNMENT OF INDIA
MINISTRY OF DEFENSE
OFFICE OF THE SECRETARY
NEW DELHI

E.P.H. (A)

These papers may be added
to those in the top file.

6-12-47

⑦ E.P.H. (A)

Sub: College - Govt. college for Muslim Women,
Madras. Provision of gas and water connections
to the laboratories - Expenditure - Sanctioned.

Pl-209. E-no 83678

From the D.P. 9. No. 915-A₂ Sub 2. 16-10-47.

G.O. No. 2623 Edn. Dated 9-12-47.

not exceeding Rs 3,000 (Rupees three thousand
and no paise) on the provision of gas and
water connections to the laboratories of the
Govt. College for Muslim Women, Madras,
in the current year.

2. The expe. may be
debited to the head "37. Education - b. University
Govt. Arts Colleges - c. Postwar Reconstruction
Govt. college for Muslim Women, Madras - 4. other
Laboratory charges - Voted."

3. The A.G. is requested
to admit the expe. in audit, pending provision
P.T.O.

of funds.

4. The D.P.I. is requested to apply for the necessary addl. funds in due course.

b
21/11/47

dm
24/11/47

Note: P.W.D. and Finance may see.

b
21/11/47

dm
24/11/47

The Draft Order overleaf may be perused and the file passed on to Finance. Please see C.E. (gl)'s letter on p.1 of the D.F. With reference to C.E.'s Encl. No. 5909. Wks/47-2. Dt 4.11.47, the C.E.'s action may be ratified and the following para may be added to the G.O. overleaf:

The Govt ratify the action of the C.E. (gl) in having requested the Suptdg Engr to put on the

5. The Govt. ratify the action of the C.E. (gl) in having requested the Suptdg Engr to put on the

A. G. J. (General) (with Encl. 2 regl.)


C.P.H. u.o. 83678-1/47A
dated 25.11.47

6792

47

1/10/47

P.W.D. u.o.
67920/47-1
27.11.47



For UO/8071851 EB-1
3.12.47.



work on hand, in anticipation of Govt's sanction.

E.P.H. is requested to return the D.F. after issue of orders. The file may be passed to Fin.

dm
24/11/47

dm
27.11.47

Fin (Exp. B)

The draft order may be accepted only with the addition suggested by P.W. above.

has
31247

A.S.
3.12.47

G.S.H.

E.P.H.

The draft order may issue with the addition suggested by P.W.D.

dm
6/12/47

dm
8/12/47

Education : DEPARTMENT.

Back Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Further Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Received



Registered

19

Subject.

College--Government College for Muslim women, Madras--
 Installation gas plant--gas and water connections to the Laboratories--
 Expenditure--Sanction requested.

83678

REFERENCE.

1. G.O.Ms.825-P.W.D. dated 22nd March, 1947.
2. Government Memorandum No.27416-A/47-2-Edn., dated 19.5.1947.

ENCLOSURES.

No.

Spare copies

ROC. No. 915-A2/46.

Station.....M a d r a s., Dated the.....16th October.....19 47.

From (Name).....Dr. S.R.U. Savoran, M.A., D.Sc., I.E.S.,

(Designation).....Director of Public Instruction,
M a d r a s.

To The Secretary to the Government of Madras,

Education and Public Health Department.

Fort St. George, M a d r a s.

Sir,

In their Order Ms.No.825-P.W.D. dated 22.3.1947 Government sanctioned an expenditure of Rs 5,900/- on the construction of a gas house and brick tank in the Government College for Muslim women, Madras for installing the gas plant of the college. This work will be completed shortly and then the gas plant will be installed. On completion of this work, it is necessary to provide gas and water connections to the work tables in the demonstration room, Chemistry Laboratory, Physics Store-room and laboratory, Natural Science laboratory and animal room. The expenditure on these connections may amount to Rs 3,100/- as per the estimate forwarded by the Executive Engineer, South Presidency