

E & PH (1948) Department.

Ms. SERIES.

G.O. NO. 2407-9et

Dated 21-9-48

closed  
N

[Despatch Abstract.]

Sub: Stationery — Supply of an additional  
Gestetner Duplicator (Electric operated)  
for the office of the Director of Public  
Instruction — Sanctioned.

# Back Papers.

| G.O. | No. | Department. | Date. | G.O. | No. | Department. | Date. |
|------|-----|-------------|-------|------|-----|-------------|-------|
|      |     |             |       |      |     |             |       |

# Further Papers.

| G.O. | No. | Department. | Date. | G.O. | No. | Department. | Date. |
|------|-----|-------------|-------|------|-----|-------------|-------|
|      |     |             |       |      |     |             |       |

G.O. No 2407  
21-9-48  
EDUCATIONAL DEPARTMENT.

B-6167-48  
C.F. 80

Received ..... 19 .....

Registered .....



Subject.

STATIONERY - Supply of an additional Gestetner Duplicator ( Electric Operator ) for the office of the Office of the Director of Public Instruction, M a d r a s .

## ENCLOSURES.

No. ....

Spare copies .....

ROC. No 114-H/1948,

Station M A D R A S , Dated the 4th Day of J U N E 1948.

From (Name) SRI. D.S. R E D D I, M.A.(OXON), M.B.E.,

(Designation) DIRECTOR OF PUBLIC INSTRUCTION,

To The Secretary to the Government of Madras,

EDUCATION & PUBLIC HEALTH  
SECRETARY TO GOVERNMENT

Department.

THROUGH THE  
Sir, SUPERINTENDENT OF STATIONERY, Guindy.

I have the honour to state that a Gestetner Duplicator (Electric operator) was supplied to this office about 10 years back and it is working since then with occasional repairs and renewals of some of its parts. The work in this office has increased considerably and a few additional sections have been opened., Consequently with the introduction of Basic Education, Adult Education and Citizenship Training Courses. Many circulars have to be despatched which have to be attended to expeditiously on the same day, and it is not possible to take up stencil copies with the single duplicator.

2/2  
- : 2 : -  
I therefore, request that you may be pleased to  
the early  
obtain/orders of Government for sanction of an addi-  
tional Gestetner Duplicator of type similar to the  
one now in use.

*K. Subramanian*  
for DIRECTOR OF PUBLIC INSTRUCTION.

SNS/7.6  
3/1/6

No. B.1-6167-48.

3  
STATIONERY OFFICE, GUINDY.  
DATED 16th JULY 1948.

FORWARDED.

In the circumstances stated by the Director of Public Instruction, Madras, sanction may be accorded for the purchase and supply of one Gestetner Duplicator Model No. 66E (Electrically operated) F'Cap size at the Government of India controlled price of Rs.1895/- salestax extra, from Messrs. Gestetner Duplicators Ltd., Madras.

54808



*R. L. S. S. S.*  
21.7.48  
for Superintendent of Stationery.

To  
The Secretary to Government,  
Education & Public Health Department,  
Madras.

4  
 Sub: Stationery - Supply of an additional Crestner  
 Duplicator (Electric operator) for the  
 Office of the Director of Public  
 Instruction -  
 Ref: Letter from the D.P.I. Roc. No. 114-H/48  
 dated 4<sup>th</sup> June 48.  
 Superintendent of Stationery Encl. No.  
 B.I. 6167/48 dated 16.7.48.  
 Memo. 54808/48-2 Edn. C2 dated 6/8/48.  
 The Director of Public Instruction is  
 requested to state <sup>whether it will not be sufficient if</sup> ~~any~~ <sup>an ordinary</sup>  
 Crestner Duplicator should not be utilized  
 instead of an electric operator as it also is  
~~leaving out quick out. turn.~~ sanctioned for  
 his office. He is informed in this connection  
 that the entire <sup>stencil copying</sup> work in the Secretariat  
 which is a far bigger office than his is

5 E.P.H C2  
 Sub: Stationery - Supply of an additional Crestner  
 Duplicator (Electric operator) for the  
 Office of the Director of Public  
 Instruction -  
 Ref: Letter from the D.P.I. Roc. No. 114-H/48  
 dated 4<sup>th</sup> June 48.  
 Superintendent of Stationery Encl. No.  
 B.I. 6167/48 dated 16.7.48.  
 Memo. 54808/48-2 Edn. C2 dated 6/8/48.  
 The Director of Public Instruction is  
 requested to state <sup>whether it will not be sufficient if</sup> ~~any~~ <sup>an ordinary</sup>  
 Crestner Duplicator should not be utilized  
 instead of an electric operator as it also is  
~~leaving out quick out. turn.~~ sanctioned for  
 his office. He is informed in this connection  
 that the entire <sup>stencil copying</sup> work in the Secretariat  
 which is a far bigger office than his is

2 596 H.A.3

being done by three Gestetner Electric Duplicators.

8. The reply may be sent through the S. & S.

5-8-48

24/H-111 H.A.302.112.8/108

8.7 sent 11.4 dated

24.11.48

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

8.7.48. dated 8.7.48.1.8

To

The D. P. D.  
copy to the S. & S.  
11/8/48

for Director of  
Public Instruction  
Madras

EDUCATION DEPARTMENT.

OFFICE OF THE  
DIRECTOR OF PUBLIC INSTRUCTION,  
MADRAS

R.O.C. NO.114-H/48, Dated 24--8--1948.

From

THE DIRECTOR OF PUBLIC INSTRUCTION,  
MADRAS.

To

THE SECRETARY TO GOVERNMENT,  
EDUCATION AND PUBLIC HEALTH DEPARTMENT,  
FORT ST. GEORGE, MADRAS.

THRO'

THE SUPERINTENDENT OF STATIONERY,  
GUINDY.

SIR,

SUBJECT: SUPPLY OF AN ADDITIONAL GESTETNER  
DUPLICATOR (ELECTRIC OPERATOR) FOR  
THE OFFICE OF THE DIRECTOR OF PUBLIC  
INSTRUCTION, MADRAS.

R E F: MEMORANDUM NO.54808/48-2-Education,  
DATED 6TH AUGUST 1948.

The supply of an ordinary Gestetner duplicator

instead of an electric operator will not serve the purpose. Though the costs of an ordinary hand feed one and Electric operator one are Rs.950/- and 1,895/- respectively, The latter is more advantageous. When an ordinary duplicator takes 50 copies, the electrical machine will give 120 copies at the same time. Further an electric machine will give better and uniform reproductions than an ordinary Gestetner duplicator. Moreover, one peon will be amply sufficient to operate two electrically operated machine whereas in the case of an ordinary duplicator one peon is necessary exclusively even for feeding the paper. In the latter case, the peon if he is constantly worked throughout the day may get fatigued and may not be able to operate quickly. In many cases under the orders of the Hon'ble Minister, copies are now being taken for direct distribution to schools.

2. The present electric machine is already more than 10 years old, and if it begins to give trouble, there will be great difficulty in arranging for quick/expeditious

B.1.661  
48

9390  
1 SEP 1948

8

quick and expeditious despatch of work, especially when the Government expect the department to move ~~and~~ more quickly. The advantages out weigh the higher cost of the electrical Gestetner.

3. In view of the policies <sup>initiated</sup> ~~initiated~~ by Government the ~~or~~ reorganisation of Secondary Education, at least 1,500 copies have to be reneod at a time for direct distribution to schools and that too with more than two or three pages. This has become an urgent item of work. In addition to this, ordinary circulars have to be reneod daily. This <sup>rush</sup> ~~rush~~ of work can be turned out only by electrically operated Gestetner machine.

4. In the circumstances explained above, I request that you will be pleased to obtain orders of Government for the supply of an electrically operated Gestetner Duplicator as early as possible

YOURS FAITHFULLY,

*h. Subbarayasastri*

FOR DIRECTOR OF PUBLIC INSTRUCTION.

SNS/28.3/

*B*  
*20/8*

ENDT.No.B.1.6167/48.

Stationery Office, Guindy,  
Madras.15. D/- 3/9/48.

Forwarded and recommended.

2. Sanction may be accorded for the purchase and supply of one Gestetner duplicator Model No.66-E (Electrically operated) foolscap size at the controlled price of Rs.1895/- sales tax extra from Messrs. Gestetner Duplicators Ltd., Madras.

*D. Subbarayasastri*  
for SUPERINTENDENT OF STATIONERY.

*8.9.48*

PK.4/9.

To The Secretary to Government,  
Education and Public Health Department,  
Madras.



GO 2407 (6) E.P.H. C2.9

Subject: Stationery - Supply of an additional Gestetner Duplicator (Electric Operator) for the Officer of the Director of Public Instruction - Sanctioned.

Ref: Letter from the D.P.I. - Roc.No. 114-H/1948 dated 4<sup>th</sup> June 48.  
Superintendent of Stationery Endt.No. B-1. 6167/48 dated 16.7.48.

Order 2407 Edn. 7 dated. 24.9.48  
M.S.

Sanction is accorded for the purchase and supply of one Gestetner Duplicator Model No. 66 E. (Electrically operated) F' Cap size at the Government of India Controlled price of Rs.1895/- Sales tax extra, from Messrs. Gestetner Duplicators Ltd, Madras.

To The Superintendent of Stationery  
" D.P.I.  
spare copies 5

*27/9/48*

P.T.O.

10. H. 4. B. 2 EPH/Cen

Note: Please see p1 of. Finance may see before issue.

23/7.  
1/8/48  
21/7/48  
Finance

Finance (Accts) SL 80822/48-1 Edn  
27.7.48

Please see the D.P.I.'s reference on pages 1-2 of. There is already a Gestetner duplicator (Electric Operator) working in the D.P.I.'s office and he now wants another Electric Operator to cope with the increased work resulting from the new schemes mentioned on PICF. The cost of an Electric machine comes to Rs 1895/- plus sales tax. Besides Electric Operators there are also ordinary Gestetner operators costing about Rs 400 each. The entire work in the Secretariat which is a far bigger office than that of the D.P.I. is being managed by three



Now PICF  
24.9.48  
p3 of

immediately sent from Chief Secy.

Gestetner Electric Operators. It is understood that each machine is capable of producing about 20 copies a minute and considering this quick output the D.P.I.'s office may perhaps be able to get on with its work if an ordinary Gestetner duplicator is supplied in addition to the <sup>Electric</sup> existing machine now in use in that office.

The E.P.H. Dept may be requested to consult the D.P.I. about this point before the matter is further proceeded with.

Krs 2.8.48  
76. 2-8-48  
Ais 2.8.48  
E.P.H.

Fin. No. N 54092 AB/1  
28/7/48



<sup>the Fin. note</sup>  
Please see at <sup>the Fin. note</sup> above. The D.P.I. is requested to offer his remarks accordingly. The draft <sup>A</sup> is submitted for approval.

4/8.  
8/8.  
5.8.48  
OSM 6/8/48

58013  
p5 of Issued as Memo 548082/48-2 d 6.8.48  
p7-8 of From the D.P.I. No 114 H/48 d 24.8.48  
p8 of From the S of S. Endt B1.6167/48 d 3.9.48

Please see the reply since received from D.P.I. w.r. to the remarks of Fin above.

In the circumstances reported by the D.P.I. and recommended by the S of S this Dept need not object to the supply of one Electric Gestetner to the D.P.I. Fin may see for remarks any before the draft order already submitted.

pl. ante

is issued  
H/M  
13/9/48  
JP  
11948

1319/48

Finance  
Fin (Autob)

E.P.H. no 548082/48-3  
13.9.48


Draft order on p.i. above may  
be accepted

14.9.48  
14948  
E.P.H.



84723  
Fin. no. no. 84728 AB-1  
14-9-48

The draft order on p.i. above may  
now issue



H/M  
17/9/48  
JP  
17948

16/9/48

Faint, mostly illegible text at the bottom of the page, possibly bleed-through from the reverse side.