

E & PH (1949) Department.

Ms SERIES.

10594

G.O. NO. Ms 1380 Edm

Closed
or
Import.

H. 5-1949

36

Dated

[Despatch Abstract.]

Govt. Press - Electrical Plant - Stock Report -
Proposals of Sripolt. Govt. Press - Orders passed

Back Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Further Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
Ms	700	Em	29.3.52				

From
A. Lepper Esq.,
Superintendent,
Government Press, Madras.

To
The Secretary to Government,
Education & P.H. Department,
Fort St. George, Madras.

No.50 Mis.

Dated:- 1st Oct 1947.

6th Nov 47.

Sir,

88245

With reference to G.O.No.1240 Edn. dated 25-6-1946 as modified by Education & Public Health Memorandum No.36725-1 P.1 dated 20-7-46, I have the honour to submit the stock account of the Electrical plant and Machinery in the Government Central Press and its Branches as on 1-4-1947 and to request that sanction may be accorded for its adoption. In this connection, I have to state that the following departures have been made from current practice in respect of keeping stock account of the Electrical plant. The changes are introduced with a view to placing stock-taking on a more rational basis so that future stock-taking may be rendered less difficult and cumbersome.



The following are the main departures:-

(1) Stocks are taken with reference to Electric posts or "Locations" and not with reference to the Departments to which they were attached at the time of stock-taking. The frequent shifting of departments from place to place, rendered necessary to meet administrative exigencies, was hitherto causing a good deal of confusion in stock accounts. It gave much difficulty to the stock-taking officer, for once he missed the thread he lost all bearings and had to go searching about for a considerably long while before he could locate the missing link. In the new plan, machines that work off mains from a particular Electric post are grouped together. Shifting of Electric posts, if done at all, is done only very rarely and so the stock figures taken with reference to "Locations" should naturally be more dependable.

(2) Electric appliances such as Motors, heating elements etc. which were supplied along with Printing and binding machines were in some cases hitherto shown as part of such machines and included in the ledger maintained for these machines. In the new plan of accounting the stock of such appliances is taken separately and valued with a view to incorporating the same in the future Electrical plant ledger.

(3) Hitherto no separate values were shown of wiring for motors etc. In the present attempt Motors and their associated wirings are both taken into account and the value of each is given separately.

(4) Light wirings have not been measured and valued as in Power wiring but only the number of light points are given and the total value worked out at rates followed in the P.W.D.

(5) Tappings from O.H. lines and their associated equipments such as Main Switches, Main Distribution Boards etc. are brought under O.H. lines.

The Electrical Stock account is prepared under 4 headings:-

- (1) Power (all motors and similar power appliances and their wiring)
- (2) Lighting.
- (3) Overhead lines and underground cables.
- (4) Spares.

The values of the various items were adopted as far as possible from the Press ledgers. But in certain cases where such values could not be traced, values were fixed arbitrarily taking into account the condition of the machines and the current market value of some similar machines.

P.T.O.

My proposals on the question of eliminating dual control in the matter of improvements or additions to the Electrical equipment in the Government Press will be submitted separately.

atqun
Superintendent.

L.S. h
21/12

3
- 88245 (71)

88245 - from the L.S.P. - No. 50 - Mis. D
6. 11. 47.

3
Memo 88245 - F. 1/47-1. Edu. D. 3-12-47

Govt. Press - Electrical
Plant - Stock - Report

2/12
(with the Regt.)
Stock Regt.
(with the Regt.)

Referred to the C.E. for
Electricity for remarks - His
attention is invited to his letter
No. 3148 - M-44-5 Dated 28th June 1945
& No 3148 - M-44-7 Dated 1st April 1946.
The Stock Account (consisting of

Pages 26-27
26.1 g (V)
① Rep
intended

129 sheets) received from the SGP
is for reference return -

W
29.11.47

W
29.11.47

2
The C.E. for
Electricity
(with the SGP's
letter & the
Stock Account
w/ryt to be
red. with
reply)

Note
The C.E.'s remarks may be
obtained in the first instance.

W
29.11.47

W
29.11.47

Contains
old papers
had to be
for & time
the fish can be
was not to be
earlier

Office of the Chief Engineer
for Electricity (Dept. 4)

Envelope to
C.E. letter 1174 H/48.5
to Secy to Govt
Education & Public Health
Dept.
For St George
Hospitals

2 M
Government of Madras
Education and Public Health Department
Memorandum No. 88245-F1/47-1 Edn. dated 3-12-47.

Sub: Government Press - Electrical Rak Plant - Stock - Report.
Ref: From the Superintendent Government Press No. 50-Mis. dated 6-11-47.

Referred to the Chief-Engineer for Electricity for remarks.
His attention invited to his letters No. 3148-M-44-5 dated 28th June 1945. No. 3148-M-44-7 dated 1st April 1946.

2. The Stock Account (consisting of 120 sheets) received from the Superintendent Government Press is for reference and return.

M.V. Subramanian,
Secretary to Government.

12099
4 DEC 1947
To the Chief-Engineer for Electricity (with the S.G.P.'s letter and the stock account in original to be returned with reply)

Forwarded/By Order

N. V. Srinivasan
Superintendent.

P.A.
 This may be forwarded to EME(C.S.)/uo. along with a copy of this
 office letter no 3148M/44-7 2/1-4-46 and the stock account in original
 for necessary action.

13427M
 22 JAN 1948
 T6065

Forwarded to EE (general) 12099M/47.1
 in original for necessary
 action through SET 9/12
 To R/13024
 EMEC
 Forwarded
 P.D.A. Karayanandhy 21/1

22/1/48
 DB
 22/1/48

22/1/48
 22/1/48

E.S.P.H.
 F.

Memo. No. 88245-F/47-2 Edu. 2.5.2.48
 Sub: Foot-Press - Electrical plant - Stock - Report.
 Ref: Foot. Memo No. 88245-F/47-1. Edu. 2.3.12.47.

The attention of the Chief Engineer
 for Electricity is invited to the above
 Memo and he is requested to expedite
 his reply to the same, it.

To: 22/1/48
 The C.E. for Electricity
 22/1/48
 3.2.48
 22/1/48

10

C. 88245/47

47/3

plch

To. The C.E. for Electricity

47/3

Foot. Press. - Electrical plant - Stock - Report.

EBR H
F

Ref. Memo. No. 88245-F/47-1. Edu. J. 3.12.47.

Memo. No. 88245-F/47-3 Edu. J. 2.3.48

The Chief Engineer for Electricity is requested to expedite his reply to the memo. referred above, at an early date. State when his reply to the above memo may be expected by Enr.

1.3.48.

1.3.48

2/3/48

ELECTRICITY DEPARTMENT

From
The Chief Engineer
for electricity,
Chepauk, Madras.

To
The Secretary to Government,
Education and Public Health Dept.,
Madras.



No. 1774M/48-2 dated 13-3-48.

Sub:- Government Press - Electrical Plant - Stock - Report.

20254

Ref:- Government Memo.No.88245-F1/47-3 Education - psc
dated 2-3-48.

The matter has been referred to the technical Branch of this Department and their comments are awaited. A reply to the Government Memo.No.88245-F1/47-1 dated 3-12-47 will be sent on receipt of the remarks of the Superintending Engineer, Technical. He has been reminded therefor.

N. Venkataraman
(S)

FOR CHIEF ENGINEER (ELECTRICITY)
E & P. H. (C.F.)

Please see the letter from the C & P. H. (C.F.) above. This may lie over till 8-4-48.

18/3
18/3/48

19/3/48

Government Press is now already in charge of a fully qualified Engineer. He should therefore take up the additional responsibility not only for their proper maintenance but also for improvements and renewals and replacements whether done departmentally or on contract, subject of course to the administrative supervision of the Superintendent, Government Press.

5. In order to attain the above objects the Electrical and Mechanical Engineer should have the power to accord sanction for works costing up to Rs. 500/- and the Superintendent Government Press, for those above Rs. 500/- up to Rs. 1,000/- and employment of temporary work-charged staff therefor. In connection with the day-to-day maintenance of the combined equipment I would propose the creation of the following additional staff as a tentative measure to be reviewed when experience is gained. The staff may for the present be sanctioned for a period of three years.

One post of Electrical Supervisor - I grade on Rs. 150-10-250.
 do Senior Electrician on Rs. 70-4-110.
 Two posts of Senior Mechanic Blacksmith on Rs. 45-3-60-2 1/2-85.

6. The Electrical and Mechanical Engineer should also be paid a personal pay of Rs. 100/- per mensem for the additional and onerous responsibility he has to shoulder. I have frequently pointed out how inadequately he is paid considering the tremendous responsibility he holds.

at ym
 Superintendent.

BGM. 8/4.

C. 88245/47.

p 1 cf

7/12/47

p 7 cf

pp 9-10 cf

bps with encls

To. The C.E. for Elec.

Madras with

(a copy of pp 9-10 cf)

Govt. Press - Electrical plant - Stock - Report.

Ref: Memo. No. 88245-F/47-3. Edu. d. 3.12.47.

Memo. No. 88245/F/47-4 Edu. d. 9.4.48

The attention of the C.E. for Electricity is invited to the memo cited above and he is requested to state when his reply to Govt. promised in his letter No. 1774 M/48-2. d. 13.3.48 may be expected. A further letter from the S. of P. is also ref No. 50-Mis. d. 5.4.48 is also referred to C.E. for Electricity, for very early remarks, in continuation.

Note: Please see the letter from the S. of P. on pp 9-10 cf. This may also be

P.T.O.

18
also be referred to C. E. for Elec. for his
remarks. ~~For P may see u. or before~~
issue. ~~8/4~~ 9/4/48
8/4
ar
8/4

ELECTRICITY DEPARTMENT.

From

The Chief Engineer for Electricity,
Chepauk, Madras.

To

The Secretary to Government,
Education and Public Health Department,
Madras.



No. 1774 M/48-3 dated 25-4-1948.

Sir,

32032

Sub: Government Press -- Electrical plant
Stock -- Report.

- Ref: 1. My letter No. 1774 M/48-2 dated
15-3-1948.
2. Government memo No. 88245/F.1/47-4
dated 9-4-48. Edn.

The remarks of the Superintending Engineer,
Technical are still awaited. He has been reminded.
A consolidated reply will be sent on receipt of
the Superintending Engineer's remarks.

N. Venkataraman
FOR CHIEF ENGINEER (ELECTRICITY)

Please see the letter from C. E. for Electricity
above. This may lie over till 20/5/48.
11/5/48

1/4.
20.

E & P. H. Dept.
F.

A draft Memo. to the E.P. (E) is submitted.

8/
21.5.48.
av
21.5.48

BM
24/5/48

C. NR 88245/17

120
24/5

page 13 of.

Sub: Government Press - Electrical Plant Stock - Report.

Ref: From the Chief Engineer for Electricity NO 1774 M/48-3 dated 25-4-1948.

Memo. N.º 88245 F/47-52 M dated 24.5.48.

The Chief Engineer for Electricity is requested to expedite his reply referred to, in his reference cited above in the matter

To, The Chief Engineer for Electricity,
Chepauk, Madras.

8/
21.5.48

av

21.5.48

21.5.48

21.5.48

BM
24/5/48

22

[Faint, mostly illegible handwritten notes on the left page of the document.]

40808

G.F. 301.

OFFICE OF THE

Date 2/6/47

Hours Minutes

TELEPHONIC MESSAGE.

From S. G. P. To Sec. W. C. S. T. D. A.

Ref: This Office letter no 50 No.
8-11-47

Sub: Plant - Electrical - Great-Born
- Revised Situation 1-4-47
adoption - Sanction solicited.

Please let me know when order
of cost may be completed on the
above in the absence of which
I cannot adopt the figures for
purposes of calculating interest,
depreciation etc for cost finding
in connection with the preparation of

Please write on both sides.

2519
G.F. 304

OFFICE OF THE

Date 194

Hours Minutes

TELEPHONIC MESSAGE.

From

To

figures for Civil War annual report

RM
2/6/48

Please write on both sides.

C no 88245/47

4/6
7/6

Engaged
RBN
5/6/48

pp. 17-19 of

p. 15 of

Copy to the C.E. for Electricity
with a copy of C.O. no 17499

36-108
an
3608

16-27
Telephonic Message dated 5-6-48

From

The Secretary to Govt.
L & P. H. Dept.

To,

The Superintendent,

Govt. Press, Madras.

Sub: Govt. Press - Electrical Plant Stock -
Report.

Ref: Your T.M. dated 2-6-48

The A reply from the Chief Engineer for
Electricity is awaited. ~~He has been reminded~~
Orders will be passed on the receipt of
his reply.

4/6/48

28
role: Please see the T.M. from the S.G.P.

on pp. 17-19 cf:

A draft T.M. to the S.G.P. is submitted.

page 1 above.

6.48
W
26.48



ELECTRICITY DEPARTMENT



The Chief Engineer for Electricity,
Chepauk, Madras.

42610

To

The Secretary to Government,
Public Works Department,
Fort St. George, Madras.

No.1774 M/48-4 Dated 28.5.1948.

Sir,

Sub: Government Press - Electrical
plant stock - Report,

- Ref: 1. My letter No.1774M/48-3 dated 25.4.48.
2. Govt. Memo.No.88245.F1/47-5 dated 24.5.1948.

Relates to S+PH.
(Informally consulted)

The remarks of the Superintending Engineer, Technical are still awaited. He has been specially reminded. A reply will be sent immediately on receipt of the Superintending Engineer's remarks.

N. Venkataraman
a/b

P.W.(E)

for Chief Engineer(Electricity)

S+P.H.U.O.

14/6/48
J.P.

7.6.48

P.W.D.U.O. No 2251-E/48-1
7-6-48

30

E.P.H.
F.

Please see the letter from The Chief Engineer for Electricity on page 1 above. Copy has been filed.

9.6.48
14/6/48

Dear
and
Ltr. Mr.
2 put up
done
9/6/48

Subd. The file was with the C.D.B.
8/12/48

ELECTRICITY DEPARTMENT

From

The Chief Engineer for Electricity,
Chepauk, Madras.

The Secretary to Government,
Education & Public Health Department,
MADRAS.



No. 1774 M/48--5 Dated 30.6.1948.

Sir,

Sub: Government Press - Electrical Plant
stock - Report.

49128

Ref: Govt. Memo. No.83245 Fl/47-1 dt.3.12.47
Govt. Memo. No.83245 Fl/47-4 dt.9.4.48.
Govt. Memo. No.83245 Fl/47-5 dt.24.5.48.
This office letter No.1774M/48-4 dt.28.5.48.

The inventory of plant and equipment prepared by the Superintendent, Government Press appears to be in order. The values, have not been checked. The individual rates for depreciation, depreciative expenditure, accounting and exhibition in annual accounts depend on the commercial accounts required to be kept by the Government Press.

2. With reference to maintenance and responsibility for the renewals and replacements of the electrical plant, budgetting procedure and additional staff required by the Superintendent, Government Press for the maintenance of the ~~xxxx~~ combined equipment referred to in letter No. 50 Mis. dt.5.4.48 from the Superintendent, Government Press, copy communicated in your Memo.No.83245 Fl/47-4 dated 9.4.48, I have to state that the matter is referred to the Electrical Engineer (General), P.W.D., Madras, for examination and comments and a further reply will be submitted on receipt of his report.

p. 15 and

p. 17 and

X

2.

Letter No. 50 Mis. dt. 6.11.47 from the Superintendent,
Government Press and the stock account received in original
with your memo. No. 88245 F1/47-1 dt. 3.12.47 are returned
herewith.

N. Venkatarana
for Chief Engineer (Electricity)

Encl: 2

E and P. H. Dept
7.

Please see 'X' your letter from the Chief Engineer
for Electricity at p. 31 encl. The further report
may be awaited until 1.8.48.

av
6248

SM
7/7/48

GOVERNMENT OF MADRAS
Education and Public Health Department
Memorandum No. 88245/F1/47-4 Edn., dated 9th April 1948.

Sub: Government Press - Electrical Plant - Stock - Report.
Ref: Memo No. 88245-F1/47-3 Education dated 3-12-1947.

The attention of the Chief Engineer for Electricity is
invited to the memo cited above and he is requested to state when his reply
to Government, promised in his letter No. 1774 M/48-2 dated 13-3-48 may be
expected. A further letter from the Superintendent, Government Press, No.
50-Mis. dated 5-4-58 is also referred to Chief Engineer for Electricity,
for very early remarks, in continuation.

17 APR 1948

5149

To The Chief Engineer for Electricity, Madras (with enclosure)
Forwarded by order

Gn/

SM Draft letter to the Govt. is submitted
for approval and signature *SM*

M.V. SUBRAMANIAN,
Secretary to Government.

A. Horanathan
Superintendent.

the letter No. 50-Mis. dated 5th April 1948., from the
 indent, Government Press, Madras, to the Secretary to Govern-
 ment & P.H., Department, Madras.

...
 it - Electrical - Government Press - Maintenance by the
 Government Press staff proposals submitted.

In continuation of this office letter No.50-Mis., dated
 8-11-1947 I have the honour to state that in para 15 of my report No.
 50-Mis., dated 9-11-1943, on the stock-taking of plant in the
 Government Press, it was my intention to convey to Government that
 in the matter of Electrical equipment only of the Government Press, ~~that~~
 there was a sort of dual responsibility due to the fact that additions
 and renewals thereof are being carried on both from the Government
 Press allotment and the Public Works Department. This came more into
 evidence with the remodelling of the Government Press Buildings, an
 item of which was the construction of the Power House and the switch
 over from L.T. to H.T. supply. This involved a separate programme of
 lighting arrangements. Lately, there has been the change to individual
 drive system in the case of as much equipment as is practicable. All
 these innovations resulted in an abnormal transformation of the whole
 Electrical equipment of the Government Press. In the case of the
 lighting arrangements my electrical staff had to take up the responsi-
 bility in planning. In the matter of change over to Individual Drive
 system it was my staff who had to prepare the specifications and do
 the supervising work in actual erection, the Public Works Department
 (Electrical) stepping in only for the purpose of paying from its
 budget, claims of the contractors on the authority of my counter-
 signature.

2. I had fully explained in my letter No.50-Mis., dated
 25-2-1946 how the exercise of a dual responsibility had its consequence
 in overlapping and confusion in the maintenance of stock accounts and
 its verification. Under the rules for Depreciation in force in the
 Government Press cost accounting and budgeting renewals and replacement
 of all articles of dead stock are to be met from the Fund account.
 Account difficulties will naturally crop up in meeting expenditure &
 thereof unless a cut and dried distinction can be made of the two
 different kinds of equipment.

3. Now the combined stock of the whole equipment has been
 made out, this is best opportunity, to have all the equipment on the
 ledgers of the Government Press and renewals and replacements thereof
 met from the Fund account of the Government Press Budget. Further, in
 future, the Superintendent, Government Presses, should be made responsi-
 ble for all additions to this budget as usual. My above proposals
 include the day to day maintenance of the combined Electrical and
 Mechanical equipment of the Government Press which should be treated
 as an independent unit the Chief Engineer for Electricity stepping
 in only in an advisory capacity. This is essential for smooth
 working and for obviating overlapping and delay in the operation of ~~the~~
 printing departments of the Government Press of which the electrical
 and mechanical sections play a vital part.

4. The mechanical and electrical section of the Government
 Press is now already in charge of a fully qualified Engineer. He
 should therefore take up the additional responsibility not only for
 their proper maintenance but also for improvements and renewals and
 replacements whether done departmentally or on contract subject of
 course to the administrative supervision of the Superintendent,
 Government Press.

5. In order to attain the above objects the Electrical and
 Mechanical Engineer should have the power to accord sanction for works
 costing up to Rs.500/- and the Superintendent, Government Press, for ~~works~~
 those above Rs.500/- up to Rs.1,000/- and employment of temporary work-
 charged staff therefor. In connection with the day-to-day maintenance
 of the combined equipment I would propose the creation of the
 following additional staff as a tentative measure to be reviewed when
 experience is gained. The staff may for the present be sanctioned for
 a period of three years.

One post of Electrical Supervisor - I Grade on Rs.150-10-250.

GOVERNMENT OF MADRAS
 Education and Public Health Department
 Government Press, Madras, dated 5th April 1948.

Government Press - Electrical Plant - Stock - Report.
 Memo No. 88245-7147-3 Education dated 3-12-1947.

The attention of the Chief Engineer for Electricity is
 drawn to the above and he is requested to state when his report
 is submitted. A further letter from the Superintendent, Government Press, No.
 50-Mis. dated 2-4-48 is also referred to Chief Engineer for Electricity,
 for very early remarks, in continuation.

To The Chief Engineer for Electricity, Madras (with enclosure)
 Forwarded by order
 M.V. SUBRAMANIAM
 Secretary to Government.

Superintendent.

36

One post of Senior Electrical on Rs. 70-4-110.
Two posts of Senior Mechanical Blacksmith on Rs. 45-3-60-2½-85.

6. The Electrical and Mechanical Engineer should also be paid a personal pay of Rs. 100/- per mensem for the additional and onerous responsibility he has to shoulder. I have frequently pointed out how inadequately he is paid considering the tremendous responsibility he holds.

(TRUE COPY)


Authorisation
SUPERINTENDENT.

GN/

POST COPY OF TELEPHONIC MESSAGE.

41354

From:- The Superintendent, Government Press, Madras.
To:- The Secretary to Government, Education and Public Health Deptt.,
Fort St. George, Madras.
Dated:- 2-6-1948.



Ref: This office letter No. 50/Mis., dated 8-11-1947.

Sub: Plant, Electrical - Government Press - Revised stock as on 1-4-1947 - adoption - sanction solicited.

Please let me know when orders of Government may be expected on the above in the absence of which, I cannot adopt the figures for purposes of calculating ~~xx~~ interest, depreciation etc., for cost finding in connection with the preparation of figures for Government Press Annual Report.

3/6

al-yu

Superintendent.

38
As Action has ^{already} previously been taken on the ^{part} of
This post copy may be added to the main file.

56.48
56.48

56.48

The Madras Government Press Workers Union.

(Registered & Recognized by Government)

GOVERNMENT PRESS BUILDINGS,

275, Mint Street,

Madras, 23 rd July 1948.

President:

P. R. K. Sarma, B.A., M.L.C.

Vice-Presidents:

M. Kannappen

C. Narayanaswami

Secretary:

R. Ramanujam

Asst. Secretary:

C. Narayanaswami Mudaliyar

Treasurer:

A. P. Pillai

To

Hon. Sri T. S. Avinashilingam Chettiar,

Minister for Education,

Government of Madras,

Fort St. George,

Madras.

55592

(Sub.--Electrical plant stock-taking Maintenance staff of Government Press-- Proposal.)

Sir,

I understand that the Superintendent, Government Press, Madras, has submitted proposals for creating some posts of ^{higher} grades in Electrical Department which is nothing but a mere waste of Government money. Mr. Sarma, President, is bedridden in the Tuberculosis Sanatorium, Tambaram. In the interests of good administration and economy I am very anxious to explain to you in person about the proposals made by the Superintendent. So I request you to kindly permit me to have a talk with you on any day convenient to you.

Thanking you.

Yours faithfully,

609 anakwami

Vice-President.

40

C. No 88245/47 Sub: Government Press - Electrical Plant -
Stock - Report.

Ref: From the Chief Engineer for Electricity
No 1774 M/48-5 dated 30.6.48

Memo. No 88245-6.71/48 Edu dated 6.8.48

The attention of the Chief Engineer
for Electricity is invited to his letter cited
above and he is requested to expedite
the submission of his further report
promised therein in his letter cited.

To,
The Chief Engineer
for Electricity, U.S.W.
Chennai, Madras.
W 9/8/48

W 9/8/48

E.S.P.H.
F

41

C. No 88245/47 Sub: Government Press - Electrical Plant -
Stock - Report.

W 9/8/48

Ref: From the Chief Engineer for Electricity
No 1774 M/48-5 dated 30.6.48

Memo. No 88245-6.71/48 Edu dated 6.8.48

The attention of the Chief Engineer
for Electricity is invited to his letter cited
above and he is requested to expedite
the submission of his further report
promised therein in his letter cited.

To,
The Chief Engineer
for Electricity, U.S.W.
Chennai, Madras.
W 9/8/48

W 9/8/48

ELECTRICITY DEPARTMENT

From

The Chief Engineer for Electricity,
Chepauk, Madras.

To

The Secretary to Government,
Education and Public Health Department, MADRAS.

No.1774 M/48--6 Dated 9.8.1948.

Sir,

Sub: Government Press - Electrical Plant Stock -
Report.

In continuation of my letter No.1774 M/48--5 dated 30.6.48, I have to state that the Electrical Engineer (General) has since reported that the maintenance of electrical installation, repairs thereto and renewals are being looked after by the Superintendent himself and by the staff as detailed below who are working entirely under the control of the Superintendent. The question of dual control does not therefore arise.

- | | |
|---|--------------------------|
| 1. 1 Mechanical and Elec'l. Engineer (Gazetted) | Rs.200-30/2-380-40/2-500 |
| 2. 1 Assistant to Elec'l. & Mech'l. Engineer | Rs.125-5-170 |
| 3. 1 Chief Electrician. | Rs.90-5-130.
EB. 150 |
| 4. 3 Senior Electricians. | Rs.70-4-110 |
| 5. 4 Asst. Electricians. | Rs.35-2-50 |
| 6. 2 Junior " " " | Rs.30-1-50 |
| 7. 4 Electric Cleaners | Rs.30-1-50 |

The Electrical Engineer (General) considers that the above staff is quite adequate to carry out all repairs and maintenance work as well as additions and improvements to the existing electrical installations.

Regarding budgeting procedure the Electrical Engineer (Genl.) has pointed out that the cost of electrical installation forms part of the capital cost of the building and the approval of the Chief Engineer, P.W.D., (Buildings) seems necessary for departing from the existing procedure.

I agree with the above remarks of the Electrical Engineer (General).

N. Venkataswami
for Chief Engineer (Electricity)
10/8



60328

Edn. & P.H. Dept. (Fl)

Sub: Government Press - Electrical Plant - Stock Report.

Ref; From the S.G.P. No.50 Mis dated 6-11-47.
From the S.G.P. No.50 Mis dated 5-4--48.
From the C.E. for Electricity No.1774 M/48-5 dated 30-6-48.

From the C.E. for Elec.No.1774 M/48-6 dt.9-8-48.

MEMORANDUM NO 88.245 F/47. EDN. DT. 2.8.48.

Copies of the references cited above are forwarded to the Chief Engineer P.W.D.(General).

2. He is requested to offer his remarks at a very early date, regarding para 2 of the letter from the C.E.(E) dated 9-8-48.

To
The C.E., P.W.D.(General)
Chepauk, Madras.
(with copy of pp.1-2, 15-16,
31-32, & 43 c.f.)

By with
copies 16/11/48

Shs
18/11/48.
av
18/11/48

OK
18/11/48

by 2/11/48

46

47 ESP.H
F

88245/47.

Sub: Government Press. Electrical Plant -
Stock - Report.

p. 45 of
6
20/9

Ref: Govt. Memo. No 88245F/47-7 Edu dated
20.8.48

Memo. No 88245/F/47-8 Edu dated 21.9.48

The attention of The C.E. P.W.D.
(Genl) is invited to the Govt. Memo. cited
above and he is requested to
expedite his reply to it.

To, ✓
The C.E. P.W.D. (Genl) By
Chennai, Madras 20.9.48

in
20/9/48

21/9/48

4983
11/8

20.8.48
11/8

20.8.48
11/8

20.8.48
11/8

20.8.48
11/8

43
11/8
C. no. 88245/47

Sub: Government Press - Electrical Plant - Stock - Report.

p. 45 of
p. 47 of

Ref: Govt. Memo. no. 88245 F/47 Edn dated 20.8.48.
Govt. Memo. no. 88245 F/47 Edn dated 21.9.48

Memo. no. 88245 F/47-9 Edn dated 25.10.48

The attention of The G.E.P.W.D. (Genl) is invited to the references cited and he is requested to state when his reply may be expected by Govt.

To,
The G.E.P.W.D. (Genl)
Madras.

Shr
22.10.48
22.10.48

BM
24/10/48

E. S. P. H.
F.
45

ESPH.
Fi

Sub: Govt. Press - Electrical Plant - Stock - Report. C No. 88245/48

Ref: Govt. Memo. No. 88245 F1/47-7 Edn dated 20.8.48.
Govt. Memo. No. 88245 F1/47-8 Edn dated 21.9.48.
Govt. Memo. No. 88245 F1/47-9 Edn dated 25.10.48.

Memo. No. 88245 F1/47-10. Edn dated 1-12-48. Dpl. (1/12/48)

The attention of P.W.D. (Genl) is invited to the references cited and he is requested to expedite his reply.

Shr
28.11.48
an
29.11.48

nm
30.11.48

Shr
30.11.48
The P.W.D. (Genl)

SPECIAL. 14 DEC PUBLIC WORKS DEPARTMENT.

From
Sri Rao Bahadur
A.R. Venkatachari, B.E., M.I.E., (Ind.)
M.Am.Soc.C.E., I.S.E.,
Chief Engineer (General), P.W.D.
Chepauk, Madras.

To
The Secretary to Government,
Education & P.H. Department,
Madras.

Letter No. 2418 B/48-2, Dated 13th December 1948.

Sir,

Sub: Government Press - Electrical Plant - Stock - Report-
Ref: Govt. Memo. No. 88245 F1/47-7 Edn., dated 20-8-48.

Most of the electrical plant and machinery installed in the Govt. Press for printing purposes are borne in the Government Press "Stock" account. But the electrical installation to the Government Press buildings proper is kept separate and is included in the P.W.D. Register of buildings as the cost of such installation is included in the capital cost of the buildings. The Superintendent, Government Press's proposal to have all equipment - electrical and mechanical which includes electrical installation also - brought on to the ledger of the Government Press as "Stock", contained in his letters Nos. 50 Mis. d/6-11-47 and 50 Mis. dated 5-4-48, involves the transfer of the capital cost of the electrical installations in the Press buildings from the P.W.D. Register of buildings. Though as pointed out by the Superintendent, Government Press, this transfer may be considered necessary for administrative convenience, I consider that such a deviation from the general policy which is being now followed in the P.W.D., in respect of electrical installations to buildings, will create an inconvenient precedent for other Departments also to demand such a deviation. I would, further, suggest that the Superintendent

CSR
14/12/48

Superintendent, Government Press, may be made a Civil Officer acting as a P.W. Disburser, which will make him solely in charge of all electrical installation to the buildings. This will not also involve any complications in budget procedure, as funds required by him will be provided for only under "50 Civil Works" based on his demand but the Superintendent, Government Press, will have to render accounts to this office and to the Accountant-General as other P.W. Disbursers. If Government agree, necessary orders may be issued accordingly.

Men Katz Ramani
13.11.48

for Chief Engineer, P.W.D.

S.S.13/12.

Sub. Govt Press - Electrical Plant - Stock - Report

Ref. From the SgP. No. 50-111/5-4-1948.
From the C.E. (g) P.W.D. No 2418 B/48-29/3/48

Memo no. 88245 Fi/48-12 Edn. 3/2/49

With reference to the difficulties experienced by the SgP in the accounting procedure relating to the electrical plant & other electrical equipment in the Govt Press, the C.E. (General) P.W.D. has suggested that the Supdt, Govt. Press, may be made a Civil Officer acting as a P.W.D. Disburser.

(Relevant extracts from the letters of the SgP & the C.E. (g) P.W.D. are enclosed herewith.) The A.G. is requested to offer his remarks on this suggestion.

To,

The A.G.

(with a copy of para 1-3 on p.154 & a copy of pp 51-524)

CSR.

27/1/49 gus

31/1/49

2/2/49 by gus

Office of the Accountant-General, Madras.

No.WM. 15-80/623 dated 28-3-1949
48-49


The Secretary to the Government
of Madras,
Education & Public Health Dept.
Fort St.George, Madras.

Subject: Government Press-Electrical
Plant-Stock-report-Govt.

No.88245 FI/48-12

dated 3-2-49

Remitted dated 3-3-49



The matter is under consi-
deration and a reply will be sent
shortly.

Deputy Accountant General
(Works)

J. S. R. H. (C)

avr

The AG's reply may be
awaited till 26.4.49.

2.4.49 *to* *the* *M* *4/4/49*

No. W.M. 15-82 Madras, 4th April 1949.

FROM

THE ACCOUNTANT GENERAL, MADRAS,

To

The Secretary to the Government,
Education and Public Health
Department, Fort St. George,
Madras-9.

Subject:- Government Press Electrical plant. Stock report.

Reference:- Government Memorandum
No. 88245F1/48-12 Education
dated the 3rd February,
1949.

27256

There is no objection to accept the proposal of the chief Engineer to treat the Superintendent, Government Press as a P.W. disburser, provided that a certificate is given with the monthly accounts of the Superintendent Government Press as a P.W. disburser that no part of the expenditure included in the account has been charged to Government under the grants under "56 Stationery and Printing."

Deputy Accountant General(W)

Rjs.

Sub: Government Press - Electrical Plant - Stock
Report - Approved - Proposals of the S.G.P -
Orders passed.

From the S.G.P., No. 50 Mis., dated 6-11-1947

,, ,, ,, 5-4-1948.

From the C.E., Electricity, No.1774 M/48-5
dated 30-6-1948.

,, ,, No. 1774 M/48-6, dated
9-8-48.

From the C.E., P.W.D (Gl.). No.2418 B/48-2 dated
13-12-48.

From the A.G., No. W.M.15-82/48-49/4 dated 4-4-1949.

ORDER
(Ms.)

No. 1380 *etc.* dated 4.5.49

In G.O. 1240 Education dated 28-6-46, the
Govt. sanctioned certain ~~additional~~ staff in the
Govt. Press, Madras, for taking stock of the ~~entire~~
electrical equipment in the Govt. Press ^{with branches} and to assess the
value ~~as on 1-4-46~~. The S.G.P has forwarded the
stock account ^{as on 1.4.47} and requests that ~~his~~ adoption may be
approved. The C.E for Electricity has reported that
the inventory of the plant and machinery prepared by
the S.G.P is in order. The Government hereby approve
the adoption of the stock account of the electrical plant
and machinery in the Government Central Press and its
branches submitted by the S.G.P.

2. In ~~his~~ letter dated 5-4-48, the
S.G.P has pointed out that in the matter of electrical
equipment ~~only~~ of the Government Press there is a sort
of dual responsibility ^{due} ~~one~~ to the effect that the
additions and renewals ~~thereof~~ ^{made} are ~~carried on~~ both
from the Govt. Press allotment and ~~the~~ P.W.D. budget
resulting ~~thereby~~ in the maintenance of two accounts,
one by his office another by the P.W.D. He
~~requests~~ ^{recommends} that this dual control should be removed, that
the entire stock be transferred to him and that he be
placed in sole charge of maintenance ~~at~~ additions, and

60
replacement, ~~and~~ renewals and repairs. For this purpose he has applied for additional staff and ^{the} grant of personal pay to the Electrical and Mechanical Engineer ~~etc.~~ referred to in his above letter. The C.E. for Electricity has since reported that the electric installations, repairs thereto and renewals are being looked after by the Superintendent himself and by the staff under his control and that the question of ~~mutual~~ dual control does not arise. In the circumstances, the Govt. decline to accept the proposal of the S.G.P. for additional staff and ^{the} grant of personal pay to the Electrical and Mechanical Engineer.

3. As regards the difficulty in the accounting procedure referred to in ^{the} his letter dated 5-4-48 the S.G.P. is informed that the C.E., P.W.D (Gl.), reports that most of the electrical plant and machinery installed in the Government Press for printing presses are borne in the Govt. Press stock account and that only the electrical installation to the Government Press ~~of~~ buildings proper is kept separate and included in the P.W.D register/ ~~and~~ buildings as the cost of such installation is included in the capital cost of the buildings. The C.E. is of the opinion that the proposal of the S.G.P. to transfer the latter equipment also to the Govt. Press ~~xxx~~ stock account in the Government Press account would involve the transfer of capital cost of the electrical installations in the Press ^{buildings} ~~buildings~~ from the P.W.D register and that though the transfer may be considered as convenient administratively, ^{become} ~~such~~ a deviation will create an ^{inconvenient} ~~inconvenient~~ precedent, for other departments to demand such a ^{similar} ~~similar~~ deviation. The Government agree with the views of the C.E. and decline to accept the Superintendent's proposal in this regard.

4. The C.E. however, suggests that the S.G.P. may be made a Civil Officer acting as a P.W.D ^{pub.} ~~disburser~~ which will make him solely in charge of all

3
61 31
electrical installations to the buildings and this will not also involve ~~in~~ any complications in the budget procedure, as funds required by him will be provided for only under "50 Civil Works" based on his demand but the S.G.P. will have to render ^{the C.E.} accounts to ~~his~~ office and to the A.G. as other P.W.D. disbursers. The A.G., who was consulted, has no objection to ~~accept~~ the proposal of the C.E. to treat the S.G.P. as a P.W.D. disburser provided that a certificate is given with the monthly accounts of the S.G.P. as a P.W.D. disburser that no part of the expenditure included in the accounts has been charged to Government under the grants under "56 - Stationery and Printing". The Government accept the proposal of the C.E. subject to the ~~xxx~~ conditions stipulated by the A.G.

To

The S.G.P. (with Stock Report)
The A.G. thro' ^{his Section} Finance
The C.E. for Electricity
The C.E. (Gl.) P.W.D.
The P. W. D.
Copy to Finance
(2 S.C.)

Confidential.

Secretary, E. & P.H.



Cus 55592
27.7.48

Please see herewith a letter from the Vice President of the Madras Govt. Press Workers' Union, Madras. I do not know whether it is true. If it is true that file may be put up.

ISA

H.M. Education. 24-7-48

E and P.H. Dept
7.

Apparently the Union refers to the proposals of the S.S.P. in para 7 of his letter of 16.7.48. In the linked file below. The addl. staff of one Electrical Supervisor, 1 grade on Rs 150-10-250, one Senior Electrician on Rs 70-4-110 and two Senior Messengers Blacksmiths on Rs 45-55 referred to the Union are for the maintenance of combined equipment referred to by the S.S.P. The C.E. (Electricals) has not yet offered his remarks on these proposals. He has referred the matter to the Electrical Engineer (S.S.) P.W.D. for examination and comments. His reply is awaited until 1.8.48.

Maybe circulated to him (Edn).

av
28.7.48

DM
29/7/48
by 29/7/48 H. (W)



The matters may be examined and put up.

ISA

3-8-48

Please see the minutes of H.M. (Edu) alone. The Chief Engineer for Electricity may be reminded. A draft memo. is submitted for approval.

Dr
4.8.48
av
4.8.48

DM
5/8/48

Please see further reply from the
Chief Engineer for Electricity on p. 43 of.
With reference to 'A' in his reply, a
draft memo. to the Chief Engineer
P.W.D. (General) is submitted.

In
16/8/48
in
16/8/48

OM
17/8/48 S

Draft approved
by Secy.

Ref: From the S.G.P., No. 50-Mis., dated 6-11-1947

From " " No. 50-Mis., dated 5-4-1948
From the C.E. (Electricity), No. 1774 M/48-5,
dated 30-6-1948
From the C.E. (Ele.), No. 1774 M/48-6, d-9-8-1948
From the C.E. (General) P.W.D., Lr. No. 2418 B/48-2,
dated 13-12-1948.

In G.O. No. 1240, Edn., dated 25-6-46, the Special
staff of one First Grade Electrical Supervisor, One U.D.
Clerk and two Assist. Electricians was sanctioned for
employment in the Govt. Press for the purpose of taking
afresh a stock of the entire Electrical equipment in
the Govt. press. The work has since been completed
and the Supdt., with his letter at pp. 1-2 of, has forwarded
the Stock Account, and requests ^{approval} ~~orders~~ for its ^{adoption} ~~approval~~.
In this connection, he has stated that in the process
of stock-taking the deviations mentioned in his report
at page 1 of were made. The C.E. for Electricity has
reported that the inventory of plant and machinery pre-
pared and forwarded by the S.G.P. is in order. It is
presumed that, in spite of his remarks at 'A' on page
3 of, the C.E. has no objections to the deviations
made by the Superintendent, ^{and} ~~in~~ the process of Stock-
account being approved. It is for orders ~~with~~ whether
sanction may be accorded for the adoption of the Stock-
account.

2. In his letter at pages 15-16 of, the Supdt.,
Govt. Press, refers to his previous correspondence on
the subject of dual control by him as well as by the
P.W.D. (Ele.) of the Stock and Account relating to the
Electrical Plant, ^{and other elec. equipment in} ~~and~~ the Press. He has referred also
to the difficulty experienced by him in accounting for
the plant, ^{and in budgeting for repairs, maintenance etc.} ~~caused by this sort of dual control.~~ He has
pleaded ~~therein~~ that this control be removed, ^{and} ~~entire~~
stock be transferred to him and ^{that} ~~he~~ be placed in sole
charge of maintenance, ^{additions, replacements, renewals and} ~~of repairs, etc.~~ In this connec-
tion, he requests ~~for~~ sanction for the following
additional posts for a period of 3 years:-

One Ele. Supervisor I Grade on Rs. 150-10-250.

pages 47-48 of 100 (V)

7-12 of
X kept in section A on p. 1 of

B on page 1 of

para 1 of p. 31 of
X Stock account kept in section

A on p. 31 of
X B on p. 1 of

X kept in section M

pp. 15-16 of
+ para 15 on p. 7 of (F)
+ pages 38-39 of (V)

para 14 of
on page 15 of

para 3 on page 15 of

4
One Ele. Supervisor I Grade on Rs. 150-10-250
One Senior Electrician on Rs. 70-4-110.
Two posts of senior Mechanical
Black-smiths on Rs. 45-3-60-2½-85.

He further proposes that the Electrical and Mechanical Engineer of the Govt. Press may be charged with this additional responsibility of maintenance and for this purpose ^{Engineer} ~~the~~ may be paid a personal pay of Rs. 100 p.m. It is also proposed by the Supdt. that the Ele. & Mech. Engineer should have power to accord sanction for works ^{costing up to} ~~amounted at~~ Rs. 500 and the Supdt. ~~seems~~ ^{himself} seems for those works above Rs. 500 up to Rs. 1000/-

Attention is, in this connection, ~~is~~ invited to para (I) of the letter of the C.E. (Electricity) on page 43 cf. In the circumstances stated therein, neither the additional staff asked for by the S.G.P. ~~seems to~~ ^{be necessary nor does the question arise of} or his other proposals for transferring the maintenance etc work to him. The request for addl. staff and other proposals at A' above of the equipment ~~are necessary~~ ^{may be turned} down. ^{For orders. (Please see, in this connection, the petition at page 39 cf. and the minutes of H.M. (Edu) at page 1 ante).}

3. As regards the difficulty in the accounting procedure referred to ^{by} the S.G.P. at page 15 cf, the C.E. (P.W.D.) (General) reports that most of the Ele. Plant & Machinery installed in the Govt. Press for printing purposes are borne in the Govt. Press ^{Stock} account, and that only the electrical installation to the Govt. Press buildings proper is kept separate and included in the P.W.D. Register of buildings, as the cost of such installation is included in the capital cost of the buildings. The C.E. is of the view ^{that} the proposal of the S.G.P. to transfer the latter equipment also to the Govt. Press Stock-account would involve the transfer of the capital cost of the electrical installations in the Press buildings from the P.W.D. Register and that though the transfer may be considered as ^{convenient} ~~administrative convenience~~, such a deviation will create an inconvenient precedent for other departments to demand such a deviation. This

para 5 on page 16 of

A para 6 on page 16 of

para 5 on page 16 of

para 1 of 1943

para 2 of 3

on 15/4

51-524

5
This view of the C.E. may perhaps be accepted. and the Supt. Superintendent's proposal in this regard may be negatived. ^{For orders.}

~~For orders.~~


4. In the same connection, the C.E. proposes that the difficulty referred to ^{by} the S.G.P. may be partly got over by the Supdt. being made a Civil Officer, acting as a P.W.D. Disburser. It is stated that this will make ~~the~~ Supdt. to be ~~in sole~~ ^{solely} in charge of all the electrical installations to the buildings while it will not involve any complications in budget procedure, as funds required by him will be provided for only under '50 Civil Works! The S.G.P. may not have any objection to this proposal of the C.E.

For orders whether it may be accepted. ~~For~~ 5. P.W. and Finance may see for remarks ^{before circulation.}



E.P.H.U.O. 88245 F/48-10
3/1/1949.

Thurs E Section to state whether they would not pass consultation with in CE (E) on the CE's ^{10/1/49} ^{11/1/49} ^{12/1/49} ^{13/1/49} ^{14/1/49} ^{15/1/49} ^{16/1/49} ^{17/1/49} ^{18/1/49} ^{19/1/49} ^{20/1/49} ^{21/1/49} ^{22/1/49} ^{23/1/49} ^{24/1/49} ^{25/1/49} ^{26/1/49} ^{27/1/49} ^{28/1/49} ^{29/1/49} ^{30/1/49} ^{31/1/49} ^{1/2/49} ^{2/2/49} ^{3/2/49} ^{4/2/49} ^{5/2/49} ^{6/2/49} ^{7/2/49} ^{8/2/49} ^{9/2/49} ^{10/2/49} ^{11/2/49} ^{12/2/49} ^{13/2/49} ^{14/2/49} ^{15/2/49} ^{16/2/49} ^{17/2/49} ^{18/2/49} ^{19/2/49} ^{20/2/49} ^{21/2/49} ^{22/2/49} ^{23/2/49} ^{24/2/49} ^{25/2/49} ^{26/2/49} ^{27/2/49} ^{28/2/49} ^{29/2/49} ^{30/2/49} ^{31/2/49} ^{1/3/49} ^{2/3/49} ^{3/3/49} ^{4/3/49} ^{5/3/49} ^{6/3/49} ^{7/3/49} ^{8/3/49} ^{9/3/49} ^{10/3/49} ^{11/3/49} ^{12/3/49} ^{13/3/49} ^{14/3/49} ^{15/3/49} ^{16/3/49} ^{17/3/49} ^{18/3/49} ^{19/3/49} ^{20/3/49} ^{21/3/49} ^{22/3/49} ^{23/3/49} ^{24/3/49} ^{25/3/49} ^{26/3/49} ^{27/3/49} ^{28/3/49} ^{29/3/49} ^{30/3/49} ^{31/3/49} ^{1/4/49} ^{2/4/49} ^{3/4/49} ^{4/4/49} ^{5/4/49} ^{6/4/49} ^{7/4/49} ^{8/4/49} ^{9/4/49} ^{10/4/49} ^{11/4/49} ^{12/4/49} ^{13/4/49} ^{14/4/49} ^{15/4/49} ^{16/4/49} ^{17/4/49} ^{18/4/49} ^{19/4/49} ^{20/4/49} ^{21/4/49} ^{22/4/49} ^{23/4/49} ^{24/4/49} ^{25/4/49} ^{26/4/49} ^{27/4/49} ^{28/4/49} ^{29/4/49} ^{30/4/49} ^{31/4/49} ^{1/5/49} ^{2/5/49} ^{3/5/49} ^{4/5/49} ^{5/5/49} ^{6/5/49} ^{7/5/49} ^{8/5/49} ^{9/5/49} ^{10/5/49} ^{11/5/49} ^{12/5/49} ^{13/5/49} ^{14/5/49} ^{15/5/49} ^{16/5/49} ^{17/5/49} ^{18/5/49} ^{19/5/49} ^{20/5/49} ^{21/5/49} ^{22/5/49} ^{23/5/49} ^{24/5/49} ^{25/5/49} ^{26/5/49} ^{27/5/49} ^{28/5/49} ^{29/5/49} ^{30/5/49} ^{31/5/49} ^{1/6/49} ^{2/6/49} ^{3/6/49} ^{4/6/49} ^{5/6/49} ^{6/6/49} ^{7/6/49} ^{8/6/49} ^{9/6/49} ^{10/6/49} ^{11/6/49} ^{12/6/49} ^{13/6/49} ^{14/6/49} ^{15/6/49} ^{16/6/49} ^{17/6/49} ^{18/6/49} ^{19/6/49} ^{20/6/49} ^{21/6/49} ^{22/6/49} ^{23/6/49} ^{24/6/49} ^{25/6/49} ^{26/6/49} ^{27/6/49} ^{28/6/49} ^{29/6/49} ^{30/6/49} ^{31/6/49} ^{1/7/49} ^{2/7/49} ^{3/7/49} ^{4/7/49} ^{5/7/49} ^{6/7/49} ^{7/7/49} ^{8/7/49} ^{9/7/49} ^{10/7/49} ^{11/7/49} ^{12/7/49} ^{13/7/49} ^{14/7/49} ^{15/7/49} ^{16/7/49} ^{17/7/49} ^{18/7/49} ^{19/7/49} ^{20/7/49} ^{21/7/49} ^{22/7/49} ^{23/7/49} ^{24/7/49} ^{25/7/49} ^{26/7/49} ^{27/7/49} ^{28/7/49} ^{29/7/49} ^{30/7/49} ^{31/7/49} ^{1/8/49} ^{2/8/49} ^{3/8/49} ^{4/8/49} ^{5/8/49} ^{6/8/49} ^{7/8/49} ^{8/8/49} ^{9/8/49} ^{10/8/49} ^{11/8/49} ^{12/8/49} ^{13/8/49} ^{14/8/49} ^{15/8/49} ^{16/8/49} ^{17/8/49} ^{18/8/49} ^{19/8/49} ^{20/8/49} ^{21/8/49} ^{22/8/49} ^{23/8/49} ^{24/8/49} ^{25/8/49} ^{26/8/49} ^{27/8/49} ^{28/8/49} ^{29/8/49} ^{30/8/49} ^{31/8/49} ^{1/9/49} ^{2/9/49} ^{3/9/49} ^{4/9/49} ^{5/9/49} ^{6/9/49} ^{7/9/49} ^{8/9/49} ^{9/9/49} ^{10/9/49} ^{11/9/49} ^{12/9/49} ^{13/9/49} ^{14/9/49} ^{15/9/49} ^{16/9/49} ^{17/9/49} ^{18/9/49} ^{19/9/49} ^{20/9/49} ^{21/9/49} ^{22/9/49} ^{23/9/49} ^{24/9/49} ^{25/9/49} ^{26/9/49} ^{27/9/49} ^{28/9/49} ^{29/9/49} ^{30/9/49} ^{31/9/49} ^{1/10/49} ^{2/10/49} ^{3/10/49} ^{4/10/49} ^{5/10/49} ^{6/10/49} ^{7/10/49} ^{8/10/49} ^{9/10/49} ^{10/10/49} ^{11/10/49} ^{12/10/49} ^{13/10/49} ^{14/10/49} ^{15/10/49} ^{16/10/49} ^{17/10/49} ^{18/10/49} ^{19/10/49} ^{20/10/49} ^{21/10/49} ^{22/10/49} ^{23/10/49} ^{24/10/49} ^{25/10/49} ^{26/10/49} ^{27/10/49} ^{28/10/49} ^{29/10/49} ^{30/10/49} ^{31/10/49} ^{1/11/49} ^{2/11/49} ^{3/11/49} ^{4/11/49} ^{5/11/49} ^{6/11/49} ^{7/11/49} ^{8/11/49} ^{9/11/49} ^{10/11/49} ^{11/11/49} ^{12/11/49} ^{13/11/49} ^{14/11/49} ^{15/11/49} ^{16/11/49} ^{17/11/49} ^{18/11/49} ^{19/11/49} ^{20/11/49} ^{21/11/49} ^{22/11/49} ^{23/11/49} ^{24/11/49} ^{25/11/49} ^{26/11/49} ^{27/11/49} ^{28/11/49} ^{29/11/49} ^{30/11/49} ^{31/11/49} ^{1/12/49} ^{2/12/49} ^{3/12/49} ^{4/12/49} ^{5/12/49} ^{6/12/49} ^{7/12/49} ^{8/12/49} ^{9/12/49} ^{10/12/49} ^{11/12/49} ^{12/12/49} ^{13/12/49} ^{14/12/49} ^{15/12/49} ^{16/12/49} ^{17/12/49} ^{18/12/49} ^{19/12/49} ^{20/12/49} ^{21/12/49} ^{22/12/49} ^{23/12/49} ^{24/12/49} ^{25/12/49} ^{26/12/49} ^{27/12/49} ^{28/12/49} ^{29/12/49} ^{30/12/49} ^{31/12/49}



267 C/49
1.49
P.W.D. U.O.
267 C/49-1
CSR 29/10/49
This is the

The proposals in paras 3 & 4 above may be agreed to in this dept. The file may be passed on to Fin.

CS 6.1.49
A.F.3
7.1.49
8.1.49

5084

The notes from p. 3 above may be perused. The proposals of E.P.H. in paras 1, 2 and 3 & 4 above may be agreed to in Fin. With regard to the proposal in para 4 above E.P.H. may be requested to consult the A.G. also and let this Dept see again.

Fin (A.A)

E.P.H.
F.

Previous note of this dept on pp 3-5 ante may be perused. P.W.D. & Fin have accepted the proposals of this dept. except that with regard to the proposals on in para 4 on p. 5 ante, the A.G. may have to be consulted as suggested by Fin. at 'A' on p. 5 ante. The draft memo below is for approval.

CRB
26/1/49 (It is for orders whether after issue of the memo and pending receipt of A.G.'s reply, the file may be circulated for orders on the other proposals which have been agreed to by both P.W. and Fin.)

BM
2/2/49 S 3/4/49 H (Gm) - and H.T. (Edn) (an)

[Issued as memo. no 88245 F. / 48-12 Edn 3.2.49] p. 558
Education & P.H. Deptt (C2)

Summarising Note

In G.O. 1240 Edn. dated 25-6-46, a special staff of one 1st Grade Electrical Supervisor, One U.D. clerk and two Asst. Electricians was sanctioned in the Govt. Press for taking afresh a stock of the entire Electrical equipment in the Press. The work has now been completed and the S.G.P. with his letter at pp 1-2 of has forwarded the stock account and requests approval for its adoption. The C.E. (E) has reported that the inventory of plant and machinery prepared and forwarded by the S.G.P. is in order. The stock account may be approved. Fin. & P.W.D. agree with this deptt.

2. The S.G.P. in his letter on pp 15 & 16 cf. refers to the subject of dual control by him as well as P.W.D. (Ele) of the stock and accounts relating to the ~~the~~ ^{Electrical} Plant and other equipment in the press. He has also referred to the difficulty experienced in

88245/48

p 43 cf

the accounting and budgeting work by this dual control and has asked additional staff and special pay at 'A' on pp 16 cf. The C.E. Electricity reports that the maintenance of Electrical installation, repairs thereto and renewals are being looked after by the Superintendent himself and by the staff who are working entirely under the control of the Superintendent and considers that the staff is quite adequate to carry out all repairs and maintenance work as well as additions and improvements to the existing electrical installations and is of the opinion that the additional staff asked for is not necessary. In the circumstance it ~~was~~ ^{is} ~~proposed~~ ^{decided} by this department ^{that} ~~to turn down~~ ^{may be turned down} the proposal of the S.G.P. Finance have agreed to this.

3. As regards the difficulty in the accounting procedure referred to by the S.G.P. at p 15 cf. the C.E. (P.W.D.) (General) has stated that the S.G.P.'s proposal to transfer the Electrical installation to the press stock account would create an inconvenient precedent for other departments to demand such a deviation. This department ^{has} suggested that the Superintendent's proposal may be negatived. Finance and P.W. ~~has~~ agreed to this.

4. The Chief Engineer (P.W.D.) (General) has also proposed that the S.G.P. may be made a Civil Officer acting as a P.W.D. Disburser to get over the difficulty. The proposal has been referred to the Accountant General for remarks.

5. The case may be circulated to H.M. (Edn.) with reference to paras 1, 2 & 3 above.

above for orders



CRB
23/3/49
JD
23/3/49

BM
24/3/49

S 24/3/49 H (Gm) TGA 23/3/49

28