

E. P. A. (1947) Department.

Ms SERIES.

G.O. NO. 1508 *Edin.*

Dated 21-1-47

(7)

[Despatch Abstract.]

*College - Engg., Guindy. Scales of pay of Book
attender etc. in the Electrical Commn. Engg Dept.
Revised.*

Back Paper

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
g.o.	1064	Edn	30.5-46				
"	1176	"	1-8-45				

Further Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

RC.No.298/K.2/48

Office of the
Director of Public Instruction,
Madras: Dated 25th August 1948.

From

The Director of Public Instruction,
Madras.

To

The Secretary to Government,
Education and Public Health Department,
Fort St. George, Madras.

82499.

Sir,

SUB:- College of Engineering, Guindy - Revision
of pay of Boiler Attender and Instrument
Repairers in the Electrical Communications
Department:



The Principal, Engineering College, Guindy has submitted
proposals for the revision of pay of the following posts attach-
ed to the Electrical Communications Department.

Boiler Attender
Signal Instructor
Instrument Repairer.

As the above posts were temporary (they are still temporary)
these were not included in the revision sanctioned in G.O.No.
780. Finance, dated 6th February 1947. In view of the dearth
of suitable personnel to fill these posts the Principal had
suggested that the existing scales of pay for the posts might
stand. In my letter to Government RC.No.298/K.2/47 dated the
8th May 1947, I supported the above suggestion of the Principal.

2. Now the Principal proposes a revision of the pay of the
posts in question. He states that due to the large scale
expansion of civil aviation and rapid Indianisation of the
Telecommunication services of the armed forces, men with expe-
rience as Electrical and Radio Instrument Repairers and those
with knowledge of signalling and radio communications are in
great demand. He also states that it will be difficult to
obtain men with necessary qualifications and experience unless
the scales of pay are attractive enough.

3. In view of the need for suitable personnel to hold the
posts in question, I recommend the following revision of pay
for each post.

Existing Scale. Proposed scale.

Boiler Attender.	62 - 50-4/2-70	60-3-75-2-85.	10.75.3
Signal Instructor	80-5/2-120	100-5-150	130.6
Instrument Repairer.	60-4/2-80	80-4-120	104.4

4. I request sanction for the revision proposed above.

Yours faithfully,

for Director of Public Instruction.

KAN.26/8

The D.P.G.'s letter quoted at K. above
was sent to Finance with E.P.H. No. 39661-A-12.65
Finance may be requested to put up the same in this file.

dated 4.9.48

2.9.48

2

Finance (S. H.)

orders have been passed on the papers referred to by S. H. overleaf. in G.O. No. 437 FIN. dated 11.6.47. They may be requested to obtain the same from the Records.

7.9.48
7.9.48



7.9.48

FIN. O.O. 82499/C.1-1
7.9.48

ADS
EPID

apd/and
p.c. also to go

issued
21/9/48

E.P.H. (A)
T.M. No. 64714-3/48A Ed. dated 21-9-48.

To the D.P.D.
Sub: College - Tugg, Guindy - Revision of pay of boiler attendant, signal instructor and instrument repairer - Revision of pay.

Ref. - Gov. No. 298-K2/48 d. 25.8.48.

Please quote urgently the numbers and dates of the G.O.s in which the scales of pay of the above three posts were originally fixed.

17.9.48

21/9/48

3

Office of the
Director of Public Instruc-
tion, Madras

dated 7th October 1948

From
The Director of Public Instruction,
MADRAS.

To The ~~Secretary~~ Assistant Secretary,
Education ~~and~~ and Public Health Department,
Fort St. George, Madras.

Sir,

Ref: This office letter RC No. 298 K2/47 dated 25-8-48 and your T.M. dated 22-9-48 regarding the revision of pay for the posts of Boiler attendant, Signal Instructor and Instrument Repairer in the Engineering Colleges Gundy.

The existing scales of pay for the three posts have been fixed in the following Government Orders.

- 1 Boiler Attendant ----- G.O. No. 1064 Education dated 30-5-46
2 Signal Instructor } ----- G.O. 1176 Education dated 1-8-45
3 Instrument Repairer }

Yours faithfully,

P. m. i.

Joint Director of Public Instruction

MGR 7/10

Sub: College - Engg., Guindy - Scales of pay
of Boiler Attender etc. in the Electrical
Comm. Engg. Dept. - Revised.
Read: G.O. No. 1176 Edu. d. 1-8-45
G.O. No. 1064 Edu. d. 30-5-46
From the D.P.J. No. 298 K, 148 d. 25.8.48.
G.O. No. Ms. 150 Edu. dated 9-1-49.
Re Govt. direct
that the scales of pay of the posts
of Boiler Attender, Instrument Repairer
and Signal Instructor in the Electrical
Comm. Engg. Dept. of the Engg. College,
Guindy, be revised as follows:
Existing Scale Revised Scale
Boiler Attender 50-4 1/2 - 70 60-3-75-2-85
Instrument Repairer 60-4 1/2 - 80 60-3-90
Signal Instructor 80-5 1/2 - 120 90-3-120
To the D.P.J.
" A.G. through fin.
S/c.
18-1-49
21/1/49

Subj. College - Engg., Guindy - certain posts - revising pay.

Ref c.no.64714 from the D.P.J. No.298K₂ Jc 8.d. 25.8.48.

The D.P.J. proposes the revision of pay of the following posts in the Engg. college, Guindy in the Dept. of Telecommunications Engg. for the reasons given in para 2 of this letter.

Present Scale	Proposed scale
Bale. attender 50-4/2-70	60-3-75-2-85
Signal instructor 80-5/2-120	100-5-150
Instrument repairer 60-4/2-80	80-4-120

The proposal may be ^{accepted} ~~sanctioned~~. The file may be sent to Fin. a.c. for ^{reference} ~~for further action~~.

17/9/48
10/9/48 S
11/9/48

E.P.H.u.o.64714-2/48A
dated 11-9-48

Finance (E.H.)


Please see the reference from the D.P.J. in the C.F. and the note of E.H.P. above.

That dept may be requested to put up in the first instance, ^{scale of} papers in which the ^{scale of} pay of the posts referred to at 'A' above, were originally sanctioned.

84056 8m 13/9/48 12.9.48

14/9/48 E.H.P. (A)

Fin.u.o. 84056/E.H. 1 A draft T.M. to the D.P.J. is subd. for approval 14.9.48



17.9.48 17/9/48 10/9/48
[Issued as T.M. No.64714-3/48A Edu. d. 21.9.48]
c.no. 76062 from the D.P.J. No. Pe. g.T.M. d. 7.10.48

and g.o. No. 1176 Edu. d. 1-8-45 in which the ^{scale of} posts were originally fixed are put up at (I) and (V).
The file may be sent to Fin. u.o.

15.12.48 15/12/48
E.P.H.u.o.64714-4/48A
dated 16.12.48

10/12/48

Please see previous Finance notes on p.1 above and the letter from D.P.I. on p.1 c.f.

2. Boiler Attender: The scale of pay for Boiler Attender was fixed on the analogy of the scale of pay sanctioned for the Electric Maistry in the Engineering College, Guindy. ~~in~~ G.O.No.1064, Edn. dated 30-5-46. As the scale of pay for the Electric Maistry has been revised to 60-3-75-2-85 in G.O.78, Fin. dated 6-2-47, this Department may agree to the proposed scale of 60-3-75-2-85 for the Boiler Attender.

3. Signal Instructor and Instrument Repairer. The existing scales of pay viz., Rs.80-5/2-120 for the Signal Instructor and 60-4/2-80 for the Instrument Repairer were sanctioned only in August 1945. They did not correspond with any of the then existing scales for other posts. The scales of pay were fixed at a higher stage as it was reported that it would not be possible to get suitable men on the existing scales of pay. It would therefore seem sufficient if the increments are made annual and the scales fitted in with some revised standard scales of pay for other posts. This Department may therefore suggest that the scale of pay for the Instrument Repairer may be 60-3-90 allowed to the First grade Instrument Repairers in the Madras Electrical Subordinate Service and that for Signal Instructor may be Rs.90-3-120. (The extra cost works out to 250/- per annum.)

B. A. Regg. (A)

A

x allowed for 20/4/48

DS

EPH

F.N.V.O. 107615/Em-1

22/12/48

2

96390

15-8-49

15-8-49

15-8-49

15-8-49

15-8-49

15-8-49

A draft order is subd. for approval.

20/1/49

