

closed
Lms
Supt.

Sec. II-27-60,004-17-11-48.

Edm. Pst (1949) Department.

MSERIES.

G.O. NO. 2960 Edm.

Dated 23 -
23rd. Sept 1949

[Despatch Abstract.]

Imrsdy. Pomedung. Mr. C. L. Palghat
Jandit motinal Mr. Hym L. Chul, Combruchan
of addl. wing. Maximum limit. Raised.

Back Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Further Papers.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
8.0	901	Ed	18-3-50				

EDUCATION DEPARTMENT


FROM

The Director of Public Instruction,
MADRAS

TO

The Secretary to Government,
Education & Public Health Dept.,
Madras

Re.No.2627 G2/48 dated 9-9-49



70895

Sub: 1--Subsidy--Local Bodies--Municipal Council, Palghat--
Credit Mothilal Municipal High School--Construction of
additional wing--Enhancement of subsidy--Requested

I submit herewith the copies of the letters Ref. Cl-
12098/48 dated 3-6-49, 9-8-49 and 29-8-49 of the Commissioner,
Palghat Municipality and recommend that in the circumstances stated by
the Commissioner, the subsidy of Rs.8.500/- sanctioned in G.O. No.
2613 Education dated 19-10-48 may be enhanced to Rs.11,800/-

Yours faithfully,

[Signature]

Clb. 9-9-49

For Director of Public Instruction

[Handwritten signature]

Copy of letter Ref. C.1.12098/48 dated 3-6-49 from the Commissioner Palghat Municipality to the Director of Public Instruction.

Sub:--Buildings--P.M. Municipal High School --Additional wing--
Construction of--Revised estimate--Countersignature
of--

Ref:--Your Procs. Rc.No.1421 G2/48 dated 15-3-49

As the rates tendered by Sri N. N. Nair, Contractor for the work was above the Schedule of rates adopted by the Municipality the approval of the Superintending Engineer, Coimbatore, for the rates was considered necessary and he was addressed for approval of the rates. The Superintending Engineer has however pointed out in his letter No.1147 M dated 15-4-49 (copy enclosed for ready reference) that his technical sanction is also necessary under G.O.No.Ms.1296 Edn. dated 3-7-46 and has corrected certain errors in calculations etc., added the centage charges and approved the estimate as modified which comes to Rs.23,690 instead of Rs.21,500 approved by you. He has also pointed out that a copy of the estimate may be sent to you for countersignature in token of approval for the revised amount. In the circumstances, I enclose a copy of the estimate and request that the same may kindly be countersigned and returned to me so that I may start the work immediately. I request that the matter may kindly be treated as specially urgent.

Copy of letter No.1147 M dated 15-4-49 from the Superintending Engineer Coimbatore Circle, Coimbatore to the Commissioner, Palghat Municipality Palghat.

Sub:--Buildings--Municipal High School--Additional Wing--Construction of
Tenders approval of

Ref: --Your No.C.1.12098/48 dated 31-3-49

Before the tender is decided, the estimate requires the technical sanction of the Superintending Engineer with reference to G.O.No.Ms.1296 Edn. dated 3-7-46. The estimate received from you for Rs.21,500 as altered to Rs.23,690/- in this Office is technically sanctioned and registered as C.R.No.1P/49-50, with the following remarks:--

- (i) The quantity under item 7 works out to only 2900 cft. against 5600 Cft.
- (ii) The correct quantity under item 9 teakwood Wrought and put up works out to 168 Cft. against 96 Cft. due to arithmetical errors.
- (iii) Only 16 windows are necessary against 20 provided in the Estimate.
- (iv) Centage charges at 1% on the estimated cost for scrutiny of plans and estimates and sanction is allowed in the estimate
- (v) The thickness of R.C. slab flooring for the class rooms should be 6" against 5" provided - vide corrections in calculations.
- (vi) As the inspection and test check have to be made by the Superintending Engineer with reference to para 4 of G.O.No.2216 dated 11-10-44 provision is also made in the estimate for this at 2% of the estimated cost.
- (vii) to avoid revision of the estimate the tendered rates have been adopted in the estimate. The estimate as altered on the above lines amounts to Rs.23,690/-

2. The lowest tender of Sri N.N.Nair is accepted subject to the following remarks:--

(i) The rate quoted by the contractor for item 18 of the tender is Rs.200/- for 100Sft. of R.C.Slab 5" thick. As the thickness of R.C. slab now comes to 6" for class rooms and 4" for verandah the rates for these works should be derived from the tendered rates.

(ii) The unit of calculation for item 19 viz. Brick archwork in Cement Mortar 1:3 is given as 100 Sft. This should evidently be for 100Cft.

(iii) The contractors rate of Rs.200/- for a King rod truss of 23 span is for country wood.

3

2-

The above remarks may please be attended to while drawing up the agreement in proper form.

3. As only one copy of estimate was received it is returned sanctioned in original. A true copy of the plan and estimate as sanctioned may please be furnished for further action.

4. A copy of the estimate may be sent to the Director of Public Instruction also for countersignature and return in token of his approval to the revised amount.

(Sd) x x x x x x x x x x
For Superintending Engineer, Coimbatore Circle.
/True copy/

Copy of letter Cl-12098/48 dated 9-8-49 from the Commissioner, Palghat Municipality to the Director of Public Instruction, Madras through the Chairman, Municipal Council, Palghat.

Sub:--Building--Pandit Mothilal Municipal High School--
Additional Wing--Construction of--

Ref:--Your letter Rc.No.2627-G2/48

The construction of the additional wing in the P.M. Municipal High School is given for execution to Sri N.N.Nair, the successful tenderer and the work is likely to be completed by the end of January 1950. As the revised estimate for the work comes to Rs.23690/- I request that the Director may be pleased to recommend to Government a subsidy of Rs.11845/- or half the actual cost of construction instead of Rs.8500/- sanctioned in G.O.No.2613 Education of 19-10-48.

(Sd) x x x x x x
Commissioner.

Forwarded
(Sd)
Chairman.
/True copy/

Copy of letter C5-12098/49 dated 29-8-49 from the Commissioner, Palghat Municipality to the Director of Public Instruction, Madras through the Chairman, Municipal Council, Palghat.

Sub:--Building--Pandit Mothilal Municipal High School--
Additional wing--Construction of--
Ref:--Your Rc.No.2627/G2/48 dated 22-8-49

The Contractor has just commenced the work and the progress of the work has not gone to such an extent as to give a partial completion certificate at this stage. As already reported the work is likely to be completed by the end of January 1950. The amount of estimate was revised from Rs.22000/- to Rs.23600/- by the Superintending Engineer (P.W.D) Coimbatore Circle, Coimbatore in his reference: No.1147M dated 15-4-49 at the time of according technical sanction for the estimate. In this connection I also invite your kind attention to this Office reference No.Cl.12098/48 dated 3-6-49 and your reply thereto. Vide your Rc.No.1421 G.2/48 dated 7-7-49.

(Sd) x x x x x x x x
Commissioner.

Forwarded
(Sd)
Chairman.
/True copy/

R. N. Nair

For Director of Public Instruction

70095/49.

62/15
23/9

PP 2434
P 116

21.9.49

(a)

p34

ASSISTANT SECRETARY TO GOVERNMENT
60836A
15 SEP 1949

To
The D.P.A.
The Commr. Palghat Mktg.
Through C.M.C.
The Commr. of L.F. Accts.
A.S. H. M. R.
S/c 2.

Edn no. 70095B/49.1
15.9.49

Subsidy Building - ml. cl. Palghat. Pandit Motilal
ml. High School - Construction of additional wing
Maximum limit - Raised.

Read again G.O. 2613 Edn d. 19.10.48.
From the Commr. Palghat Mktg, C. 12098/48 d. 3.6.49, 984298/49
" D.P.A. no. 262792/118 d. 9.8.49

G.O. no. 2960 Edn d 23-9.49

In G.O. 2613 Edn d. 19.10.48, the Govt sanctioned a subsidy not exceeding one-half of the actual cost of constructing an additional wing in the Pandit Motilal ml. High School, Palghat, subject to a maximum of Rs 8500/- as the cost was then estimated at Rs 17,000/- According to the Revised Estimate, the cost works out to Rs 23,600/- The maximum subsidy payable towards the cost of construction of the building will be raised from Rs 8500/- to Rs 11,800/- (Rs eleven thousand and eight hundred only)

2. The D.P.A. is requested to include in Part I of the budget estimate for 1950-51 the additional subsidy payable to the ml. cl on account of the raising of the maximum.

13.9.49
13.9.49

Note :- Fin n.o. for acceptance.
13.9.49
14.9.49
5/15/5
29 / Fin

2

7in (Exp A)

The draft order overleaf may be accepted

Rs.

19.9.49

KK

19.9.49

20.6.49

5.8.49



(M)

Shree

21.9.49

Fin 60836 A/Exp A-1

20 9 49



Municipal Office,
Palghat, d/22-2-52.

23803

From
S.R.Gopala Rao, B.Sc.
Municipal Commissioner,
Palghat.

The Secretary to the Government,
Education and Public Health Dept.,
Fort St. George, Madras.

The Director of Public Instruction, Madras.
The Chairman, Palghat Municipal Council,
Palghat.

Ref: DL-175/50.

Sir,

Sub: Palghat Municipality-Secondary education-Pandit
Motilal Municipal High School-Additional wing-
Construction of Subsidy-to be allotted for 52-53-
Requested.

Ref: G.O.No. 2613 Education d/19-10-48.
G.O.No. 2960 Education d/23-9-49.
G.O.No. 901 Education d/18-3-50.

The above work for which a subsidy of Rs 11800/- has been sanctioned was stopped from 1-2-1950 for want of R.S.Joists. After protracted correspondence with the Director of Controlled Commodities, the joists were received on 18-6-1951. The Contractor who had taken up the work refused to continue the work and demanded enhanced rates as it took 12 years to resume the work. The council in its resolution No.620 d/29-11-51 resolved to cancel the contract of the present contractor and invite fresh tenders. Tenders received on fresh invitation on two successive occasions were not approved as the rates are exorbitant and there was only one tender each time. Tenders have again been invited, and will come up for disposal by the council early in March. For completion of the balance of work on the building, it will require at least 3 months from date of handing over of the site. It will not be possible to complete the work in time to claim grant this year itself. The work will however be taken up in March, and will be completed by June. In the circumstances it is requested that the amount of subsidy sanctioned may be made available for 52-53, by June.

It is also pointed out that a sum of Rs 2130/- has been drawn as subsidy till this date.

S.R. Gopala Rao
Commissioner. 26/2/52

Forwarded

Chairman. 26/2/52


a.d.s./22-2-52.

Re. No. 479-G.4/52

Office of the
Director of Public Instruction,
Madras. D/12--3--1952

Sub: Subsidy - Buildings - Municipal Council, Palghat - Pandit Motilal
Municipal High School - Construction of a building - Allotment
for 1952-53 - Requested

Ref: From the Commissioner, Palghat Municipality dated 22-2-1952. Ref.D.1.175/50



The Municipal Commissioner may take up the work as early as possible
and the subsidy in the year 1952-53.

To the Secretary to Government, for Director of Public Instruction

Education Department

GRD. 14/3
14.3 4/5 3/52

(20)

Education (B)

Pandit Motilal Municipal High School, Palghat -
Construction of a building - Allotment of subsidy

63/27

1/2 114

130

From the Comr. Palghat Municipality No. D1-175/50
dated 22-2-52.

Enclt. of the D.P. 9. Re. No. 479-44/52 dt. 12-3-52

Memo No. 10442 B/52-1 Education dated 27-3-52.

The Commissioner, Palghat Municipality, is
informed that he may claim early in 52-53
through the D.P. 9. the balance of subsidy
payable to the Municipal Council, Palghat, for
the construction of a building for the Pandit Motilal
Municipal High School with reference to G.O. No.
2960 Edn. dated 23-9-49, after the work is completed.

To
The Comr. Palghat Mty.
15/4/52 C.M.C.
The D.P. 9.

21/3 2/24/3

24.3.52

[Signature]

1. The first thing I noticed when I stepped out of the plane was the cold. It was a sharp contrast to the warm air of the plane.

2. The second thing I noticed was the silence. It was a complete silence, no noise, no sound, just a deep, quiet silence.

3. The third thing I noticed was the darkness. It was a deep, black darkness, no light, no sound, just a deep, black darkness.

4. The fourth thing I noticed was the cold. It was a sharp contrast to the warm air of the plane.

5. The fifth thing I noticed was the silence. It was a complete silence, no noise, no sound, just a deep, quiet silence.

Root