

Educational (1895) Department.

ORDINARY MS.

G.O., No. 764

Dated 14th Sept. 1895.

9-10

[Despatch Abstract.]

CHEMICAL LABORATORY OF THE PRESIDENCY COLLEGE

Stating that the Government has no objection to the immediate provision of the furniture, fittings and gas apparatus required for the ---, but that the estimate should be carefully scrutinized by the Chief Engineer before the work is actually carried into execution.

At

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

[G.]
[11]
2,500-8-3-05.

ORDINARY, MS.

596
DEPARTMENT.
G.O., DATED 14-9-95
No. 764

INDEXED.

When given for copying. 16/9

[Despatch Abstract.]

Stating that the Govt. has no objection to the immediate provision of the furniture, fittings + gas apparatus required for the Chemical Laboratory of the Pres^l College. ~~but~~ ^{but} ~~that~~ the estimate should be carefully scrutinized by the Chief Eng^r before the work is actually carried into execution.

READ AGAIN ORDER OF GOVERNMENT, DATED
189 , No. , MISCELLANEOUS.

ENCLOSURES.

CURRENT No.

STATEMENT WITH DITTO.

ORDER OF GOVERNMENT

A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL (not paged).

N.B.—

- A — Copy in full.
- B — Not to be copied.
- P — Copy abstract only.
- Q — Copy heading only.

[$\frac{G}{9}$]
2,000—23-1-05.

Current No. 224

Col DEPARTMENT.

From P. W. D.

No. 674 C

Dated 20. 2. 95

Received 21. 2. 95

Enclosures

SUBJECT.

Chemical Laboratory
Presidency College, has
Enquired when the in-
formation as to details
the furniture & fitting
for the — may be
expedited.

Ret? to Under Secy. P.
with remarks.

End. 457
4. 3. 95

rel. End. 457 d/4-3-95

Returned to the P. W. Dep^y.
with the remark that the
information has been furnish-
ed by the Director already
but final orders admitting
the expenditure on fitting
here not yet been passed
pending the Director's
reply to a further reference.
The Estimates will be
transferred to the P. W. D.
shortly after that is receiv-
ed.

Public Works Department.

From

THE CONSULTING ARCHITECT

TO THE GOVERNMENT OF MADRAS,

To

THE Chief Engineer
J. P. W. D.

No. 1782

Dated

2nd

Received

} August 1895.

No. of ENCLOSURES.

Subject.

Requesting for the early
sanction of the estimate
for fitting & furnishing the
Chemical Laboratory of
the Presidency College
Madras.

No. 674 of 20-2-95

2736W of 16-10-91

302W of 4-2-89

3484W of 2-11-88

2226W of 11-9-84

P. W. CURRY NO. 5994
Encl 467: 4-3-95
143: 16-2-95
497: 10-7-94
Current No. 965

2-6-95

No. 2494 C. of 12 August 95.
Referred to the
Educational Department
for favour of report as
to when the information
alluded to in its
endorsement, No. 457,
dated 4th March 1895,
may be expected.

For Secy. J. P. W. D.
Secretary to Govt. P. W. D.

Recd. 13 August 1895

CHMS
6/8 95

For R

Please put up a copy of
no. 457 of 4th March 95

Refer to
O.L.S. 278
R 10/8
13/8
get a copy from
13/8

Urgent

Current No. 995

REMINDER. *Edm.*

No. 674C/2494C

Government of Madras.

PUBLIC WORKS DEPARTMENT.

To

The
Educational Department

Madras, 19th August 1895.

THE undersigned has the honour to
invite attention to the { Order } noted
on the margin, and to request the favour
of an early reply.

The work is being seriously
delayed for want of this
estimate information

C. H. R. Boulton

Under Secretary to Government, P.W.D.

No. 674C dated 20th July 95
2494C dy. 12th August 95

regarding the details of the furniture
and fittings for the Chemical
Laboratory Presidency College
Madras.

Recd 20/8/95
As a reminder was sent on the
20th no action need be taken till
the 1st Sept. when the D.P.T. should
set an urgent reminder asking
him when his copy may
be expected
26/8

Current No 1025

OFFICE OF THE DIRECTOR OF
PUBLIC INSTRUCTION,
Madras, 26th August 1895.

No. 9262

From

THE HONORABLE MR. D. DUNCAN, M.A., D.Sc.,

DIRECTOR OF PUBLIC INSTRUCTION,

Madras,

To

THE HONORABLE THE CHIEF SECRETARY TO GOVERNMENT,

FORT ST. GEORGE.

SIR,

With reference to G.O. No. 143,
Educational, dated, 16th February 1895 and the
post-card reminder, dated, 21st instant, I have
the honour to state that the information there
called for will be submitted on receipt of reply
from the Consulting Architect to a reference
made by me on the subject.

2. In this connection, I beg to invite the atten-
tion of Government to my letter No. 5214
para 1 of my letter No. 12437
for providing furniture, fittings, and gas app-
tus for the Chemical Laboratory of the Preside-
College. In para 1 of G.O. No. 497, educational
Ed. Cor. 15 (b) 1,500-17-11-94.

80 497 Ed
10-7-94

80 143 Ed
16-2-95

14/8 12/9/8

Dated, 10th July 1894 the plans and estimates
for the above were transferred to the P.W.D. in
view to the carrying out of the work when funds
were available. The Consulting Architect says
that he has not received any orders to proceed
with the work and that he is awaiting the
orders of Government on a communication
addressed by him on the subject. A sum
of Rs 25,510 has been allotted for the purpose in
the P.W. budget for the current year and
five months of the year have already passed
away. I beg to request, accordingly, that the
P.W.D. may be required to proceed with
the work immediately.

I have the honour to be,

Sir,

~~S. Durum~~

Your most obedient servant,

S. Durum

Director of Public Instruction

Current No 1025
1895.

Educational Department.

From

THE DIRECTOR OF PUBLIC INSTRUCTION,

Madras,

To

THE HONORABLE THE CHIEF SECRETARY

TO GOVERNMENT,

Fort St. George.

No. 9262

Dated 26th

Despatched 20

Received 27

DESPATCHED
16 AUG 1895

No.

ENCLOSURES.

Subject.

Stating that the information called for in the Post Card reminder, dated, 21st instant, will be submitted on receipt of reply from the Consulting Architect and requesting that the P.W.D. may be required to proceed with the work of providing furniture fittings and gas apparatus for the Chemical Laboratory of the Presidency College.

965
Est-457-4-3-95 (copy)
fo 143-16-2-95
497-10-7-94

[G]
[2]
000-23-7-95,

Ed DEPARTMENT.

C. Nos 965, 995 + 1025 of 95

FOR ORDERS.

I think the D.M. might be led to proceed with the work at once. It is necessary. After inspecting the room I wrote (see file no 20 16.2.95 143) I think I was misled but his name provided in the original estimate was the result of a mistake & that however the mistake occurred the new fittings are absolutely required.

JG
10/9

I don't say the fittings now required asked for are not required nor do I object to their supply. But what I do say is that a careful scrutiny should be made by some person superior to the Const & Architect of the prices proposed & be charged. I bought an excellent revolving chair the other day for Rs 18 - Mr. Swinburn's & spent Rs 30 on one - I have an excellent teakwood office table in Madras, size 6' x 4', top covered with morocco with gilt edges. This cost me Rs 60 without locks. Mr.

In G.O. & 10th July 94 no 497, in connection with an estimate amounting to Rs 25,510 for providing furniture, fittings and gas apparatus for the Chemical Laboratory, Pres. college, the Govt directed the D.P.O. to explain why a further expenditure of more than Rs 5000 on furniture and fittings was necessary and asked him to give full details of the furniture and fittings already provided and of those then proposed to be provided. These were furnished in the D.P.O.'s letter recorded in G.O. & the 11th Feb. 95 no 143 Ed. The Hon. Mr. Bliss thereupon noted that he wanted a statement of the expenditure at the Presidency College during

the last five years on new buildings and fittings at the Pres. college and the Director was accordingly called upon to furnish it. The information has not been furnished as yet; in Cuo 1025 the D.P.I. states that he will submit it on receipt of a reply from the Consulting Architect to whom a reference has been made on the subject and requests that the P.W.D. may be instructed to proceed with the work of providing furniture & immediately. In Cnos. 965 + 995, the P.W.D. requests that early orders may be passed for commencing the work which is being seriously "delayed for want of sanction".

Orders are now solicited as to whether the P.W.D. may be instructed to proceed with the work. In G.O. 910th July 94 no 497 it was decided that the installation of gas was necessary & under cover of G.O. 21st Feb-95 no 143, H.H. has noted that he is satisfied with the explanation given of the additional expenditure on furniture & fittings.

FOR ORDERS.

Furniture, fittings & gas apparatus for the Chemical Laboratory Presidency college

H.H. & the Hon. Mr. Bliss C.S.

Irwin proposes to charge Rs 125 for a smaller table, with locks, but without leather top. This is impossible for me to say whether all the other prices proposed to be changed are on this scale, but if they are there can be no doubt that the estimate now submitted for sanitation is ~~many~~ thousands of rupees too high. The attention of the C.E. should be drawn to this.
11/9/95

[G.
24.]
699-8345.

Papers to be read in proceedings:—

Again G.O., dated 16th February 1895, No. 143
Again G.O., dated 10th July 1894, No. 497
Current No. 965 of 1895, dated 12.8.95 from Secy. to Govt. P.W.D.
" " 995 of 1895 " 19.8.95 " — — —
Current No. 1025 of 1895, dated 26.8.95 from D.P.I.

ORDER. 8/14th September 1895, No. 764.

The Govt. has no objection to the immediate provision of the furniture, fittings and gas apparatus required for the chemical laboratory of the Presidency College but considers that the estimate should be carefully scrutinised by the Chief Engineer before the work is actually carried into execution, as some prices which it is proposed to charge are apparently much in excess of the market rates.

(From Orders)

2. The D.P.I.
" P.W.D. with estimates relating to the proposed work
& copy of the Hon. Mr. Bliss's note.

17/9
18/9
13/5/95
(To be issued from here)

NOTE FOR THE UNDER SECRETARY.

The D.P.I. has not as yet
supplied the information
called for in L.O. Q 16th Feb.
95 no 143 Ed. A reminder
was sent to him on the 23rd
may last & a second reminder
is now submitted for signature.

Should not an answer be
sent to the P.W.D. now?

7/A
17/8

Desks
21/8/95

Furniture, fittings &c for the

Chemical Laboratory.

Presidency College

C.S.

(From Orders)

H.C. City

Placed in the file.

When given for copying _____
When copied _____
When examined _____
When signed _____

189 .

READ AGAIN G.O., No.
189 ,

DATED

CURRENT No.

ENCLOSURES TO C. No

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.