

Local & Munl. (1895) Department.

MISCELLANEOUS.

G.O., No. *1404/m*

DATED *28th August 1895*

[Despatch Abstract.]

Tank.

Stating that the Nellore District Board Engineer's letter regarding Runga Rao's-----should be placed before the Municipal Council, Ongole, and its final decision in the matter should be reported to Government.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

[7]

INDEXED.
Miscellaneous.

LOCAL AND MUNICIPAL DEPT.	
G.O., DATED	28-8-95
No.	1404, in

When given for copying.

[Despatch Abstract.]

Tank

Stating that the Bellare District Board Engineer's letter, regarding Ranga Rao's ———, should be placed before the Munk. Council, Ongole, and its final decision in the matter should be reported to Government.

NELLORE COLLECTOR'S OFFICE.

NO ¹⁰⁷²
13

Dated 6th August 1895. 306
13.8.95

From H. C. Manamohan Raja Esquire
President, District Board, Nellore.

To the Chairman Municipal Council, Ongole.

Sir,

With reference to your No 90 dated 30th May
1895, I have the honor to forward herewith
the Local Fund Engineer's letter No 709 dated
30th July 1895, reporting about the tank therein
referred to.

I have the honor to be
Sir
Your most obedient servant.
I am stating that the District
Board Engineer's letter
reporting Ranga Rao's
should be placed before the
Municipal Council, Ongole, and
its final decision in this
matter should be reported to
Government.

[Signature]
Dist Collector
for President

BACK PAPER, No.

OF 189

FURTHER PAPER, No.

OF 189

Cero 927 by 9/10

READ AGAIN ORDER OF GOVERNMENT, DATED
189 No
MISCELLANEOUS.

ENCLOSURES.

CURRENT No

STATEMENT WITH DITTO.

ORDER OF GOVERNMENT

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL (not paged).

N.B.~

- A - Copy in full.
- B - Not to be copied.
- P - Copy abstract only.
- Q - Copy heading only.

Copied by

Examined by *R*

S S N. Press. [24-5-95]

No. 1395 of 1895
L. W.

CAMP

Dated 30 July. 1895.

Despatched DESP 2 AUG 1895

Ref No 1395 of 1895
to 13
FROM H. Albuthurst ESQUIRE,
DISTRICT BOARD ENGINEER,
NELLORE.

To the President District Board
Nellore.

SIR,

With reference to your Ref No 1395 of 3rd June 1895, Communicating the Municipal Chairman's No 90 dated 30th May 1895, I have the honor to inform that the bund around the reservoir of Rungarow tank may be removed in case it is not intended to keep this as a reservoir and to renew or to improve it by deepening raising and revetting the bund, what would be better still is to remove and replace the bund by a masonry wall of sufficient stability which will occupy much less place and not be liable to breaches. Filter beds may also be constructed allowing an influx of good water into the reservoir than replenishing the supply during freshes.

It has been objected to, that this reservoir diminishes the capacity of the

12-8-95
pp

FROM

THE DISTRICT BOARD ENGINEER,

COLLECTOR

NELLORE.

TO

3 8 95

THE

President District
Board. Nellore.

Dated

30 July 95.

Despatched

2 Aug 95.

No. 704.

L. W.

Enclosures (4)

SUBJECT.

Reporting against the
removal of the bund
around the reservoir of
Rangakani Tank at
Ongole.



the Capacity of the tank & hence
the opposing party either
breached the bund or allowed
it to breach, stating that the
water thus impounded got
impure. This statement was
absurd in the face of it, as
percolation continued as before.

In case it is decided not
to ~~seal~~ ^{have} the reservoir in the
bed of the tank I would
suggest a similar one with
masonry works without the
bund at the North West
angle of the tank which
would be a great boon to the
people who are desirous of
getting pure water free from
surface drainage & pollution
by washing in it. The latter
would be less costly.

I have the honor to be
Sir,
Your most obedient
servant.

A. S. S. S. S.
By: D. B. Engineer
2/8/95

C. P. S. S. S.
Copy.

No 218

Municipal Council Office

Ongole 15th August 1895.

Desd do

From

M. P. Ramaswamy & Chetty Gam,
Chairman delegate, Ongole,
Municipality.

To

The Chief Secretary to Government,
Fort St. George, Madras.

Sir,

With reference to G. O. dated 17th June
1895 No. 982 M. Miscellaneous, I have the
honor to submit herewith the report of
the District Board Engineer received
through the President District Board
Nellore, on Ranga Rao tank.

I have the honor to be
Sir,
Your most obedient servant

M. Ramaswamy & Chetty Gam
Chairman delegate.

95
Municipal Dept.
CURRENT No. 1017

From
The Chairman,
Municipal Council,
Ongole.

To
The Chief Secretary to
Government Fort St.
George, Madras.

Dated 15th August 1895
Despatched 179 AUG 1895
No 219
Enclosures. 1

SUBJECT.

Submitting Report of the
District Board Engineer
on Rangaswami tank with
reference to G.O. No. 982 of 1894

482447-6-95
20th Aug 95
1017

Order
The District Board
Engineer's letter should be
placed before the Municipal
Council and its final decision
in the matter therein referred
to should be reported to
Government.

189
24/8/95

To
The Chairman M.C.
Ongole
Dated 24/8/95

When given for copying
When copied
When examined
When signed

189

READ AGAIN G.O., No.
189

DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT	..	..	..	A	A	A	A	A	A
LETTER OF GOVERNMENT.									
STATEMENT WITH DITTO.									
PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH IN ORIGINAL.									

N.B.--
A = Copy in full.
B = Not to be copied
P = Copy abstract only.
Q = Copy heading only.