

[L. & M.]
[8,000-5-4-96.]

Local & Munl. (1895) Department.

MISCELLANEOUS.

G.O., No. 2382 L.

DATED 7th December 1895.

2379 of 7-12-1895
to Mr. W. for research & sent Mr. W. 10/11-11

he

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Miscellaneous.

LOCAL AND MUNICIPAL DEPT.	
G.O., DATED	7-12-95
No.	2382 L.

INDEXED.

When given for copying.

[Despatch Abstract.]

Thorapadi Tank & Supply
Channel

Returning with remarks, to
the P. W. D., the plans & estimates
in connection with the ———, stating
that the C. Engineer's suggestion
that the Vellone mully: & the
Dist. Bd., N. Arcot, should
pay for the repairs, cannot be
carried out.

South Indian Railway, Trichinopoly.

to the Consulting Engineer for Railways, Madras,

No. 982, dated 30th October

1895.

Referring to your endorsement No. 3228 of the 14th instant on G. O. No. 1820 L. Misc. dated 2nd October 1895, Local and Municipal Department, regarding this Railway contributing towards the cost of repairing and improving the Thorapadi Tank and supply channel at Vellore, I have the honor to inform you that the matter was looked into by the Acting Chief Engineer [on the occasion of a recent visit to Vellore], who reports as follows:-

" On the 20th instant, I walked up the Channel to the ruined Virupatchipuram tank to refresh my memory. I fully concur in -- the proposal to bund the Channel flowing into the Thorapadi Tank, but I consider the Railway Company should absolutely refuse to share in the cost of the work. The tank was breached long before the Railway was -- constructed at Vellore and the protection of the Town should have been provided for at that time."

The Railway station now occupies a portion of the land on which the sepoy lines stood, but as the station has been built on an embankment of several feet in height, it is practically in no -- danger from the overflow of the Channel.

In October 1891 the damage to the Railway was of little consequence and the cost of repair did not amount to more -- than a few rupees.

It

BACK PAPER, No.

FURTHER PAPER, No.

OF 189.

READ AGAIN ORDER OF GOVERNMENT, DATED
189, No. MISCELLANEOUS.

G.O.

ENCLOSURES.

CURRENT No.

STATEMENT WITH DITTO.

ORDER OF GOVERNMENT

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL (not paged).

N.B.-

- A - Copy in full.
- B - Not to be copied.
- P - Copy abstract only.
- Q - Copy heading only.

Copied by hla-
Examined by

2/11

It seems hard that the cost of the work should be thrown on a poor Municipality like Vellore, this tank was never constructed for the benefit of the Town and it seems to me that the burden should fall upon the Public Works Department.

No. 3476 dated 1st November 1895.

Forwarded to the Local and Municipal Department with reference to its G. O. No. 1820 L. Mis. , dated 3rd October 1895.

F. P. Parker

for Consulting Engineer for Railways.

H.P.

CHIEF SECRETARY
2 NOV. 1895
GOVERNMENT OF MADRAS

LOCAL AND MUNICIPAL DEPARTMENT
Local & Municipal Dept.
 CURRENT No. 3224

From

The Consulting Engineer
 for Railways

No. 3476.

Dated 4/11
 Received 2/11
 Enclosures

SUBJECT.

Summary: Copy of a communication from the Agent S.I.R. Trichinopoly re: the cost of repairing & improving the Thorapadi tank and supply channel at Vellore.

For orders

4/11
 Please see the notice and order 1820 L. dated 3rd October 1894, to which the current read above is the reply of the Works (Railway) department.
 1/11/95
 11/11/95

The L. B. is ready to pay its share of the cost, i.e., as stated at 4 of G.O. 861 I. But the Municipality say they want to carry out the works alone. I should tell the L. B. that it should leave the works alone. I don't make out that the non-execution of those other (i.e., items 1-4) will under the execution of items 1-4 work. The only effort will be that the town & Railway will behave look out. Irrigation must of course pay for item 5. As item 8 (Rs 2944), this work is already been carried out. I don't see how we can recover the money spent from anyone, so it must remain a charge on Port.

14/11/95

DEPARTMENT.

[G. 24.]
 209-5-10-95

Papers to be read in proceedings:-

- 1 Again G.O., dated 8-11-94, No. 1894, No. 1820 I, Public Works.
- 2 Again G.O., dated 3-10-94, No. 1895, No. 1820 I, Public Works.
- 3 Current No. 1349 M of 1895, dated 20-4-95, from P. W. D. Chairman, M.C., Vellore
- 4 " " 1680 L " 1895, " 27-5-95 " P. W. D. Consulting Eng. for Railways
- 5 " " 2712 L " 1895, " 7-5-95 " "
- 6 " " 3224 L " 1895, " 3-11-95 " "

ORDER. No. 2382 L. 7-12-95

Note for H. M. with ref. to his note of 14/11/95.

These papers were originally received from the D.P.W. for consideration with ref. to C.S. note that the D.P.W. Municipality shd. pay for the repairs. They are therefore to be disposed of by the D.P.W. Draft is put up returning the file & informing D.P.W. that local bodies will not pay anything.

26/11/95

The plans & estimates submitted with Endorsement No. 3920 (D. 6.12.94) from the D.P.W. as the first G.O. read above will be returned to their Public Works Dept. with the following remarks.

- 1) From the context read above it appears that the D.P.W. H. Arcot is willing to pay its fair share of the repairs & improvements provided for in the above estimates, on condition that the Municipal Council, Vellore, will also pay a fair share, ^{having the committee in the same ground} ~~seeing~~ that the works proposed are mainly protective of Vellore town. This the Municipal Council refuses to do. ^{Further} ~~the~~ S.I. Reg. Co. ^{has refused to} ~~has~~ requested to contribute to these repairs, as being measures protective of their interests.

By station line, but it also refuses
any calculation whatever.

3. ~~Under these circumstances it is~~
(2) evident that the work cannot be
carried out by the District Board
alone ~~by the~~
Mullong Municipality ~~as suggested~~
in para 10 of the C.E.'s note &
H-3-92. ^{under King's authority} refuses to help, the
Suggestion in para 10 of the C.E.'s note
by 11.3.92 in G.O. No 937 I, Pub. Works.
by 4.11.93 cannot be carried out.

(from order)

W.D.
18/11/95

D
4.12.95

Thorapadi Tank Supply
Channel

FROM ORDERS.

Note for H.M.
G. S.

The note is in the margin of the
draft: it is submitted as
no order is passed in it & the
and the papers are returned
to the D.H.D.
2/12/95

To
The Public Works Department, Perth
25 Mels. ext 2
P.T.O.
Recd 9/12/95

When given for copying _____
When copied _____ } 189.
When examined _____
When signed _____

READ AGAIN G.O., No.
189,

DATED

CURRENT No.

ENCLOSURES TO G. No.

ORDER OF GOVERNMENT

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.