

L. & M.  
1,300-310-8-05.

Local & Munl. (1895) Department.

PRINTED.

G.O., No. 744 m

DATED 2<sup>nd</sup> May 1895.

---

[Despatch Abstract.]

Inspection Notes.

Recording with remarks, the Deputy Sanitary Commissioner  
--- on the Mangalore Municipality.

GOVERNMENT OF MADRAS.

LOCAL AND MUNICIPAL DEPARTMENT.

From M.R.Ry. T. M. RAMA RAO Avargal, Chairman, Municipal Council,  
Mangalore, to the Chief Secretary to Government, dated Mangalore 4th  
March 1895, No. 1205.

Under paragraph 2 of G.O., dated 23rd December 1893, No. 1765, I have the honour to forward herewith the notes of the inspection of this Municipality, made by the Deputy Sanitary Commissioner in the month of December last, together with a copy of the resolution of the Municipal Council adopting the replies given with reference to the several remarks and suggestions contained in the notes.

INSPECTION Notes of the Inspector of Vaccination and Deputy Sanitary Commissioner,  
Madras.

MANGALORE MUNICIPALITY.

*Inspected 20th, 21st and 22nd December 1894.*

|                                  |     |     | Males. | Females. | Total. |
|----------------------------------|-----|-----|--------|----------|--------|
| Population as per census of 1891 | ... | ... | 21,357 | 19,565   | 40,922 |

Chairman's Remarks.

*Roads.*—There are 37 miles of roads within the limits of this Municipality. Many of them are raised on embankments crossing lowlying ground or leading to the higher parts of the town. These are said to be a constant source of expense owing to the damage done to them during the rains. I would suggest that the outlets to allow water to run off be considerably enlarged and masonry drains constructed to carry it down the embankments; by this means a recurrence of the mischief might be prevented. All the roads I had an opportunity of seeing were in very good order. Some still require side channels. The provision of these is, I believe, amongst the proposed works of the present year.

Will be attended to.

This has already been, and will in future be, attended to.

There are 120 dust-bins,—forty moveable iron cylinders and eighty square masonry receptacles—all cleaned daily, the contents being carted to the depôt at Urwa.

2. *Drainage.*—The drainage of the lower portion of the town is still in a very unsatisfactory state. In some of the main drains the levels are so defective that the contents accumulate in offensive stagnant pools contaminating the soil around by soakage. The Municipality have not attempted any partial improvements in this respect, as it was expected that the Sanitary Engineer would visit the town and draw up a scheme for the improvement of the entire system of drainage which is urgently required. In many parts, particularly in the Moplah quarters, the drains are so covered over that they cannot possibly be properly cleaned or inspected. Owing to their proximity to the shops, &c., portions must necessarily be covered, but I would recommend that no drain should be covered continuously and permanently for a greater length than 6 feet, and that interspaces of at least 3 feet be left open for inspection and cleaning purposes. The latter might be temporarily covered with moveable planks during the busy hours of the day. This is particularly necessary in the quarters mentioned, as they are the dirtiest portions of the town.

|  |  | of the conser-                               |
|--|--|----------------------------------------------|
|  |  | vancy estab-                                 |
|  |  | lishment is                                  |
|  |  | shown in the                                 |
|  |  | margin. The                                  |
|  |  | staff is suffi-                              |
|  |  | cient and is re-                             |
|  |  | ported to work well under Mr. Aarons, the    |
|  |  | Inspector. The public latrines are four-     |
|  |  | teen in number including one—a new iron      |
|  |  | one—erected during the present year. Three   |
|  |  | of the four latrines handed over on the      |
|  |  | departure of the garrison have been closed   |
|  |  | up as they are not required. None of these   |
|  |  | latrines have any portion set apart for      |
|  |  | women. As they are generally six seated, I   |
|  |  | would suggest that two in each be reserved   |
|  |  | for women. This can easily be done by        |
|  |  | closing the inside passage at the required   |
|  |  | spot with an iron sheet or screen of         |
|  |  | matting and marking each entrance for        |
|  |  | men and women respectively. The provision    |
|  |  | of three more iron latrines is contemplated  |
|  |  | during the present year. All the latrines    |
|  |  | were clean and in good repair at the time    |
|  |  | of my inspection with the exception of one   |
|  |  | small wooden latrine built on piles over the |
|  |  | break-water for the use of the worshippers   |
|  |  | attending the mosque at the Jumma musjid,    |

Chairman's Remarks.

These drains are flushed or cleaned every now and then, and kept in as satisfactory a condition as possible.

*Vide* the explanation given against paragraph 3 of the last Inspection Notes read in G.O., dated 16th May 1894, No. 627 M., as well as G.Os., No. 1643 M., dated 6th November 1894, Mis., and No. 1668 M., dated 8th November 1894.

Will be attended to.

which was in a dirty state. Close to this is a row of urinals provided for the same people by their own community; but the majority seem to prefer urinating anywhere else in the vicinity, one corner immediately outside the urinals being especially foul. As this spot appears to possess peculiar attractions for the purpose, it might at a small expense be converted into an additional urinal and thus the nuisance would cease to exist.

There are said to be 2,500 private latrines, of which 2,283 are cleaned daily by the municipal scavengers. The night-soil is conveyed to the depôt at Urwa in air tight carts and there mixed with the ashes resulting from the burning of the combustible portions of the town rubbish and ultimately converted into poudrette which is sold as manure. The amount realized is shown in the margin. During the rainy season it is buried in pits and properly covered till it can be taken up again for the manufacture of poudrette. The depôt, &c., were in good order when I visited them.

4. *Water-supply.*—The water-supply is chiefly derived from wells, the great majority of which are in private compounds. Those in the upper part of the town are said to furnish water of good quality, but in the lowlying parts the supply has already been condemned. Until, however, a new supply is introduced, no other source is available. The Kadri hill project seems to be a promising one, but unfortunately no professional survey or report upon the scheme has as yet been made. The public wells are five in number, besides four wells in the old Military lines—all of which are largely resorted to. The platform surrounding one of the latter near the dhobies' lines is very much out of repair and should be attended to. Two new public wells have been sunk during the year. The large square tank known as the general bauvi is liable to pollution from surface water being washed into it and the washing of feet, &c., of those who use it. I would recommend that it be converted into a square draw well by building up the four sides perpendicularly from the lowest tier of steps, utilising the stone now forming the numerous steps all round for the purpose and filling in the sides with earth. The tank at Memons' mosque is in a very insanitary condition; the water at the time of my visit was only one foot deep with a foul muddy bottom. It might with advantage be entirely filled

Chairman's Remarks.

The authorities of the Jumma musjid, to which the place belongs, have been directed to do the needful suggested.

|                      | Rs. |
|----------------------|-----|
| 1893-94              | 412 |
| 1894-95 (up to date) | 253 |

The Sanitary Engineer has not as yet visited this Municipality—*vide* G.Os. No. 1643, M., dated 6th November 1894, Mis., and No. 1668, M., dated 8th November 1894.

This has since been repaired.

This is a project which requires a large outlay which the Municipal Council cannot afford to undertake in the present state of its finances. Necessary plan and estimate have however been called for.

The tank has been cleaned as usual. As it is connected with the backwater, there is always an accumulation of silt, &c., in the tank.



|                                 | 1890. | 1891. | 1892. | 1893. | 1894 up to<br>end of<br>November. |
|---------------------------------|-------|-------|-------|-------|-----------------------------------|
| Deaths from—                    |       |       |       |       |                                   |
| Cholera .. .. .                 | ..    | ..    | 53    | 3     | ..                                |
| Small-pox .. .. .               | ..    | ..    | 2     | 11    | ..                                |
| Fevers .. .. .                  | ..    | ..    | 351   | 253   | ..                                |
| Dysentery and diarrhoea .. .. . | 202   | 209   | 201   | 147   | 291                               |
| All other causes .. .. .        | 147   | 126   | 201   | 147   | 125                               |
|                                 | 415   | 499   | 648   | 513   | 571                               |
| Total .. .. .                   | 764   | 834   | 1,255 | 927   | 987                               |
| Death-rate per mille .. .. .    | 23.8  | 26.0  | 30.7  | 22.7  | 26.3                              |
| Births .. .. .                  | 1,012 | 1,257 | 1,322 | 1,160 | 1,257                             |
| Birth-rate per mille .. .. .    | 31.5  | 39.1  | 32.3  | 28.3  | 33.5                              |

FORT ST. GEORGE, 10th January 1895. (Signed) C. MALLINS, M.A., M.D., Surgn-Major,  
Ag. Insp. of Vaccination and Dy. Sany. Commr.

Endorsement on Cur. No. 173-Eng.  
Forwarded to the Chairman.

25th January 1895. (Signed) W. H. WELSH,  
Collector.

No. 39-S.

Forwarded to the Chairman, Municipal Council, Mangalore, with the request that he will be good enough to inform the undersigned of the date on which he proposes to place the Inspection notes before a meeting of his Council.  
2. Attention is requested to paragraph 2 of G.O., dated 23rd December 1893, No. 1765, M.

FORT ST. GEORGE, 12th January 1895. (Signed) W. G. KING, M.B., C.M., D.P.H., Surgn.-Lieut.-Col.,  
Ag. Sanitary Commissioner for Madras.

EXTRACT from the Proceedings of the Municipal Council, Mangalore, dated 22nd February 1895.

3. Read the Deputy Sanitary Commissioner's Inspection Notes on the Mangalore Municipality, and the Chairman's draft replies to the several suggestions, &c., made in the notes.

Resolution.—The draft replies are approved. The notes and the replies will be submitted to Government.

(True Extract)

4th March 1895. (Signed) T. M. RAMA ROW,  
Chairman, Municipal Council.

NO 916m  
 Dy Sanitary Commissioner  
 Mangalore

2ND MAY 1895, No. 744 M., LOCAL AND MUNICIPAL.

GOVERNMENT OF MADRAS.  
 LOCAL AND MUNICIPAL DEPARTMENT.

READ—the following paper:—

From M.R.Ry. T. M. RAMA RAO Avargal, Chairman, Municipal Council, Mangalore, to the Chief Secretary to Government, dated Mangalore 4th March 1895, No. 1205.

Under paragraph 2 of G.O., dated 23rd December 1893, No. 1765, I have the honour to forward herewith the notes of the inspection of this Municipality, made by the Deputy Sanitary Commissioner in the month of December last, together with a copy of the resolution of the Municipal Council adopting the replies given with reference to the several remarks and suggestions contained in the notes.

ENCLOSURE.

INSPECTION Notes of the Inspector of Vaccination and Deputy Sanitary Commissioner, Madras.

SOUTH CANARA DISTRICT.

MANGALORE MUNICIPALITY.

Inspected 20th, 21st and 22nd December 1894.

|                                  | Males. | Females. | Total. |
|----------------------------------|--------|----------|--------|
| Population as per census of 1891 | 21,357 | 19,565   | 40,922 |

Inspection Notes.

Chairman's Remarks.

**Roads.**—There are 37 miles of roads within the limits of this Municipality. Many of them are raised on embankments crossing lowlying ground or leading to the higher parts of the town. These are said to be a constant source of expense owing to the damage done to them during the rains. I would suggest that the outlets to allow water to run off be considerably enlarged and masonry drains constructed to carry it down the embankments; by this means a recurrence of the mischief might be prevented. All the roads I had an opportunity of seeing were in very good order. Some still require side channels. The provision of these is, I believe, amongst the proposed works of the present year.

Will be attended to.

This has already been, and will in future be, attended to.

There are 120 dust-bins,—forty moveable iron cylinders and eighty square masonry receptacles—all cleaned daily, the contents being carted to the depôt at Urwa.

PS  
 N  
 PS

order dt 2-5-95 No 744

Recorded.

1-18  
 27/1/95- 2. With reference to para 7 of the inspection notes the Chairman will be requested to report whether any drinking water wells or tanks are liable to be affected by percolation from the Summan burial ground.

CP  
 30.11

To  
 The Chairman, Mangalore  
 " Collector of South Canara  
 " Sanitary Commissioner  
 " Engineer  
 Editor's Table.  
 Dated 15/5/95

## Inspection Notes.

2. *Drainage*.—The drainage of the lower portion of the town is still in a very unsatisfactory state. In some of the main drains the levels are so defective that the contents accumulate in offensive stagnant pools contaminating the soil around by soakage. The Municipality have not attempted any partial improvements in this respect, as it was expected that the Sanitary Engineer would visit the town and draw up a scheme for the improvement of the entire system of drainage which is urgently required. In many parts, particularly in the Moplah quarters, the drains are so covered over that they cannot possibly be properly cleaned or inspected. Owing to their proximity to the shops, &c., portions must necessarily be covered, but I would recommend that no drain should be covered continuously and permanently for a greater length than 6 feet, and that interspaces of at least 3 feet be left open for inspection and cleaning purposes. The latter might be temporarily covered with moveable planks during the busy hours of the day. This is particularly necessary in the quarters mentioned, as they are the dirtiest portions of the town.

3. *Conservancy*.—The strength and pay

|                             | RS. |                  |
|-----------------------------|-----|------------------|
| 1 Nuisance Inspector ..     | 75  | of the conser-   |
| 1 Ward Sub-inspector ..     | 20  | vancy estab-     |
| 4 Ward Sub-Inspectors each  | 12  | lishment is      |
| 3 Do. do. "                 | 10  | shown in the     |
| 33 Scavengers "             | 7   | margin. The      |
| 24 Road sweepers at As. 3-4 |     | staff is suffi-  |
| per working day.            |     | cient and is re- |

ported to work well under Mr. Aarons, the Inspector. The public latrines are fourteen in number including one—a new iron one—erected during the present year. Three of the four latrines handed over on the departure of the garrison have been closed up as they are not required. None of these latrines have any portion set apart for women. As they are generally six seated, I would suggest that two in each be reserved for women. This can easily be done by closing the inside passage at the required spot with an iron sheet or screen of matting and marking each entrance for men and women respectively. The provision of three more iron latrines is contemplated during the present year. All the latrines were clean and in good repair at the time of my inspection with the exception of one small

## Chairman's Remarks.

These drains are flushed or cleaned every now and then, and kept in as satisfactory a condition as possible.

*Vide* the explanation given against paragraph 3 of the last Inspection Notes read in G.O., dated 16th May 1894, No. 627 M., as well as G.Os., No. 1643 M., dated 6th November 1894, Mis., and No. 1668 M., dated 8th November 1894.

Will be attended to.

The needful will be done as suggested.

## Inspection Notes.

## Chairman's Remarks.

wooden latrine built on piles over the break-water for the use of the worshippers attending the mosque at the Jumma masjid, which was in a dirty state. Close to this is a row of urinals provided for the same people by their own community; but the majority seem to prefer urinating anywhere else in the vicinity, one corner immediately outside the urinals being especially foul. As this spot appears to possess peculiar attractions for the purpose, it might at a small expense be converted into an additional urinal and thus the nuisance would cease to exist.

There are said to be 2,500 private latrines, of which 2,283 are cleaned daily by the municipal scavengers. The night-soil is conveyed to the dépôt at Urwa in air tight carts and there mixed with the ashes resulting from the burning of the combustible portions of the town rubbish and ultimately converted into poudrette which is sold as manure. The amount realized is shown in the margin. During the rainy season it is buried in pits and properly covered till it can be taken up again for the manufacture of poudrette. The dépôt, &c., were in good order when I visited them.

4. *Water-supply*.—The water-supply is chiefly derived from wells, the great majority of which are in private compounds. Those in the upper part of the town are said to furnish water of good quality, but in the lowlying parts the supply has already been condemned. Until, however, a new supply is introduced no other source is available. The Kadri hill project seems to be a promising one, but unfortunately no professional survey or report upon the scheme has as yet been made. The public wells are five in number, besides four wells in the old Military lines—all of which are largely resorted to. The platform surrounding one of the latter near the dhobies' lines is very much out of repair and should be attended to. Two new public wells have been sunk during the year. The large square tank known as the general bauvi is liable to pollution from surface water being washed into it and the washing of feet, &c., of those who use it. I would recommend that it be converted into a square draw well by building up the four sides perpendicularly from the lowest tier of steps, utilising the stone now forming the numerous steps all round for the purpose and filling in the sides

The authorities of the Jumma masjid, to which the place belongs, have been directed to do the needful suggested.

|                            | RS. |
|----------------------------|-----|
| 1893-94 .....              | 412 |
| 1894-95 (up to date) ..... | 253 |

The Sanitary Engineer has not as yet visited this Municipality—*vide* G.Os. No. 1643, M., dated 6th November 1894, Mis., and No. 1668, M., dated 8th November 1894.

This has since been repaired.

This is a project which requires a large outlay which the Municipal Council cannot afford to undertake in the present state of its finances. Necessary plan and estimate have however been called for.

## Inspection Notes.

with earth. The tank at Memons' mosque is in a very insanitary condition; the water at the time of my visit was only one foot deep with a foul muddy bottom. It might with advantage be entirely filled up, but it appears that the Muhammadans require a place to bathe in before entering their mosque. I would suggest that a tank 50 feet square would be sufficient, and for this purpose the south-east corner of the present tank where springs are said to exist might be retained and the remainder filled up. There is a large quantity of stone now forming the steps around the tank, the utilization of which should reduce considerably the expense of the alteration.

5. *Markets*.—There is one public market for general use known as the Webster market situated in the central and most convenient quarter of the town. It is kept clean and in very good order. The vegetable and flower market is in the central ward. There are three fish markets—one at Bolar and two at Kudrolli—in the southern and northern parts of the town, respectively. During the year 1893-94 the Webster market realised Rs. 2,682-6-5. The others pay no rent. One of the fish markets has been supplied with slab tables during the year.

6. *Slaughter-houses*.—There are two slaughter-houses—one for cattle and one for sheep and goats. They produce an income of about Rs. 500 annually. They are kept clean. Pigs, which are kept in large numbers by the native Christians, are slaughtered in a place set apart for the purpose at Hampankatta. As these animals must be slaughtered in considerable numbers, a proper walled enclosure with cement flooring should be provided.

There are three bandy-stands all in good order. They produced an income of Rs. 347-9-0 in 1893-94 and have been leased for the current year for Rs. 270.

7. *Burial grounds*.—It is said that there are 57 burial-grounds within Municipal limits. A large number of these are disused and others are small family burying-grounds. Of the 28 principal ones, arrangements have lately been made to close nine by agreement, thirteen have been recommended to be closed, and only six, including three Christian cemeteries, to be kept open. Amongst those recommended for closure is that of the Jumma masjid (No. 13) which is

## Chairman's Remarks.

The tank has been cleaned as usual. As it is connected with the backwater, there is always an accumulation of silt, &c., in the tank.

This is a matter which involves a large outlay, and the Municipal Council has already represented its inability to undertake it—*vide* the last part of its resolution No. 5 of the 24th December 1894, submitted to Government with my letter, dated 2nd January 1895, No. 969, with reference to paragraph 3 of G.O., dated 16th May 1894, No. 627 M., on the last inspection notes.

The place is private property. The owner of the garden has been directed to do the needful suggested.

## Inspection Notes.

## Chairman's Remarks.

greatly overcrowded, every inch of ground being occupied; but owing to its sanctity great objections have been made to closing it by the Muhammadan community. An arrangement has, I believe, now been arrived at whereby permission is to be given for the extension of two already existing burial-grounds in the same quarter of the town, viz., one at the Molar \* Public (No. 34) and one at Kundath Pully (No. 36), for both of which open ground is available. Having granted this concession, it is to be regretted that the municipality should contemplate the extension of a third burial-ground (No. 13) situated in the very heart of the most populous part of the town and in a neighbourhood abounding with private wells and tanks. Here there is not a square yard of open ground, but dwelling-houses will have to be removed in order to clear the site. The latter when cleared will be a very small area, so that the question of closing the ground finally will only be postponed for a year or two.

8. *Vaccination*—has been compulsory since 1st September 1891. First-class Vaccinator J. S. Mascarenhas does his work well. His registers are neatly kept and up to date; his instruments clean. I verified 21 cases, all correctly entered.

Probationary vaccinator Kumir-ud-din has been on the sick list without pay since June last.

Acting probationer Pinto has only been in office since 10th December.

I examined 156 school children and found two unprotected or 1.3 per cent.

The vaccine depôt has been removed to the Wenlock Hospital and is under the charge of First-class Vaccinator Lawrence Roche. It was cleanly kept and everything in good order at the time of my visit.

\* Bolar.

*Vide* G.O., dated 22nd November 1894, Mis., No. 1784 M., which has once for all disposed of the whole matter.

|                                             | 1890. | 1891. | 1892. | 1893. | 1894 up to end of November. |
|---------------------------------------------|-------|-------|-------|-------|-----------------------------|
| Number vaccinated .. .. .                   | 1,156 | 1,514 | 2,474 | 2,875 | 2,115                       |
| "    "    successfully .. .. .              | 1,063 | 1,390 | 2,454 | 2,857 | 2,023                       |
| "    "    under one year of age .. .. .     | 380   | 468   | 770   | 973   | 856                         |
| "    verified by inspecting officer .. .. . | 839   | 760   | 1,420 | 1,485 | 848                         |
| Births .. .. .                              | 1,012 | 1,257 | 1,322 | 1,160 | 1,257                       |

## Inspection Notes.

## Chairman's Remarks.

9. *Registration.*—There is one registrar assisted by the eight Ward Sub-Inspectors, who are reporters. His books are well kept and up to date.

|                                 | 1890. | 1891. | 1892. | 1893. | 1894 up to end of November. |
|---------------------------------|-------|-------|-------|-------|-----------------------------|
| Deaths from—                    |       |       |       |       |                             |
| Cholera .. .. .                 | ..    | ..    | 53    | 3     | ..                          |
| Small-pox .. .. .               | ..    | ..    | 2     | 11    | ..                          |
| Fevers .. .. .                  | 202   | 209   | 351   | 253   | 291                         |
| Dysentery and diarrhoea .. .. . | 147   | 126   | 201   | 147   | 125                         |
| All other causes .. .. .        | 415   | 499   | 648   | 513   | 571                         |
| Total ..                        | 764   | 834   | 1,255 | 927   | 987                         |
| Death-rate per mille ..         | 23.8  | 26.0  | 30.7  | 22.7  | 26.3                        |
| Births .. .. .                  | 1,012 | 1,257 | 1,322 | 1,160 | 1,257                       |
| Birth-rate per mille ..         | 31.5  | 39.1  | 32.3  | 28.3  | 33.5                        |

FORT ST. GEORGE,  
10th January 1895.

(Signed) C. MALLINS, M.A., M.D., Surgn-Major,  
Ag. Insp. of Vaccination and Dy. Sany. Commr.

No. 39-S.

Forwarded to the Chairman, Municipal Council, Mangalore, with the request that he will be good enough to inform the undersigned of the date on which he proposes to place the Inspection notes before a meeting of his Council.

2. Attention is requested to paragraph 2 of G.O., dated 23rd December 1893, No. 1765, M.

FORT ST. GEORGE,  
12th January 1895.

(Signed) W. G. KING, M.B., C.M., D.P.H., Surgn.-Lt.-Col.,  
Ag. Sanitary Commissioner for Madras.

Endorsement on Cur. No. 173-Eng.

Forwarded to the Chairman.

25th January 1895.

(Signed) W. H. WELSH,  
Collector.

EXTRACT from the Proceedings of the Municipal Council, Mangalore, dated 22nd February 1895.

3. Read the Deputy Sanitary Commissioner's Inspection Notes on the Mangalore Municipality, and the Chairman's draft replies to the several suggestions, &c., made in the notes.

*Resolution.*—The draft replies are approved. The notes and the replies will be submitted to Government.

(True Extract.)

4th March 1895.

(Signed) T. M. RAMA ROW,  
Chairman, Municipal Council.

ORDER—dated 2nd May 1895, No. 744 M., Local and Municipal.

Recorded.

2. With reference to paragraph 7 of the inspection notes, the Chairman will be requested to report whether any drinking-water wells or tanks are liable to be affected by percolation from the Jumma musjid burial-ground.

(True Extract.)

J. F. PRICE,  
Chief Secretary.

To the Chairman, Municipal Council, Mangalore.  
" Collector of South Canara.  
" Sanitary Commissioner.  
" Sanitary Engineer.  
Editors' Table.

Exd. A. Raitt.

Gobt. of {1895} Madras.  
LOCAL AND MUNICIPAL.

Issued

Recd.

Encl.

G.O., 2nd May 1895, No. 744 M.

MAY.

Inspection Notes.

Recording, with remarks, the Deputy Sanitary  
Commissioner's — on the Mangalore Municipality.

READ AGAIN ORDER OF GOVERNMENT, DATED  
No.

ENCLOSURES.

CURRENT No.

STATEMENT WITH DITTO.

ORDER, &c., OF GOVERNMENT—A.

PAPEES KEPT OUT OF FILE FOR DESPATCH IN ORIGINAL  
(not paged).

NUMBER OF COPIES  
REQUIRED. { Order complete.  
Letter only.  
Order complete with Letter.

N.B.—

A = Print in full.  
B = Not to be printed.  
P = Print abstract only.  
Q = Print heading only.  
R = Print, but not for monthly volume.

BACK PAPER, No.

OF 15

FURTHER PAPER, No.

OF 15

INDEXED.

PRESS.

LOCAL AND MUNICIPAL DEPARTMENT.

G.O., DATED 2-5-95

No. 744 M

First copy sent to Press. 2/5/95

Returned for signature. 11/5/95

Despatched in print. 18/5/95

[Despatch Abstract.]

Inspection notes.

Recording, with  
remarks, the Dy. Supt.  
Commisr's — on the  
Mangalore Municipality

First copy sent to Press.

Returned for signature.

Despatched in print.

READ AGAIN G.O. No.

159

DATED

CURRENT No.

ENCLOSURE TO G. No.

ORDER OF GOVERNMENT

LETTER OF GOVERNMENT

STATEMENT WITH DITTO

PAGES NOT FILED BY BEING MEANT FOR DESPATCH  
IN ORIGINAL

N.B.—

A = Print in full  
R = Not to be printed  
F = Print abstract only  
Q = Print heading only

NUMBER OF COPIES  
REQUIRED.

Order complete.

Letter only.

Order complete with Letter.