

Local & Munl. (1896) Department.

MISCELLANEOUS.

G.O., No. 7952.

DATED 4 May 1895

[Despatch Abstract.]

Road.

Communicating to the District Board, Salem, note by the Chief Engineer for Irrigation regarding the restoration of the Tiruppattur big tank-bund road to its former condition.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

G. Stokes
~~G. MacWATTERS~~, Esq.,

The Chief Secretary to Government,
Local and Municipal Department,
Madras.

SUPG. ENGINEER'S OFFICE, P.W.D.
No.
3 APR 95
Encls.
FOURTH CIRCLE.

TANK RESTORATION SCHEME
R. No. 483
8- APR. 95
CENTRAL OFFICE

I have the honor to report that the road running over the bund of the Tirupattur Big Tank, an irrigation work under the management of the Public Works Department, was before the year 1894-95, 15 feet broad. But on account of the repairs carried out to the Tank in that year, the width of the road has become

become reduced to 12 feet.

The Public Works Department, when it made the repairs, did not restore the road to the status quo ante nor did it do so afterwards. On my personal inspection of the tank bund road I find that as it never was restored by the Public Works Department it is really impassable and to ^acertain extent abandoned by the Public. This road is a part of the Tirupattur-Mangayam Road and on account of the present condition of the tank bund and the kodi, traffic between Tirupattur and

Manayam has to go round
by Kengalapuram which adds
more than 2 miles to the distance



The District Board have now resolved to spend Rs 6000, about, in bridging the kodi so as to remove that difficulty. The Chief Engineer for Irrigation, Tank Restoring Scheme, in reply to the references made to the Public Works Department, by the President Taluk Board Tirupattur, requesting to restore the road to its former width, says that no improvements of the Tirupattur Tank Bund

are required in the interests
of Irrigation. But he does
not seem to consider that it
is the duty of his Department
to restore, a road running
over the bank of a tank, to
its former state, when the
bank is raised so as to interfere
with the road, notwithstanding
the fact that this liability
has been clearly defined in
the rules of the Public Works
Department communicated in
G. O. dated 3rd September
1891 No. 2130 L. I therefore
request that Government will
be

Please see rules
4710 printed in
No 3-7-91
No 2130 L.

he pleased to order the Public
Works Department either to
restore the road running
over the Truppattur Tank
Bund to the status quo ante
or to provide the Local
Fund Department with funds
equivalent to the estimated
cost of the work, in order
that the work may be carried
out by it.

I have the honor to be
Sir

Your most obedient Servant

Themaiah
President

2
6/10
H

P. W. CURRENT No. 8087
Local and Municipal Department.
1894.

Local & Municipal Department
CURRENT No. 2956 L. R.

From,
THE PRESIDENT,
DISTRICT BOARD,
SALEM.

To,
THE CHIEF SECRETARY
TO GOVERNMENT
LOCAL AND MUNICIPAL DEPARTMENT,
MADRAS.

Dated 9/10/94
Despatched 10 OCT. 94
Received 10 OCT. 94
Enclosure 2
No. 2161
C.F.
29 JAN. 95
SUBJECT.
38-E.I.
9-FEB. 95

Res: 24-10-94
Enclosure 2
No. 2161
C.F.
29 JAN. 95
SUBJECT.
38-E.I.
9-FEB. 95

Bringing to the notice of
Government the condition
of the Tirupattur Big
Tank Bund road the width
of which has been reduced
on account of repairs
to the Irrigation work,
and requesting to direct
the Public Works Dept.
either to restore the road
to its former condition or
to provide the estimated cost
of doing so.

D. B. O. No. 13.
15-8-92-300.
(With Indorse)

TANK RESTORATION SCHEME
R. No. 164
8-NOV. 91
OFFICE.

219
19 JAN. 95
SALEM.

No. 1039

Transferred to the Public Works
Department, with the request that the
grants upon which the Department declined
to restore the road to its original condition may
be reported.

By Assistant Secretary
Sark St. George
28th October 1894
SUPG. ENGINEER'S OFFICE
No. 153 SL
3 APR. 95
Encl. 1
FOURTH CIRCLE.

The Public Works Department
(Irrigation Branch)

No. 1597 C

Government of Madras.

PUBLIC WORKS DEPARTMENT.

Endorsement
MEMORANDUM.

CURRENT No. 1179 L

Dated Madras, 20th April 1895.

Note by the Chief Engineer for Irrigation
No. 75. I d/ 13th April 1895:-

It is clear from the plans ac-
= companying the estimate for res-
= toring Tirupattur Tank in 1884-85
that the tank bund was made up
to the full width (15 feet) required
for the road irrespective of the ques-
= tion whether such a width was
necessary from an irrigation point of
view.

2. The road seems to have been
allowed to deteriorate by the Local Fund
who are responsible for its upkeep and
there are no grounds for the statement
that its condition is due to the tank
repairs carried out 10 years ago.

Transferred

Transferred to the Local and
Municipal department with reference
to its endorsement, N^o 1039 of 23rd
October/94.

J. W. Lynch

Ag. Under Secretary to Govt: P.W.D.
Irrigation Branch

+ 8/11/94

To

The Local & Municipal Dept.

1895.

Public Works Department.

1179 L

No. 1597 C

Dated 20-4-1895.

Despatched

Received

SUBJECT.

Transferring note by the
Chief Engineer for Irrigation
regarding the restoration of
Timpattun big tank bund
road to its former condition

Cur Nos 2956 L of 1894 and 1179 L of 1895

Order 214-5-95-11795 L. mis

The note by the Chief Engineer for
Irrigation, forwarded with the endorsement
of the Public Works Department read
above, will be communicated to the District
Board, Salem

1.8
30/4/95

26/4 1895

To the Secy. D. & Hd. Salem

When given copying

When copied

When examined

When signed

189

READ AGAIN G.O., No.

189

DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B. -

A = Copy in full.

B = Not to be copied.

P = Copy abstract only.

Q = Copy heading only.