

Local & Munl. (1896) Department.

MISCELLANEOUS.

G.O., No. 1246 M

DATED 27th July 1896

[Despatch Abstract.]

Inspection Notes.

Recording, with remark, information in connection
with the Sanitary Commissioner's ---- on the Gudiyattam Municipali-
ty.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Extract from the minutes of proceedings of a
special meeting of the Municipal Council,
Lyn die atam, passed at their meeting held on
11th June 1896.

Pres Ech.

In R Key In. *Sinboraezula Cuthy furor* (Chasman)

Hammatha Rongoroo

Sible a Row furor

Abloy Cherry

Rang zu fordern als Auszug

Dear Abigail Chetty 1800

D. K. Kaliappa Pellai Bangalore.

Vad de vele medt aensyn.

1 Read draft of the Administration report
with State Intore for the year 1895-96.

Read also other papers Connected thereto.

Read the following fols.

Lyo no 1499m of 16.9.95

1973 & 1974 m 25-11-95

704 En. Incis dated 27.4.96.

Read also Secretary Commissioners Inspection
notes embodied in no 1237 m dated 1.8.95,
with the opinion of the Sub Committee.

Read again Resolutions of the Council dated
30. 3. 96 about water supply scheme, and
7. 11. 95 about the well in Shern camp,
public road.

It is unanimously resolved & decided

upon by the Sub Committee to whom the
Subject was referred, that the limits of the
Municipal Town need not be extended,
Considering the present financial circumstances
of the Municipality and in consideration
of the heavy expense that has to be incurred
for extending the Municipal limits as
suggested by the Sanitary Commission.

The Sanitary Engineer having personally
inspected and stated that the place around
the Robinson Tank is quite unfit for erecting
Abercrombie as suggested by the Sanitary
Commissioner, the proposal cannot be
carried out.

It is resolved that the latrine
and tank adjoining it in Pudeepah
will be closed at once as advised by the
Sanitary Commissioner and the wall be
retained.

Office of the Municipal
Council for day at 16.6.96 } Signed M. Subbrayalu Chetty
Chairman

(True Extract)

M. Subbrayalu Chetty
Chairman

Extract from the Minutes of Proceedings of the
Municipal Council Gudiyaalam passed at their
meeting held on the 30th March 1896.

Present
M. R. M. Subbrayalu Chetty Garu
" Haminantha Ram Garu
" S. Venkataraya Chetty Garu
Sheikh Saadullah
M. R. R. N. C. Nelliappa Pillai Aiyar
Punga Gounder Aiyar

8. Read Proceedings of the Sanitary Board
No. 658 D/4-3-96 for water supply scheme with
plan and estimate.

The Council will be very glad to
have the water supply scheme introduced
into this Municipality but they regret that
the present financial condition does not
permit them to take up the work for some
years to come.

(Signed) M. Subbrayalu Chetty
Chairman

(True Extract)

Office of the Municipal Council } M. Subbrayalu Chetty
Gudiyaalam 16.6.96 } Chairman

Extract from the Minutes of Proceedings of
the meeting of the Municipal Council,
Indrapatna, passed at their meeting held on
25 July 1895.

Pres. Ch.

- Mr. In. Subbajulu Chetty from (Chairman)
- " C. V. Subba Rao from
- " Venkataraya Chetty from
- " Ranga Gownder Ayyangar.

x x x

8. Read report of Sanitary Inspector
No 14 dated 21.6.95, Mah Poala Voodayagally
who is said to be the owner of the well
situated in the public road at Indrapatna,
opposite to Butcher's Shop, has no objection if the
Municipality should close the well and
requesting orders

Notice will be given to Poala Voodayaga
Setty to close the well in question, within
15 days from the date of the receipt of this
Resolution.

Signed

In Subbajulu Chetty
Chairman

True Copy

Indrapatna
Chairman

Office of Municipal Council
Indrapatna 16.6.95

Extract from the Minutes of Proceedings of
the meeting of the Municipal Council,
Indrapatna, passed at their meeting held on
25 July 1895.

Pres. Ch.

Mr. In. Subbajulu Chetty from (Chairman)

" C. V. Subba Rao from

" Venkataraya Chetty from

" Ranga Gownder Ayyangar.

x x x

8. Read report of Sanitary Inspector
No 14 dated 21.6.95, Mah Poala Voodayagally
who is said to be the owner of the well
situated in the public road at Indrapatna,
opposite to Butcher's Shop, has no objection if the
Municipality should close the well and
requesting orders

Notice will be given to Poala Voodayaga
Setty to close the well in question, within
15 days from the date of the receipt of this
Resolution.

Signed

In Subbajulu Chetty
Chairman

True Copy

Indrapatna
Chairman

Office of Municipal Council
Indrapatna 16.6.95

Extract from the Minutes of Proceedings of
the meeting of the Municipal Council,
Indrapatna, passed at their meeting held on
25 July 1895.

Pres. Ch.

Mr. M. Subbarama Chetty Jeroo (Chairman)

" C. V. Subba Rao Jeroo

" V. R. Subbarama Chetty Jeroo

" Ranga Gowda Ayyangar.

x

x

x

8. Read report of Sanitary Inspector
No 14 dated 22.6.95, Mah. Poole Vardagayy
who is said to be the owner of the well
situated in the feeble road at Dheemampal,
opposite to Butcher's Shop, has no objection if the
Municipality should close the well and
requesting orders

Notice will be given to Poole Vardagayy
Sethy to close the well in question, within
15 days from the date of the receipt of this
Resolution.

Signed

M. Subbarama Chetty
Chairman

True Copy

M. Subbarama Chetty
Chairman

Office of Municipal Council
Indrapatna 16.6.95

2

Extract from the Minutes of Proceedings
of the Municipal Council Gudiya潭 passed
at their meeting held on the 7th November 1895

Present.

- M. R. R. M. Subrayalu Chetty Garu
- " C. V. Subba Row Garu
- " Hanumantha Row Garu
- " Venkataraya Chetty Garu
- " Murugappa Chettiar Angl
- " N. Jadayappa Mod. Angl

II Read petition of Dorla Varadiah Chetty of
27-8-95 objecting that the well near the Butcher's
Shop should not be closed under the circum-
stances stated therein.

Read also Sanitary Commission's Inspection
notes for 1894 about closing the well in question
with the previous resolution of 25-7-95.

In modification of the previous resolution
the Council reconsidered the subject and
resolved not to close the well in question
as it is of great use to the public

(Signed) M. Subrayalu Chetty
Chairman

True Extract

Office of the Municipal Council }
Gudiya潭 16.6.96 }
M. Subrayalu Chetty
Chairman

Gudiyatam, 15 June 1896.

Local Board of Health
CURRENT No. 1942

FROM

M. SUBRAYALU CHETTY GARU,

Chairman, Municipal Council,

Gudiyatam.

TO,

The Chief Secretary to Government,
Fort St. George.

THRU.

The Divisional Officer.

Sir,

The Divisional Officer.

In reference to G.O. no 704 m. no. dated 27.4.96, I have the honor to report as detailed below.

1. As to para 1: The Council have, in their meeting held on 11.6.96, resolved that the Municipal limits need not be extended and that the latrine and Assek at Pudupel should be closed at once retaining the well alone (vide Resolution Copy enclosed).
2. As to para 2: The Council have, in their meeting held on 30.3.96, expressed their inability to take up the proposal for water works for some years to come. (Resolution copy enclosed).
3. As to para 4: The Council have resolved, in their meeting held on 11.6.96, that the

Ex A

But please see

for 1027 m / 1136 m
18896 8796
Ex B

Construction of tube wells could not be carried
out in the neighbourhood of the Robinson tank
since the soil was, on close inspection, declared
by the Sanitary Engineer during his recent
visit to this place, as being quite unfit for
the purpose (vide Exhibit A).

4. As to para 6. The opinion of the Sub Committee
was received only recently and the subjects
were finally disposed of by the Council on
11.6.96, hence delay.

5. As to para 5, of the Sanitary Commissioner's
Inspection notes, the Council on their reconsideration
resolved not to close the well as it is found
to be of great use to the public. (Resolution
Copies Enclosed).

+ 9.0 $\frac{1237}{1.8}$ $\frac{11}{95}$

Ex C + D

I have the honor to be

Yours most obedient servant

Chas. A. ...

Construction of tube wells could not be carried
out in the neighbourhood of the Robinson tank
since the soil was, on close inspection, declared
by the Sanitary Engineer during his recent
visit to this place, as being quite unfit for
the purpose (vide Exhibit A).

As to para 6. The opinion of the Sub Committee
was received only recently and the subjects
were finally disposed of by the Council on
11.6.96, hence delay.

As to para 5, of the Sanitary Commissioner's
Inspection notes, the Council on their reconsideration
resolved not to close the well as it is found
to be of great use to the public. (Resolution
Copies Enclosed).

I have the honor to be

Yours most obedient servant

Chas. A. ...

10.6.96

Current No. 2142
MUNICIPAL DEPARTMENT Dept.
 FROM CURRENT No. 1941

M. SUBRAYALU CHETTY GARU.
 Chairman, Municipal Council,
 Gudigalam.

To
 THE CHIEF SECRETARY TO GOVERNMENT,
 Local & Municipal Department,
 Fort St. George.
 Through the Divisional Officer.

DATED 15th June
 DESPATCHED 16th 1896
 RECEIVED.

No. 239

Enclosures: 2

Subject.

Submitting explanations
 called for in G.O. No. 704 of 1895
 dated 27.4.96

Handwritten notes and stamps on the left side of the page, including a circular stamp dated 24 JUN 1896.

Current No. 1065
 1.7.96

Forwarded
 Chairman
 ap. Subclerk
 DESPATCHED
 30 JUN. 96

COLLECTOR
 1 JUL 96
 NORTH ARC

1186
 704
 1972
 1237
 1499
 1436

Forwarded
 Received
 27
 Collector

Order No 1246 Mmsi of 27/7/96
 Recorded:
 2. As the well referred to in para
 5 of the Chairman's letter has been
 condemned by the Sanitary Com-
 missioner, it should be closed
 without further delay.

Handwritten initials and dates: 1.7.96, 20.7.96

To The Chairman, M.C., Gudigalam.
 Dated 29/7/96

When given for copying
 When copied
 When examined
 When signed

READ AGAIN G.O., No. 189, DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT
 LETTER OF GOVERNMENT
 STATEMENT WITH DITTO
 PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
 IN ORIGINAL

N.B. -
 A = Copy in full
 B = Not to be copied
 P = Copy abstract only
 Q = Copy heading only

2142
MUNICIPAL DEPARTMENT. Dept.

FROM CURRENT No. 1444 M

M. SUBRAYALU CHETTY GARU,
Chairman, Municipal Council,
Gudiyalam.

To
THE CHIEF SECRETARY TO GOVERNMENT,
Local & Municipal Department,
Fort St. George.
Through the Divisional Officer.

DATED 15th June
DESPATCHED 16th 1896
RECEIVED.

No. 239

Enclosures Ex A to D

Subject

Submitting explanations
called for in G.O. No 704 to bus
dated 27.4.96

1065
1.7.96
Forwarded
Chairman
ap. Subclerk
DESPATCHED
30 JUN. 96

COLLECTOR
1 JUL 96
NORTH ARC

115546. 27-96
704. 27-4-96
1975-76. 24-11-95
12374. 1-2-95
14996. 16-7-95
1136

Forwarded
Recd. 27
Collector

28
1-9
18
27

76.5
misc.

Order No 1246 Mmis dt 27/7/96

Recorded:

2. As the well referred to in para
5 of the Chairman's letter has been
condemned by the Sanitary Com-
missioner, it should be closed
without further delay.

K.A.
27/7/96
W.S.
20-2-96

To The Chairman, M.C. Gudiyalam
Dy 27/7/96

When given for copying
When copied
When examined
When signed

189

READ AGAIN G.O., No.
189

DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B. -

A = Copy in full.
B = Not to be copied
P = Copy abstract only.
Q = Copy heading only.