1R

[L. & M.
9,000-3-8-96.]

# Local & Munl. (1896) Department.

MISCELLANEOUS.

**G.O., No.** 1280 M

**DATED** 3rd August 1896

---

[Despatch Abstract.]

Water-works.

Recording resolution of the Adoni Municipal Council regarding the provision of another syphon for the -----.

## BACK PAPERS.

| G.O. | No. | Department. | Date. | G.O. | No. | Department. | Date. |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |

## FURTHER PAPERS.

| G.O. | No. | Department. | Date. | G.O. | No. | Department. | Date. |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |

---

[ 7 ]

# INDEXED.

*Miscellaneous.*

LOCAL AND MUNICIPAL DEPT.

G.O., DATED 3. 8. 96.
No. 1280 M.

***When given for copying.***

---

[Despatch Abstract.]

Water Works

Recording resolution of the Adoni Munl Counl regarding the provision for another Syphon for the ——.

✓

Back Paper, No. of 189

Read again Order of Government, dated 189 , No. , Miscellaneous.

Further Paper, No. of 189

Enclosures.

Current No.

Statement with ditto.

Order of Government

Statement with ditto.

Papers not filed up, being meant for despatch in original (not paged).

N.B.—
A — Copy in full.
B — Not to be copied.
P — Copy abstract only.
Q — Copy heading only.

Copied by M.K.a

Examined by

---

Extract from the Proceedings of the Adoni Municipal Council dated 15th June 1896. —

Present: —

M.R.Ry S. Rama Iyer avl B.A Chairman.

Councillors: —

" P. Hanumantha Rao Garu B.A
" S. Bheema Rao Garu.
" G. Venkoba Rao Garu.
" A. Venkoba Rao Garu.
" T. Ranga Rao Garu.
" K. Virupaxiah Garu.
" M. Dhakappah Garu.
" T. Anniah Garu.

— a —

4. Read letter No 1802 dated 9th June 1896, from the Sanitary Engineer to Government Madras, informing that the cost of a 6" diameter syphon would be about Rs 1845. —

The question of providing funds for

for the second Sypphon will be considered when the necessary extensions Etc in Connection with the water-works have been carried out.

(Signed) S Ramu Iyer
Chairman
Anl

(True Extract)

S Ramu I
for Chairman
Anl

---

No. 241
Enclosures. —

OFFICE OF THE MUNICIPAL COUNCIL,
ADONI.

1st June 1896

Enclosure No 2
of letter No 3588
1896-97 —

From
Mkky S. Ramu Iyer avl B.A.
~~THE~~, CHAIRMAN,
MUNICIPAL COUNCIL,
ADONI.

To
The Sanitary Engineer
to Government
Madras

Sir,

In para 5 of your letter No 1614 of 31st March 1896, embodied in G.O. No 710 M. miscellaneous dated 29th April 1896, it is said that it would be an advantage if provision were made for a Second Sypphon, Cost of which is said to be Rs 3,000-0-0 & that there is money available with the Council. In this Connection I beg to State that the balance under new water works

works

works at the end of March 1896 was only Rs 4686-..-... Adding to this a sum of Rs 3000-..-.. provided in the current year's budget for the disposal of waste water at several fountains, the total sum which is available for expenditure is Rs 7680-..-... Of this sum Rs 650-..-.. have already been spent in re-setting the Syphon & the remainder Rs 7030-..-.. will be required to be spent on the works enumerated below:-

| | |
|---|---|
| (a) Improvement of the existing supply channel | Rs 1000-..-.. |
| (b) Compensation for lands to be included in the water spread of the Mallacheruvu tank. - - - - - | Rs 1000-..-.. |
| (c) Construction of a direct road to Head water works. | Rs 670-..-.. |
| (d) Construction of quarters for the water-works staff at the Head water-works | Rs 340-..-.. |
| (e) Repairs to existing Store Sheds | Rs 170-..-.. |
| (f) Disposal of waste-water at several fountains | Rs 1000-..-.. |
| (g) Provision for additional taps | Rs 3000-..-.. |
| | Rs 7180-..-.. |

2. Work (a). The overseer has prepared an estimate for Rs 1500-..-.., but I have not sent it up for your approval, as I thought that it would be better to have the head of the channel inspected by the Assistant Sanitary Engineer, so that it

it may be determined once for all what improvements are feasible & desirable in order to utilize the available supply to the fullest extent. —

(b) Calls for no remark. —

(c) A direct & short road to the Head works is obviously necessary.

(d) & (e). These are also necessary for the proper working of the water works —

(f) A sum of Rs 3000-..- was provided in the budget, but as at present advised, Rs 1000-..- is enough. —

(g) More taps & fountains are required. Many memorials have

been

been received from the inhabitants residing in several quarters of the Town, complaining of the want of such provision within easy reach of their houses, & experience also shows that there is need for more taps. People who have not these fountains sufficiently near their houses resort to wells in their neighbourhood. Many people still use well water for other than drinking purposes. The Sanitary Commissioner in his recent visit to the Town, insisted upon the wells being closed & the people being made to use the pipe water for all purposes.

Probably

Probably he will remark on this in his notes of inspection. Hence a sum of Rs 3,000-..-.. has been provided.

3. Under these circumstances I do not see my way to providing money for a second syphon at a cost of Rs 3,000-..-.. It is not possible to make any additional allotment for water-supply by transfer from other heads. I, therefore beg to be advised by you in the matter.

I have etc

(Signed) S Ramu Iyer
Chairman
Anl

(True Copy)

le

S Ramu Sh
Chairman
Anl

---

Government of Madras

Office of Sanitary Engineer

Fort. St. George. 4th June 18

Enclosure No 3 of letter No 358 of 1896-97

No 1435.

From.

J. A. Jones Esq. Mem. Inst. C. E.
F. R. S. E.
Sanitary Engineer to Govt,

To

The Chairman, Municipal Council,
Adoni

Sir,

In reply to your No 241 of 1st June 1896, I have the honor to inform you that the question is one for the Council to settle. I have no reason to believe now, that we know that the reason for the syphon failing was the cracking of a pipe (probably an old crack) that it is likely to fail.

le

Government of Madras
Office of Sanitary Engineer
Fort St George 9th June 1896.

No 1802.

Enclosure
No 5 of
letter No
358 of
1896-97

From.

J. A. Jones Esq. Mem. Inst. C. E.
F. R. S. E.
Sanitary Engineer to Govt.

To

The Chairman, Municipal Council,
Adoni

Sir,

I have the honor to inform you in reply to your No 267 of 8th June 1896 that a 6" diameter Syphon would cost about Rs 1845/- at present rate of exchange.—

I have etc
(Signed), J. A. Jones
Sanitary Engineer to Govt.

(True Copy)

Adoni Municipal Councils'
Office
Dated 10th July 1896

No. 358 of 1896-97.

CURRENT No. 2114 M

From.

MRRy S. Rama Iyer Avergal
B.A.
Chairman, Municipal
Council,
Adoni

To

The Chief Secretary
to Government.—
Local & Municipal Dept.
Madras.

Sir,

Cno. 1401 M
Lodgd.

In Continuation of my No. 151 dated 9th May 1896, I have the honor to submit herewith a copy of resolution No. 4 of the Council dated 15th June 1896, passed on the subject referred to therein together with the correspondence between this office

Adoni Municipal Councils Office
Dated 10th July 1896

No. 358 of 1896-97.

RENT No. 2814 M

From.

Mr. Ry. S. Rama Iyer Avergal B.A.
Chairman, Municipal Council,
Adoni

To

The Chief Secretary to Government.
Local & Municipal Dept.
Madras.

Sir,

In Continuation of my No. 151 Dated 9th May 1896, I have the honor to submit herewith a copy of resolution No. 4 of the council Dated 15th June 1896, passed on the subject referred to therein together with the correspondence between this office

Cur. 1401 M
Lrgd.

&

& the Sanitary Engineer on this Subject. —

2. The Sanitary Commissioner has remarked on the necessity for arranging for the safe conduct of the waste water from fountains to suitable points of discharge & on the need for an increase in the number of fountains. — What the first named work is likely to take up has yet to be ascertained.

I have the honor to be,
Sir,
Your most. obdt. Servt.

S. Rama h
Chairman
Anil

KC

Local & Municipal Dept.
2014 M
No.

716 M 29-4-96
Cur 1401 M/96 [illegible]

FROM THE CHAIRMAN,
Municipal Council,
Adoni.

To

The Chief Secretary
to Government,
Local & Municipal Dept.
Madras

N / Misc

order No. 1280 Mmis 3/8/96

Recorded.

Dated. 10th } July 1896
Received. 15 Jul 96

V.R. 28/7/96

W.W.S. 30.7.96

No. 358 Enclo.

ABSTRACT.

Submitting Correspondence between this Office & the Sanitary Engineer in regard to providing a second syphon referred to in G.O. No 716 M. Mis. Dated 29th April/96

Copy to the Sanitary Engineer. ✓

Desp. 4/8/96

(Further orders 27/7 27/7

---

When given for copying
When copied
When examined
When signed
} 189 .

READ AGAIN G.O., No. DATED
189 ,

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT .. .. .. A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH IN ORIGINAL.

N.B.—
A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.

Local & Municipal Dept.
No. 2614 M

✓

750 M 29-10-96
Ord 1401 M/96 Recd

FROM THE CHAIRMAN,
Municipal Council,
Adoni.

To

The Chief Secretary
to Government,
Local & Municipal Dept
Madras

N
Misc

Order No. 1280 Mmis dt 3/8/96

Recorded.

Dated. 10th July 1896
Received. 13 Jul 96

P.R.
28/7/96

WWD
30.7.96

No. 358 Enclo. 5

ABSTRACT.

Submitting Correspondence between this Office & the Sanitary Engineer in regard to providing a second syphon referred to in G. O. No 716 M. Mis. Dated 29th April /96

Copy to the Sanitary Engineer ✓

Despd 6/8/96

(with order) 27/7. a/27/7

---

When given for copying
When copied
When examined
When signed
} 189 .

Read again G.O., No. dated
189 ,

Current No.

Enclosures to C. No.

Order of Government .. .. .. A A A A A A A

Letter of Government.

Statement with ditto.

Papers not filed up, being meant for despatch in original.

N.B.—
A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.