

L. & M.
2,000-28-10-97.

Local & Munl. (1897) Department.

MISCELLANEOUS.

G.O., No. 2543 M

DATED 18-11-97

INDEXED. *CR*

DESPATCHED

[Despatch Abstract.]

Inspection notes

*Recording with remark, infor-
mation in connection with the
Sanitary Councils — on the
Elmore mill.*

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Local & Munl. (1897) Department.

CURRENT No. 3776 M

From The Chairman,
Municipal Office,
Ellore

Mun

Order. n^o. 2543 M Mun 8/18/11/97.

Recorded.

2. The concluding portion
of paragraph 3 of the Chair- Dated 26-10-97.
man's letter will be referred
to the Sanitary Commissioner Received 2-11-97
for report. Registered 2-11-97
Enclosures
Spare copies

SUBJECT.

Submitting the explanation
of points noticed in the
on the remarks made in
the Sanitary Commissioner's
proceedings inspection note
on the Ellore Municipality

To

The Chairman, M.C., Ellore

Sanitary Commissioner

Ord. 207 M 11/11/97

at 16/11/97

8/11

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Ellore Municipal Office.

Dated the 26th } October 97
Despatched 29th }

No. 380

FROM,

M-R-Ry.

C. SITARAMAYYA PANTULU GARU;

CHAIRMAN,

MUNICIPAL COUNCIL, ELLORE.

To,

The Secretary to Government
Local and Municipal Department
Madras.

Sir,

In reference to para 1(h) of G. O. No. 1908M dated 31st August 1897, I have the honor to report as follows:—

2. Para 3 of Deputy Collector's remarks.

The water in the well constructed on Garavattirani tank was baled out many times and the late Deputy Collector was aware of this as he used to live near to the tank and the well and as the matter was personally brought to his notice by myself, and it was mostly used in summer for drinking purposes. In this season hardly any use its water as the Garavattirani tank and the Kistri Canal are full with water. Its water was also used to a great extent when the tank and the Canal water was

prohibited for drinking purposes during the spread of Cholera. The well water is baled out now and then and instructions given to the tank watcher to watch the well water. In this connection it will have to be remembered that as the water in the well is not so sweet as tank water and consequently people prefer to drink tank water.

3. Para 4. of the Sanms.

The resolution was fully carried out by proclamation by beat of tom-tom and by placing a watcher temporarily on the Venkanna's tank till the tank was completely dried up. The water was condemned to be quite unfit for any purpose by the Sanitary Commissioners and the Council have also passed a resolution prohibiting its use. The Deputy Collector also admits that the water of the tank is unfit for any purpose. As the water of the tank is admitted not to have been used for drinking purposes, and as the water is admittedly bad for any use, there is no alternative but to close it; and, I am afraid that non-opening of a tank or water-source elsewhere. I or the S.M.

of people in that part of the town can be no justification for the Council, to allow the use of that tank water, condemned on all sides, either for drinking or domestic purposes. I may mention here that a sum of Rs 900 was provided in the Budget for filling in insanitary places and for boring of tub wells. If the Sanitary Commissioners should approve of boring a well on the head of the said tank, steps will be taken to bore a well there.

I have the honor to be
Sir,
Your most obedient servant

C. S. S. S. S. S.
Chamrao
26.10.07

FROM

The Chairman

Municipal Council

Ellore.

To

Dated

Despatched

Received

Encls:

No.

Subject

Reference.

Then given for copying

Then copied

Then signed

Then signed

189

AD AGAIN G.O., No.

189

, DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BRING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

A = Copy in full.

B = Not to be copied.

P = Copy abstract only.

Q = Copy heading only.