Date taken out.	For what purpose.			Initials of clerk taking the paper or of attender.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			

[illegible]

Local & Munl. (1897) Department.

MISCELLANEOUS.

G.O., No. 2840 M.

DATED 18-12-97

INDEXED.

DESPATCHED

Despatch Abstract.]

Water works Machinery at Trichinopoly —

Requesting the Munl Coml Trichinopoly to state whether it is prepared to part with the —— or at least one of the No 8 Pulsometer pumps or a twelve horse power boiler for the price fixed by the P.W.D or how it proposes to dispose otherwise of the machinery and requesting the Sanl Engineer to explain the difference in the valuations of the same made by him & by the Public Works Depart.t and why the machinery is stated to be incomplete

[illegible] required for [illegible] machinery will be re-[illegible] May

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
Cir. 5/h/98 (Para 2).							
Cir. 750 d/98							

[L. & M.] 300—2-12-97.

LOCAL AND MUNICIPAL DEPARTMENT.

Papers to be read in Proceedings:—

Again G.O., No. 1223-M, dated 17th May 1897.

Again G.O., No. , dated 189 .

Current No. 2723-M of 1897, dated 27th July 1897, from the Public Works Dep

" " 2875-M " 1897, " 5th August 1897, " the Chairman M.C. Trich

" " 3771-M " 1897, " 29th October 1897, " the Public Works Depart

Misc ORDER. No. 2840 M Misc 18/12/

The municipal counc
Trichinopoly is requested to s
whether it is prepared to part wi
machinery in question for the p
fixed by the Public Works Depart
in paragraph 1. of its Memoran
read above, or how it propo
dispose otherwise of the machinery,
~~is not taken over by Governm~~

2. The Government will
any rate, purchase one of the
pulsometer pumps and a 12. H
Boiler which are required for
execution of the Tirupati wate
if the municipal Council will
them at the valuation made
the Public Works Department. Sh
however the Council not agree to
it is requested to report whe

or at least one of the
two 8 Pulsometer pumps
and a 12 H.P. boiler,

the machinery will be re-
quired for

lend them for use at Tirupati
f so, on what terms.

2 &. In paragraph 5 of his
№ 1559 dated 19th May 1896,
ded of in G.O. № 1731. M, dated
tober 1896, Mr Jones estimated
alue of the Trichinopoly wate
orks machinery at Rs 13.387; but
e Public Works Department now fixes
at Rs 5.700. The Sanitary Engineer
requested to explain the great
rence between these two va-
ions and to state why the
al pieces of machinery are
ibed in the memorandum
Public Works Department as
mplete, and whether the missing
, if any, have not been sent
e Public works stores.

(From orders)

177

18-12-97

To
The Chairman M.C. Trichinopoly
" Collector of Trichinopoly
" Sanitary Engineer
" Public Works Department

[G. 25] 250—7-4-97.

LOCAL AND MUNICIPAL DEPARTMENT.

Again G.O. № 1223. M, dated 1st May 1897.
C. Nos 2723. M, 2875. M and 3771. Ry. of 1897.

SUBJECT.

Machinery at Trichinopoly.

H.M.

FOR ORDERS.

Please see the notes (paragraphs 1 to 4) and the orders in the Government order read above.

2. The Public Works Department estimates the value of the Trichinopoly waterworks machinery specified in paragraph 1 of the order above referred to, at Rs 5,700 against the Sanitary Engineer's estimate of Rs 13,387, and states that no portion of the machinery is required for the execution of the water supply schemes of Cocanada and Vizagapatam, but that one of the № 8. pulsometer pumps with a 12. H.P. Boiler is being repaired for despatch to the Tirupati waterworks. As regards the question whether the machinery will be required for [illegible] after be pay[illegible] dated 17th May from this it will be

the Public Works Department says that it can only be answered when the nature and locality of such works are known — vide Current No 3771-W.

3. The question for decision now is whether Government should purchase the machinery or whether the municipal Council of Trichinopoly should be left to make its own arrangements for selling it. The reply given by the Public Works Department as to the usefulness of the machinery in connection with the execution of future water-supply or other works is very indefinite. But considering that within the next two years many more water supply and drainage schemes will be undertaken by the municipalities in this Presidency and that under the recent orders of Government the Public Works Department will have to carry them out, there is no doubt that some machinery will be required for their execution, and it would be most advantageous for the municipalities concerned and for Government, if, instead of having machinery either at the cost

cost of one or more municipalities or Government, the present machinery of Trichinopoly is now purchased. One of the No 8 pulsometer pumps with a 12 H.P. Boiler is said to be required for the Tirupati water-supply scheme, and the municipal Council of Trichinopoly may probably want at least a pump and a boiler, seeing that an extension of the water works has been recently proposed which provides for additional wells and extra pumping. The municipal Council may therefore be now asked to report whether it requires any portion of its machinery now deposited in the Public Works Stores, in connection with the proposed extension of the water works. If it requires any portion, as it is likely to do, the balance may, it is submitted, be purchased by Government. The circumstances under which the machinery was purchased by the Sanitary Engineer are given on pag. 4 to 8 of the note for orders in G.O. No 1223-M. dated 17th May 1897 and from this it will be

Vide G.O. 2736 Mu 8.12.97

the Trichinopoly municipality with the whole cost of the machinery, especially in view of the large expenditure it has already incurred and is proposing to incur on the water-supply scheme. In the second letter read above, the chairman, municipal Council of Trichinopoly reports that the council is in pressing need of money as it has to meet some urgent demands in connection with its water-supply works, the payments made on account of which up to August 1897 are reported to have exceeded the revised estimate (Rs 5.18.255) of the cost of the scheme by Rs 2641-11-7, and requests speedy disposal of the machinery which has been removed to the Public Works stores under paragraph 1 of G.O. No 1223 M, dated 17th May 1897 and the adjustment of the sale proceeds thereof to the municipality. If the Government does not purchase the machinery, it is very unlikely that the municipality will find a ready market for it and the council will be

in G.O. No 1731-M 10-10-96

Government will not lose anything, as by following the arrangement suggested by the Sanitary Engineer in his letter disposed of in G.O. No 1261 M, dated 17th September 1893, viz. charging a certain percentage of the cost to every work on which it may be used hereafter, the amount which it has now to pay for it may be recovered within a few years.

4. If it is decided that Government should take over the machinery the price which should be paid for it and the rate at which its cost should be recovered from those municipalities in which it may be subsequently used, will have to be settled. The value of the machinery is estimated by the Public Works Department at Rs 5.700 or less than half the estimate of the Sanitary Engineer (Rs 13.387), which has been put down at four-fifths of the actual cost. (Rs 16.733), after making a deduction of one-fifth on account of the use of the machinery for a period of two years on the Trichinopoly water works

council of Trichinopoly will consent to part with the machinery for such a low price as that fixed by the Public Works Department. The municipal council may therefore be asked to state whether it accepts the valuation of the Public Works Department and how it proposes to dispose of it, if the Government does not take over the machinery. The rate at which contributions should be levied from such of the municipalities in which the machinery may be used hereafter, may be fixed at the 20 per cent of the cost of the actual machinery used, as suggested by the Sanitary Engineer in his letter disposed of in G.O. No. 1261-Mn, dated 19th September 1893, but it will perhaps be better to await the council's reply to the references proposed above, and to consult the Public Works Department before any definite conclusion is arrived at on this point.

H.I. BD

Y

H.I. M

5 If the Government decides not to purchase the machinery, the consent of the municipal

An explⁿ shd be obtained of the great diffce between Mr "Jones" & the P.W. Dept= of the value of the machinery. I see several articles are described in the P.W. lists as incomplete. Are they incomplete? Were the missing parts not sent by the P.W. Stores or what?

BS
15/12/97

I think these at least should be brought to the notice of the Council by the D.P.W.

which are stated to be required for the Tirupati water works, and the terms upon which the Council would lend them, will have to be ascertained.

P.P. 13/12/97

H.M. Please see note above.

H.I. 14.12.97.

A/S

Local & Munl. (1897) Department.

CURRENT No. 2723/M

From The Public Works Dept

Reference ~~Order~~ No. 866 dt 13.8.97.

The Public Works Department is requested to furnish, at an early date, full information on the several points referred to in paragraph 1. of P.O. No. 1223.M, dated 17th May 1897.

No. 2027/W

Dated 27.7.97

Received 28 JUL 1897

Registered 28-7-1897

Enclosures

Spare copies.

V.R
11/8/97

SJT 13/8

Copy dispatched to Mr. Chitty
RR

SUBJECT.

Communicating Correspondence in respect of whether the Machinery at Trichinopoly will be required for certain Water Supply Schemes newly sanctioned + ordering that the No 8 Pulsometer be forwarded to Chandragiri, N. Arcot Dt, for the Tirupati Water Works, if in good order.

Note It has to be decided first whether the machinery referred to in para 1 of P.O. No 1223.M, dt 17-5-97 should be purchased by Government, or whether the municipal Council of Trichinopoly should be left to dispose of it in any manner it may be advised to do; and for this purpose the information called for in para 1 of that order is necessary. Until this question is decided, no orders can be passed on the proposal contained in the above current. (vide para 4 of the note* for orders in P.O. No 1223.M dated 17th May 1897.)

* I.

To The Public Works Department

Dept 17/8/97

BACK PAPERS.

G.O.	No.	Department.	Date.
80	1223	W	17-5-97

FURTHER PAPERS.

G.O.	No.	Department.	Date.

LOCAL & MUNICIPAL DEPT.

2723 M

Public Works Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

Read the following:-

From the Superintending Engineer I Circle, No. 285 G.E.,

dated 22nd June 1897:-

With reference to G.O. No. 1545 W/9.6.97, I have the honour to inform you that the Machinery therein mentioned is not required in this Circle.

Letter from the Executive Engineer, North Arcot Division,

No. 313 S.E., dated 3rd July 1897:-

With reference to your No. 273/M.S., dated 16th ultimo forwarding for report G.O. No. 1545/W of 9th Idem, I have the honour to inform you that one of the two 8 H.P. Pulsometers will be required for the Tirupati water works. I request therefore that, if the machinery is complete and in good order, it may be issued sent to Chendragherl. It will eventually be returned to the Public Works Stores, when no longer required.

Endorsement thereon by the Superintending Engineer IV Circle, No. 369/W, dated 8th July 1897:-

Submitted to the Chief Engineer P.W.D. with reference to G.O. No. 1545 W, dated 9th June 1897.

Letter from the Executive Engineer, North Arcot Division,

No. 345 S.E., dated 9th July 1897:-

In continuation of my No. 313 of 3rd July 1897 I have the honour to inform you that the Pulsometer therein referred to is required complete with Boiler.

Endorsement

Endorsement thereon by the Superintending Engineer IV Circle, No. 384/M, dated 13th July 1897:-

Forwarded to the Chief Engineer P. W. D. in continuation of this Office endorsement No. 389/M, dated 8th July 1897

Order thereon No. 2024 W dated 27th July 1897.

Communicated to the Local and Municipal Department with reference to G.O. No. 1223 M, Local and Municipal, dated 17th May 1897.

2. A No. 8 Pulsometer if complete and in good order, should be forwarded to Chendragiri as requested by the Executive Engineer North Arcot Division.

(True Extract)

Under Secretary.

To

The Local and Municipal Department.

,, Superintending Engineer IV Circle.

,, - Do - V - Do -.

Local & Munl. (1897) Department.

SMS

CURRENT No. 2875-M.

To lie over pending receipt of reply* to para. 1 of P.W.D. No. 1223 M, dated 17th May 1897 from the Public Works Department.

V.R.
11/8/97

Order.

* In the draft reference on current No. 2723 M, linked with this, the P.W.D. has been asked to expedite this reply.

From The Chairman,
Municipal Council
Trichinopoly

No. 29

Dated 5th August 1897
Received 9 AUG. 1897
Registered —
Enclosures 1
Spare copies

SUBJECT.

Requesting that the Government will be pleased to issue early orders for the speedy disposal of the machinery removed to the Government Stores Madras and for the sale proceeds being credited to the Municipal funds.

BACK PAPERS.

G.O.	No.	Department.	Date.
Ms	2723	L/S/97	
"	1581	"	12-7-97
"	1223	"	17-5-97
"	714	"	27-3-97
"	1731	"	10-10-96

FURTHER PAPERS.

G.O.	No.	Department.	Date.

MUNICIPAL COUNCILLORS' OFFICE,

TRICHINOPOLY 5th August 1897.

No. 29

FROM, Khan Bahadur Khadir Nawaz Khan Sahib

CHAIRMAN,

Municipal Council,

TRICHINOPOLY.

LOCAL & MUNICIPAL DEPT.
CURRENT No. 2375 M.

To,

The Chief Secretary to Government,

Local and Municipal Department,

FORT ST. GEORGE.

~~Through the Collector of Trichinopoly.~~

SIR,

I have the honor to report that the revised estimate of the Water Supply Scheme was sanctioned for Rs 5,18,258 and that the total expenditure incurred by the Council in Carrying out the Scheme up to date amounts to Rs 520. 896-11-7. as per the annexed statement, which is Rs 2,641-11-7. more than the sanctioned estimate. The Sanitary Engineer to Government has already sent me for payment 3 bills amounting to Rs 3,112-12-0 for rents of two machines for a period of 31 months & for the Cost of unloading them & may be sending me more bills.

Go 1731 M
10-10-96

2. At the Suggestion of the Sanitary Engineer to Government, Credit was taken in the Current Budget Vide G.O. No 714 dt 27.3.97 for Rs 13,390 under "Refunds of Expenditure of previous years" being the value of the machinery to be sold after the Completion of the works. I beg that the Government will be pleased to issue early orders for the speedy disposal of the machinery which have been removed to the Government stores, Madras, and for the Sale proceeds being Credited to the municipal funds. At present as both the Jail & the Railway Department have withheld payment of their share of working expenses, the municipality is short of funds and hence this application

I have the honor to be
Sir
your most obed Servt

K Venkata Rama Iyer

Chairman

Statement showing the total expenditure incurred on Water works upto date

Description	Amount Rs	as	p
Amount expended upto 31st March 97	500,499	13	9
Amount spent in the Current year upto date	2,486	7	5
Amount outstanding in the Shape of advance to Contractor B. Swaminathan Pillai	17410	6	5
Do to the Sanitary Engineer to Govt	500	0	0
Total expenditure	520896	11	7
Revised Estimate Sanctioned in G.O. No 1731 dt. dated 10.10.96.	518255	0	0
Excess Spent	2641	11	7

Municipal Office
Trichinopoly
5th August 1897.

K Venkata Rama Iyer

Chairman

Local & Munl. (1897) Department.

CURRENT No. 3771/97

From The Public Works Department

Order

No. 4425c

Dated 29th October 1897

Received /- 11-97

Registered

Enclosures

Spare copies.

SUBJECT.

Machinery from Trichinopoly -
stating with remarks
the approximate valuation
of the — with reference to
Memo No 866 Local and Municipal
dated 13th August 1897.

1/2875 Nov 97

BACK PAPERS.

G.O.	No.	Department.	Date.
Endt	866/97		
Co	1223	do	17-5-97
Con	2875	May/97	Encloses
"	1581	do	12-7-97
"	714	do	27-3-97
"	1731	do	10-10-96
"	1261	do	19-9-93

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 4425c

Government of Madras.

PUBLIC WORKS **DEPARTMENT.**

LOCAL & MUNICIPAL DEPT. 3771 /97

MEMORANDUM.

Dated Madras, 29th October 1897.

With reference to Memorandum No. 866 Local and Municipal dated 13th August 1897, the undersigned has the honour to state that the machinery received into the P.W. Stores from Trichinopoly is valued approximately as follows:-

Pulsometer Pumps No. 8 Incomplete.	2.....	Rs. 700 each.
-Do- No. 7	1.....	,, 500.
12 H.P. Boilers.....	3.....	,, 900 each.
Merry weather Valient Engine Incomplete..	1.....	,, 1000
Force Pump.....	1.....	,, 100
Favourite Donkey Pump.....	1.....	Value included in the Boilers.

2. The machinery is not required for the execution of the water supply schemes of Cocanada and Vizagapatam, and one No. 8 Pulsometer pump with a 12 H.P. Boiler, is being repaired for despatch to the Tirupati water works.

3. Whether the machinery will be required for works which may hereafter be sanctioned by Government can only be answered when the nature and locality of such works are known.

Acting Secretary.

The Local & Municipal Department.

P. W. 41
1,000—14-7-97