

Local & Munl. (1897) Department.

MISCELLANEOUS.

G.O., No. 1159 lu

DATED 10th May 1897

[Despatch Abstract.]

Bubonic Plague. Communicating to the
Collector of North Arcot endorsement of
the P. W. D. regarding the lighting of
Arkonam, and directing him to supply
hand lanterns to the inspecting staff.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

L. & M.
1,000-11-11-98.

Local & Munl. (1897) Department.

CURRENT No. 46/004

mis order No 1159 M mis 4/10-5-97 From The S. W. D (Ry Br)

Communicated to the collector of North Arcot ^{who will} ~~for supply~~ hand lanterns with reflectors to the examining staff at Arkonam.

No. 132.D

2. The collectors of ~~Arkona~~ ¹⁰⁷⁵ ~~one, Comblatore and Kishna~~ will be requested to report whether proper lights are used by the examining staff at Guntakal, Podam & Konda-palli respectively.

Dated 6.5.97

Received 7.5.97

Registered 21 27 23

Enclosures

Spare copies

SUBJECT.

Stating that arrangements for providing additional lights at Arkonam station for the purpose of carrying out plague inspection should be made by Govt.

To the collector of N. Arcot -
Angultham
Comblatore
Kishna

copy to the Supt. Genl. Sd. Govt.

Prop. 12.5.97

L & M. C. No 46/6043

PUBLIC WORKS DEPARTMENT,
RAILWAY BRANCH,

RAILWAY BRANCH,

Local and Municipal Department

James H. Spring
Offg: Joint Secretary.

examination this reply by letter despatched 13th April.

IV. Letter from the Agent and Manager, Madras Railway, No.
9553/413, dated 29th April 1897.

With reference to your telegram of the 22nd instant I have the honour to inform you that on enquiry it is found that the platforms at Arkonam are amply lighted for all ordinary purposes, for dealing with passengers entering into, and alighting from the trains, and it does not appear to devolve on the Company to supply hand lanterns to the Medical Staff for carrying out plague inspection.

2. The Medical Officer on special duty at Arkonam states that hand lanterns with reflectors if supplied to the Examining Staff will suffice, and it is requested that Government will be so good as to supply these additional lights.

When given for copying _____
When copied _____
When examined _____
When signed _____

189

READ AGAIN G.O., No.
189

DATED

CURRENT No.

ENCLOSURES TO G. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTERS OF GOVERNMENT

STATEMENTS WITH DETTO

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only