

Local & Munl. (1898) Department.

MISCELLANEOUS.

G.O., No. 537P

DATED 4-6-98

[Despatch Abstract.]

Disinfecting apparatus

Recording letter from the
Sanitary Commissioner stating
that the ——— for Tungabhadra will
be sent on 30th May 1898

G.O.

G.O.

Presidency B. B. Workshops,
Madras, 4.5.1898.
SECRETARY TO GOVERNMENT
LOCAL & MUNICIPAL DEPARTMENT
MAY 1898

Dear Mr. Trenchard,
I send you
the information
you wish for
Yours truly,
J. M. King

5/4/98

Dear Dr. King
I am sorry
the disinfectant is not
ready yet and will not
be completely fitted up
for 3 or 4 days more.
We have been very
busy with it working
over time and Sundays.
It is not easy to estimate
how long a work like

Local & Munl. (189) Department.

CURRENT No. 827 P

From

The Sanitary Commissioner
for Madras

Order No. 537 P. mis d. 4.6.98

Received

[Signature]

No. 1204
5

Dated 28th May 1898.

Received

Registered

Enclosures

Spare copies.

Note. The H.M. asked for this information

vide S which was prepared under his

oral instruction (i. memo. No. 18 P. d. 12.5.98)

[Signature]
28/5/98

SUBJECT.

States with reference to
GO No. 510 P. mis dated 25th May
1898 that the disinfecting
apparatus will be sent on
30th instant.

BACK PAPERS.

G.O.	No.	Department.	Date.
"	570	P. M. S.	25-5-98
"	671	18 P. M.	12-5-98
"	352	AP. M.	16-4-98

FURTHER PAPERS.

G.O.	No.	Department.	Date.

[2,000-18-2 98.]

Plague
No. 1204
S.

No 827 P
OFFICE OF SANITARY COMMISSIONER,
Fort St. George, 28 May 1898.

From

SURGEON-LIEUT.-COL. W. G. KING, M.B., C.M., D.P.H.,

SANITARY COMMISSIONER FOR MADRAS,

To

THE

Secretary to Government
Local & Municipal Dept.
Cotacamund.

Enclosure.

SIR,

With reference to G.O. No 510 P. M. S. dated 25th May 1898, I have the honor to state that the delay in the delivery of the Disinfecting machine was due to difficulty in manufacture. The machine is now ready and the Superintendent & P. W. Workshop reports that it will be despatched from here on Monday the 30th instant.

I have the honor to be
Sir

Your most obedt Servt.

W. G. King

Surbr: Lt Col.

Sanitary Commissioner
for Madras

When given for copying _____
 When copied _____
 When examined _____
 When signed _____

189

READ AGAIN G.O., No. _____, DATED
 189 _____

CURRENT No.

ENCLOSURES TO G. No.

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
 IN ORIGINAL.

N.B.—

A = Copy in full.
 B = Not to be copied.
 P = Copy abstract only.
 Q = Copy heading only.