

30/8/98 ✓
21-12-10 ✓

H

[L. & M.]
[5,000-15-6-98.]

Local & Munl. (1898) Department.

MISCELLANEOUS.

G.O., No. 1476 M.

DATED 22-8-98.

DISPATCHED
INDEXED.

[Despatch Abstract.]

Budget.

Passing remarks on the explanation
of several points noticed in the
Calcutta Municipal — for 1898-99.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
Co. 2989	1/5/98						

Local & Munl. (1898) Department.

CURRENT No. 1496

COLLECTOR

28. APR. 1898

MALABAR

From

Order. Ref.

618
21/5/98



No. 429

The Chairman is requested to furnish full information on the several points referred to in para. 4(2) of G.O. No. 623. in dated 22nd March 1898.

V.R.
16/5/98

SLM
18.5.98

Dated 19th April 1898

Received

Registered

Enclosures 1

Spare copies

SUBJECT.

Submitting the report called for in G.O. No. 623. in dated 22nd March 1898 (Local & 2d) and requesting, with remarks that the house tax should

The Chairman. M. C. Calicut

this the Collector of Malabar

Dup 21/5/98

P.T.O.

not the raised was forwarded

17/5/98

30-4-98

W. Mansoor
22/5/98

unanimously 7 opinion

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

⑧ The balance in ~~the~~ brought in Rs. 177⁰⁰
Add Rs 2000, being the prop
- vision for water supply now
struck out -

V.R
16/5/98

86598

To The Chairman, M. C. Calicut
" Collector of Malabar.
" Sanitary Engineer
Dy 23/8/98

Extract from the proceedings of the Municipal Council Calicut passed at a meeting held on the 18th April 1898.

Proceed

Mr. J. L. Saldanha Chairman
 Mr. R. R. K. Krishnan Muni Nair as? Sahodhar
 Mr. J. Mathai
 Mr. R. R. P. Karunakara Menon as?
 " P. Krishna Menon "
 " C. Peru Moopan "
 " C. overjee Andeshi "
 Mr. J. W. Gomes
 Mr. R. R. K. Nagappa Nair as? B A, B L
 x x x x x

3. Read G. O. N^o 623. n. dated 22nd march
1890 reviewing the Calicut municipal
budget for 98-99.

The Council is unanimously of opinion, that the house tax should not be raised. It was revised only last year raising the demand from B 24638 to B 27032. The inhabitants already complain of the increase and any further enhancement will result in great hardship. The provision of B 2000/- for water supply will not probably be utilized during the year, as no scheme has as yet been devised. The Council will do its best to effect savings wherever possible and meet its liabilities year by year. It is noted that the Government

unanimously 2 of opinion that the
tax should not be levied as it

government should have struck
off the provision for the maulleau
bridge which is badly wanted,
because the Director of
Public Instruction forgot to
make a provision for the girls'
schools, the cost of which is not
a legitimate charge on the
municipality.

(sd) J. L. Saldanha
Chairman

(True extract)

J. Saldanha

Chairman
20. 4. 98

1/1496m/98

sd

20

C 77: 375
C 77: 295

Municipal Council

LOCAL & MUNICIPAL DEPARTMENT
CURRENT No. 1496

From

M. J. L. Saldanha
Chairman, municipal Council

The Secretary to Government
Local & municipal department

And the Collector of Malabar

Sir

With reference to para 3
G.O. No. 623. M. dated 22nd March 98
(Local and municipal) req. that
the municipal Council to show cause
within one month from the date of
the order why the tax on buildings
should not be raised from 7 1/2 per
cent to 8 percent of their annual value
have the honor to submit herewith
copy of a resolution of the municipal
Council passed at its meeting held
on the 18th instant, from which it will
be observed that the Council are
unanimously of opinion that the
tax should not be raised as it will
be a hardship on the ratepayers.

inhabitants of Calicut already
plain of the existing assessment,
and any further enhancement
will result in great hardship.

4 (2).

No scheme has finally been
settled by the Sanitary Board for the
supply of water to the mofla
workers from the monachira tanks
and consequently the provision of Rs 2000/
under "water supply" will not probably
be utilized during the year. In
this connection the attention of
Government is invited to G.O. No.
S.B. No. 110 dated 31st March 1896.
The information required by the
Sanitary Board has been furnished
to the Sanitary Board Engineer
in this office letter dated 5th January
1898 H. 15.

I have the honor to be,
Sir,

Your most obedient servant

T. S. S. S.

Has this
come on
to us?

We had better get
it first before doing
the rest.

5/3

16.5.98

The papers furnished give no reason
for believing in the correctness of
the statement that the money will
not probably be required. I have
however initialled the draft & it can
go. As regards we can see of this

pointed out
5/3
16.5.98

1/7/98

C No. 375-78

This is the Collection of Revenue

Local & Munl. (189^s) Department.


CURRENT No. 2022

COLLECTOR

5-JUN-1898

MALABAR

From



No. 286.

Reference 747
Order. 1/7/98

The Sanitary Engineer is requested to state whether the sum of Rs 2000 provided in the Calicut Municipal budget for 1898-99, for deepening the Mananchira tank and supplying its water to the Mappila quarters is likely to be required in the current year.

Dated 31st May 1898

Received

Registered

Enclosures

Spare copies

VA
24/6/98
a/c 27/6/98

SUBJECT.

Furnishing information on the several points referred to in para 4(2) of G.O. No. 623.2. dated 22nd March 1898 (Local)

To
The Sanitary Engineer.
Date 1/7/98

23/6. 22/6

BACK PAPERS.

G.O.	No.	Department.	Date.
	618/98		
	623		22-3-98

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Municipal Office

Calicut 31st May 1898

From Mr. J. L. Saldanha Esq.

Chairman Municipal Council

LOCAL & MUNICIPAL DEPARTMENT

CURRENT No. 2022

The Secretary to Government

Local & Municipal Department

Madras

Through the collector of Malabar

Sir

With reference to your memorandum N. 618 dated 21st instant, I beg to report that Rs 2000/- were provided for deepening the mananchira tank and supplying its water to the mofla quarters for the use of its inhabitants, as the water of that part of the town was considered to be exceptionally bad and unwholesome for drinking purposes. Before deepening the tank, it was considered advisable to sink a pot well by its side and ascertain the nature of the lower strata. This has been done and the specimen of the soil has been forwarded to the Sanitary Engineer to the Government of Madras with whom the matter is now pending. The nature

2 The work to be carried out
in this connection has not been
settled nor any plan and
estimate prepared and approved
by competent authorities. As
this may take some time the
provision may be struck out
thus obviating the necessity for
raising the house tax this year.

I have the honor to be,

Sir,

Your most obedient servant

J. S. S. S.

Chairman

End on en^o 375 950.

Forwarded.

Calcutta
8. 6. 98

2
3

cc.

W. S. S.
ag. Collector

Local & Munl. (1898) Department.

CURRENT No. 2245M

From

The Sanitary Engineer to Govt.

Order

No. 1138

Dated 4th. July 1898

Received

Registered

Enclosures Nil

Spare copies

SUBJECT,

Calicut Water Supply.

Stating that it is unlikely
any funds will be required during
1898/99 in connection with the supply
of water from the Mananchira tank.

BACK PAPERS.

G.O.	No.	Department.	Date.
	747	198	

FURTHER PAPERS.

G.O.	No.	Department.	Date.


S. E. 1,000-6-12-97.
6.

No. 1138

GOVERNMENT OF MADRAS.

OFFICE OF SANITARY ENGINEER,

Fort St. George, 4th. July 1898.



From

J. A. JONES, Esq., MEM. INST. C.E., F.R.S.E.,

SANITARY ENGINEER TO GOVERNMENT,

To

The Secretary to Government,

Local & Municipal Department.

Sir,

In reply to your reference No. 747 of 1st. July 1898, I have the honor to state that it is unlikely any funds will be required this year in connection with the scheme for a supply of water from the Mananchira Tank.

2. The decision as to whether the scheme should be proceeded with rests with the Sanitary Board to whom I have furnished the results of the borings and made certain proposals but it will take some time before the design can be put in hand even if the scheme is decided on and work will certainly not be begun during the current year.

I have the honor to be,

Sir,

Your most obedient servant,

Sanitary Engineer to Government.

When given for copying _____
When copied _____
When examined _____
When signed _____

189

READ AGAIN G.O. No. _____, DATED
189 .

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

- A = Copy in full.
- B = Not to be copied.
- P = Copy abstract only.
- Q = Copy heading only.