

For three months as desired with

[L. & M.
2,000-6-4-99.]

Local & Munl. (1899) Department.

MISCELLANEOUS.

G.O., No. 1718 M

DATED 20/11/99

[Despatch Abstract.]

Water Supply

Requesting the Munl Council of
Vegapadam to place a further sum of
Rs. 3000 at the disposal of the Sanitary
Engineer for the investigation of the
of the town.

For three months and a half

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
Cr 652	1/1/00						
Cr 809	1/1/00						

Local & Munl. (1899) Department.

CURRENT No. 2924 m



From

The Ag. Sanitary Engineer to the

No. 1445

Order No 1718 p.m. 11/11/99

The Municipal Council of Negapatam is requested to place a sum of Rs 3065 at the disposal of the Sanitary Engineer for the investigation of the water-supply scheme for the town.

17/11/99

11/11/99

Dated 11 November 1899

Received 13th Nov 99

Registered

Enclosures

Spare copies

SUBJECT,

Negapatam Water Supply

Informing that further enquiries are necessary regarding the preliminary investigation requested to be made with reference to the submitting for sanction a rough estimate of the probable amount required for the same with remarks.

Note The estimated balance in the budget for 1899-1900 is Rs 6950, of which Rs 4000 are reserved for expenditure on the water-supply scheme. The Municipal Council will have no difficulty in paying the amount in question.

The Sanitary Engineer
Chairman, M.C. Negapatam
through the Coll. of Dargah
21/11/99

BACK PAPERS.

G.O.	No.	Department.	Date.
	339	duke	9-3-99
	266	duke	27-2-99

FURTHER PAPERS.

G.O.	No.	Department.	Date.

S.E. 1,000-17-1-99.

No. 1445

GOVERNMENT OF MADRAS.

OFFICE OF SANITARY ENGINEER,

Poonamallee Road (Park Town),


Madras, 11 November 1899.

From

A.A.G. Malet Esq., A.M.I.C.E.
J. A. JONES, Esq. MEM. INST. C.E., F.R.S.E.,

AG. SANITARY ENGINEER TO GOVERNMENT,

To



Local and Municipal Department.

Sir,

The Ag. Chief Engineer in his No.1026 C, dated 17th February 1899 ordered certain preliminary investigations to be made with reference to the Negapatam Water Supply. Out of the Rs.1,000 mentioned in G.O. No.339 M Mis dated 9th March 1899 the Municipal Council of Negapatam placed Rs.800 at my disposal and the outlay incurred up to date is Rs.696.

2. The investigation already made shows that further enquiries are necessary.

3. The chief points on which information is required are

(1) The best site for the off-take in the Vettar.

(2) The quantity of sub soil water available in the bed of Vettar.

(3) The quality of this water.

4. I cannot state with any accuracy the funds I require for this investigation until I have inspected the locality.

It is no use doing this now but I hope to be able to do it in December when there will be less water in the river.

5. I however enclose a rough estimate of my probable requirements based on an examination of the records and I have the honour to request that the amount of this estimate may be placed at my disposal by the Municipal Council of Negapatam, in addition to Rs. 1,000 already sanctioned in G.O. No. 559 M Mis. dated 9th March 1899.

6. I shall probably require Rs. 1,500 before and the rest after the 31st March 1900.

ESTIMATE.

	Rs.
Forming a temporary dam across the Vettar near Vengaramwadi placing a discharge Notch in the same and protecting with turf and rough stone.	500
Constructing and sinking a well in bed of river 6' internal 8½' external diameter 10' high. The lower 5' brick in mud plastered and the upper 5' brick in cement filled with 3 ft of broken stone at bottom.	300
Pumping with a 12 Horse power portable engine and a 6' Gwynnes centrifugal pump for 2 months including cost of staff.	1,800
Taking 24 borings at different sites.....	120
Surveyor & 4 lascars for 1 month.....	200
Contingencies 5 %.....	145
	<u>3,065</u>

7. As my arrangements for pumping plant which will certainly

be required must be made now, I submit this rough estimate which will if necessary be revised after I have inspected the locality.

I have the honour to be,

Sir,

Your most obedient servant.

Alfred Hunt

Ag. Sanitary Engineer to Govt.

When given for copying _____
When copied _____ } 189
When examined _____
When signed 24/11

READ AGAIN G.O., No. _____, DATED
189 .

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT A A A A A A A

LETTERS OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BRING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—
A = Copy in full.
B = Not to be copied
P = Copy abstract only.
Q = Copy heading only.

When given for copying _____
When copied _____ } 189
When examined _____
When signed 20/11

READ AGAIN G.O., No. _____, DATED
189 .

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DETATCH
IN ORIGINAL.

N.B.—
A = Copy in full.
B = Not to be copied
P = Copy abstract only.
Q = Copy heading only.