

Disinfecter

PROCEEDINGS OF THE PLAGUE COMMISSIONER.

(1899)

Miscellaneous

PRINTED.

No. 1079

DATED 17-4-99

Indexed *H.S.*
21.4.99

[Despatch Abstract.]

Disinfection apparatus

Recording papers relating to the — with the remark
that the question of disinfection may be considered
when it is decided ^{whether} ~~that~~ ~~the~~ disinfection should be
made at Penikonda or not.

BACK PAPERS.

No.	Date.	No.	Date.
920	920 8 26 8 98		

FURTHER PAPERS.

No.	Date.	No.	Date.

Local & Munl. (1899) Department.

CURRENT No. 861



C No. 109 + 861/889 From

Shel allister
Aday taper

Ref. No. 139

There is plague at Hurdapur
its elf. and in several villages
in Gooty taluk & the inspection
Station at that place does not
protect any large area. it
disinfecting apparatus would be
mounseful at the newly proposed
Station at Tadpatra.

Dated 18th January 1899

Received 21-1-1899

Registered 21-6-1899

Enclosures 1

Spare copies

SUBJECT.

Forwarding copy of letter
from the Senior Asst Surgeon
on the working of disinfection
work at Hurdapur

Long
21/1/88

P.S.
Guntur

2

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Ch 881 3

ANANTAPUR COLLECTOR'S OFFICE,

Dated 19th January 1899.

Ref No. 139

19/1/99

FROM

Barnabye Machod Esq. M. A. Bar: at Law

COLLECTOR OF

Anantapur,

To

THE

Plague Commissioner
Madras,

SIR,

Enclosures.

With reference to your Ref No C No 109 of 99 dated 5th instant, I have the honour to forward herewith copy of letter from the Senior Assistant Surgeon in charge of the Plague Inspection Station Hindupur, No 17 dated 18th idem regarding the disinfection of passengers and their clothing at Hindupur Camp.

I have the honour to be

Yours most obedt servant

Machod

Collector

Atty

REVENUE DEPARTMENT.

FROM

THE COLLECTOR OF

Anantapur,

TO

THE

Dated

Despatched

Received

No.

ENCLOSURES.

SUBJECT.

No 17

5
Hindupur
18th January 1899

From

The Senior Assistant Surgeon
on Plague duty

To

The Collector
Anantapur District

Sir,

In reply to the Plague Com-
missioner's letter No 109 dated 5th January
a copy of which sent to me for report
under your Minute No 132 of the 11th inst.
I have the honour to report that the disinfection
of the clothing of passengers from infected
areas are steeped in a solution of Perchloride
of mercury, 1 in 1000, dried out in the
sun and given back to the people after
having their bath in the disinfectionist's
to those kept under observation for a
longer time their clothes are given to the
dobbies previously disinfected.

I am &c

(Signed) J. Todd

Senior Asst Surgeon
on Plague duty

(True Copy)

M. M. M. M.

Collector

PLAGUE COMMISSIONER'S OFFICE.

(1899)

CURRENT No.

109

From

The Sanitary Commissioner,
Madras

Order

No.

Dated 4-1-1899

Received 4-1-1899

Registered 4-1-1899

Enclosures 3

Spare copies

SUBJECT.

Forwarding the com-
pendium regarding the
disinfecting apparatus.

BACK PAPERS.

No.	Date.
80889 P d	24-8-98
" 1101 m d	6-5-97
816 M d	6-4-97
" 963 P d	30-8-98
581 P d	16-6-98
5371 d	4-6-98

FURTHER PAPERS.

No.	Date.
571 P d	25-5-98
570 P d	25-5-98
352-APP	16-7-98
+ 24 P d	22-3-98
+ 246 P d	22-3-98

900-27-4-08.

No. *900-27-4-08.*
Office of Sanitary Commissioner,
P. C. Madras, *4/1/1898*

Ref
Dear Mr. Buckley—
Jan Telephone re
para 2 f.6 re 820. P d
dated 26 Aug.

I send you the
correspondence on the
subject. You will
see that we must
under be required for
date of giving order; the
cost would be Rs 1200
each enclosure of boiler.
The under add for Rs 300
to Rs 500 to the cost of each.
Yours sincerely
W. King.

Presidency P. W. Workshops,
Madras, 5-9-1898.

Dear Dr. King,

The disinfecting apparatus sent
to Jalarpet is just the same as the one you
saw only more strongly made.

I sent a man to fit it up last
Wednesday. I do not know how far he has
advanced with the work but I should
think it will be possible to work and test
it in a very few days.

I find that the constant screwing
up of the doors tells in time on the flanges
which to stand this repeated action ought
to be very much more strongly made. I
strengthened the flanges of this second one
but for long continued use I think the flanges
ought to be differently made so as to be
stronger and stiffer. However I hope these
machines will do for this plague.

They tell me that orders have been
issued to steam the things at Tungabadra
for half an hour and that this rots the
woollen articles. I do not know how
far

for this is true but it seems a pity
if a shorter time will do the work effect-
ually without damage.

Yours faithfully

(LD) H. Moss.

(True copy.)

Office of Sanitary Commr.,¹³

Madras, 27-9-1898.

Dear Mr. Moss,

Some confusion exists; as your
reply to my query from Manchester does
not apply.

On the 5th September I sent
you a G.O. of which I enclose copy of
the para in question, I do not find I
have received from you replies on the
points raised by Govt. Would you now
kindly tell me how far you can meet
my requirements?

Yours sincerely

(LD) W. G. King.

(True copy.)

15
Presidency P. W. Workshops,
Madras, 28-9-1898.

Dear Dr. King,

There must be something wrong. I do not remember anything about the G.O. You have sent the extract from and I can find no record in my office of any communication from your office about or after Sept. 5th. The letter and G.O. must have gone astray.

There are two air receivers in stock. They are much smaller than the last we used being only 3' in diameter tho 8' 6" long. If you could spare the time to come and see if they would serve I could put the work in hand at once. If nothing unforeseen happens they could be finished in about a month. The cost would probably be about Rs 1200 each - exclusive of boilers. That little launch boiler would I think do for one. We should have to look out for a boiler for the other.

Yours faithfully,

(L.S.) H. Moss.

(True copy.)

Dated _____ 189

To the Coll. of Amantapur

Li.

With reference to para 6
of go no pag 9. d/24-RP

I have the honor to enquire
what is being actually done at
Hindupur ^{by Station} in the way of
disinfecting the person & clothing
of sick people coming from the
infected parts.

W.S.

Long
5/1/89.

Please despatch
 & return papers intact

MS
4799

Sept. 6/1999

18
Ref on CMO 109 299

the undersigned requests
the favour of a very early
reply to the communication
noted on the margin.

With reference to the
above mentioned communication
the undersigned requests
the favour of a very early
reply to the communication
noted on the margin.

To
The Collector of Anantapur
Dated: 16/1/99
Respectfully,
[Signature]

Ref on CMO 109 299
"Disinfection of passengers and
their clothing at Hindupur Camp"

16/1/99

19
2/16/1
Ref on CMO 109 299

The undersigned requests
the favour of a very early
reply to the communication
noted on the margin.

(cc/
Plague Commission)

16/1/99

16/1/99

To
The Collector of Anantapur

Dated: 16/1/99

X Despr
Please return
this file intact
after despatch
NMS

20

Ref. in 1/10 1898

The committee report
the favour of a well
equipped to the
in the morning

The committee report
the favour of a well
equipped to the
in the morning

The committee report
the favour of a well
equipped to the
in the morning

NOTE FOR THE

21

Order complete.
Letter only.
Order complete with Letter.

first copy
Returned
Despatch
Read again

A disinfectant is
required for
the drainage
in the
the drainage

29

The Sanitary Com. got
the disinfecting apparatus for
Tungabhadra & Jalapah made
at R. W. Workshops. The
machines are much better
than that supplied to
by S. M. Ry.

The R. W. Workshops require
a month's time to make one.
The cost is estimated at
Rs 1200 without boiler or
Rs 1500-1700 with boiler - viz
Chs 109.

Long
7/188
has been a disinfectant
apparatus at the
larger. for the
hanger in the

Thompson
G. S. 2291. d. 24-1-98.
11/11/98 d. 6-5-98
11/11/98 d. 6-5-98

u 29 B

Geo. $\frac{352-AP}{16-4-98} + \frac{920 P}{26-8-98}$ and

Connected papers are put up.
Reply to latter fo is not
traceable.

MS.
2/1/99.

20

Handwritten notes at top of page 20

*the construction of a new camp
at the corner of the main
road in the village*

*the construction of a new camp
at the corner of the main
road in the village*

*the construction of a new camp
at the corner of the main
road in the village*

21

Handwritten notes on page 21, top section

Handwritten notes on page 21, middle section

Handwritten notes on page 21, bottom section

First copy
Returned for
Despatched
READ AGAIN

1,000 - 10-98.

23

NOTE FOR THE

Telephone message from
Magne Comas to
Sanitary Comd.

Please send me a copy of your
reply to para 2 of S.O. No
920 P. of 26. 8-98 regarding
the construction of two more
disinfecting apparatus

Long
2/1/99
for S.C.

Self above & keep file
intact Long
2/1/99

(To be returned)
after despatch

Sup. C.B.

for Reply, vide C.M. 109.
M.H.P.

NUMBER OF COPIES
REQUIRED. Order complete.
Letter only.
Order complete with Letter.

20

1909-1910

The committee on the
subject of a new
building for the
department has
been in the
process of

It is proposed
that the
department
be moved
to the
new building
in the
city of
Washington
D.C.

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

24

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

The committee
has also
considered
the
question
of the
rent of
the
new
building
and has
recommended
that the
rent be
fixed at
\$100,000
per
year.

First copy
Returned for
Despatched
READ AGAIN

[L. & M. Dept.
500-23-107.]

NOTE FOR THE

25

NUMBER OF COPIES
REQUIRED. { Order complete.
Letter only.
Order complete with Letter.

It must be
over home & the
a dinner is
being kept for
the dinner
dinner to make
the dinner

23 6
Show papers
and make
draft
12/1/88
Please see the file
Submitted. A
draft reminder
is also put up.
16/1/89. 16/1/88

READ AGAIN No. 189