

PROCEEDINGS OF THE PLAGUE COMMISSIONER.

(1899)

MISCELLANEOUS.

No. 1172

Dated 1-5-99

Despatched 1-5-99

Induced by

[Despatch Abstract.]

Plague shed, Gudusethipalli.

Approving the action of the Collector of N. Arcot in having ordered the re-erection of the certain shed which has been destroyed by fire.

BACK PAPERS.

No.	Date.	No.	Date.

FURTHER PAPERS.

No.	Date.	No.	Date.

PLAGUE COMMISSIONER'S OFFICE.

(189)

CURRENT No. 4539

C.N.O. 4337 & 4559

Progs.

Letter

Ref.

No. 1172 2/1/5/88
7/1/5/89
Approved

Done
28/4/88

5/2

From

The collector of
North Arcot

To collector of North Arcot (P.O.)

No. 1142
18/4/89

Despatched 1/5/89
H

Dated 24-4-89

Received

Registered

Enclosures nil

Spare copies

SUBJECT.

Reporting that the shed
at Jannissetty Palace
but not by, two have been
ordered to be erected,
as the Hospital authorities
cannot get accommodation
in the village
even for a few days.

BACK PAPERS

No.	Date.

FURTHER PAPERS

No.	Date.

Plapre

NORTH ARCOT, COLLECTOR'S OFFICE,
Camp. Palmarai of 26-4-1899
No. 1142 of 1899.

FROM

R. H. Campbell Esq.
Collector and District Magistrate,
North Arcot,

TO

TH

Plapre Commissioner,
Madras.

SIR,

With reference to your proceedings
Ref. no. 4337, dated 21st April
1899, I have the honor to inform you
that pending receipt of your orders
on this office letter no. 908 D.
of 49, dated 6-4-1898, I thought
that the continuance of the inspection
station was necessary and have
therefore ordered the recreation of
the sheds destroyed by fire.
Gundusettipalle is a very small
village containing about 8 houses
only and it is difficult for the
Hospital assistant to get
accommodation in the village
even for a few days.

Enc. nil.

SPATC D
27 APR 1899

DI

ED

Your most obedient servant

PLAGUE COMMISSIONER'S OFFICE.

(189)

CURRENT No. 4337



Progs.

Letter

Ref.

on C. No 4337-

8/21/4

The result of the Police
inquiries is awaited. Meanwhile
the Colls is requested to report
whether the continuance of the
inspection station is necessary
and whether the sheds destroyed
by fire should be rebuilt.

Done
20/4/89

L 21/4

To the Colls of the Agent. P. & O.

Despatch 22-4-89
H

From

The Collector of
North Arcot.

Dr. No. 1041 of 99

RE

Dated 17-4-99.

Received 20-4-99

Registered 20-4-99

Enclosures

Spare copies

SUBJECT,

Reporting that the
Hospital assistant's quarters
a kitchen attached to it
at the Road Frontiers Inspection
station at Sundusetti-
palle caught fire &
were burnt to ashes.

BACK PAPERS

No.	Date.

FURTHER PAPERS

No.	Date.

NORTH ARCOT, COLLECTOR'S OFFICE,

Chittoor, 17th April 1899

No. 1041 of 1899.

FROM

R. H. Campbello. Esq.

COLLECTOR AND DISTRICT MAGISTRATE,

North Arcot,

TO

TH

Plague Commission
Madras

SIR,

I have the honor to report that at about 2 a.m. on the night of the 14th Inst., the Hospital assistant's quarters and a kitchen attached to it at the Road Front Inspection Station at Gundadethi were burnt to ashes. The whole of the staff attached to the station were sleeping in it and they do not know how the fire broke out. It was on the alarm raised by one of them the whole staff awoke and with some difficulty removed the articles kept in the shed. Articles of small value costing about Rs 14-8-0

The Deputy Tahsildar of Kungudi
 proceeded to the spot immediately
 and made enquiries, but he has
 not ^{been} able to ascertain whether this
 is an act of incendiarism or an
 accident. The occurrence has
 been reported to the Police.

I have the honor to be
 Sir,

Your most obedt servant.

Abunnamahdungh

Mag Collector

Ch
 18-4-99

RECEIVED
 19 APR 1899

Given for copying

copied

examined

signed

189