

Local & Muni. (1899) Department.

MISCELLANEOUS.

G.O., No. 1850 M

DATED 12-12-99

[Despatch Abstract.]

Water Supply

Informing the Sanitary Engineer
to Govt that his communication regarding
the purchase of boring apparatus required
for general investigation purposes has been
disposed of in G.O. No. 1846 M. No. of 1899 and
that his request to instruct the General
Superintendent Public works stores to issue
boring apparatus with piping complete will be
considered in the P.W.D.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Please let me know
the number of copies
10
copies please
24/12/99

No. 1850 M., 12TH DECEMBER 1899.
GOVERNMENT OF MADRAS.
LOCAL AND MUNICIPAL DEPARTMENT.

READ—the following paper :—

Letter—from A. A. G. MALET, Esq., A.M.I.C.E., Acting Sanitary Engineer to Government.

To—the Secretary to Government, Local and Municipal Department.

Dated—Madras, the 30th November 1899.

No.—1550.

In my No. 1142, dated 24th August 1899, I asked for a 3" boring apparatus and other plant, but have not as yet received any orders on the subject. A small boring apparatus to bore to about 50 feet in depth is urgently required for general investigation purposes.

2. I require it for Saidapet, Negapatam, Calicut and Tiruvannamalai, where schemes are now under investigation or ordered to be investigated, and judging by the records I have examined, I consider a boring apparatus is required in nine out of ten schemes investigated.

3. It will facilitate the selection of sites for wells, infiltration galleries, etc., and by proving the subsoils, will allow of more accurate estimates of buildings, reservoirs, etc., being framed.

4. The General Superintendent, Public Works Stores, informs me that he now has a 3" boring apparatus which he can issue to me at a cost of Rs. 280 and that he can supply me with 50 feet of old but serviceable 4" piping at a cost of Rs. 86. The total cost including carriage to my office may be put down at Rs. 375.

5. I have the honour to request that Government will instruct the General Superintendent to issue the boring apparatus and 50 feet of 4" piping, complete, to me at an early date.

Order—No. 1850 M., dated 12th December 1899.

The communication referred to in paragraph 1 of the Sanitary Engineer's letter has been disposed of in G.O., Mis. No. 1846 M., dated 11th December 1899.

2. The Sanitary Engineer's request in paragraph 5 will be considered in the Public Works Department.

(True Extract.)

H. TREMENHEERE,
Secretary to Government.

To the Sanitary Engineer.
,, Public Works Department.

Forwarded to the

(By Order.)

Registrar.

MISCELLANEOUS.

G.O., No. 1850 M., 12th December 1899.

Water-supply.

Informing the Sanitary Engineer to Government that his communication regarding the purchase of boring apparatus required for general investigation purposes has been disposed of in G.O., Mis. No. 1846 M. of 1899 and that his request to instruct the General Superintendent, Public Works Stores, to issue boring apparatus with piping, complete, will be considered in the Public Works Department.

Copy 14/12/99

4/12

2-12

Local & Munl. (1899) Department.

CURRENT No. 3093m



From

The Ag. Sanitary Engineer
to Government.

No. 1550

Misc
Order

10 1830 Muns 12/12/89

The Communication referred
to in paragraph 1 of The Sanitary
Engineer's letter has been disposed
of in G.O. n^o 1846 Muns 8/11/89
December 1899.

2. The Sanitary Engineer's request
in paragraph 5. will be consider-
ed in the Public Works Department.

Received

Registered

Enclosures

Spare copies

1-12
2-12-91

Dated 30th November 1899.

SUBJECT,

3" Boring apparatus

Requesting to instruct the
General Superintendent Public
Works Stores to issue the — with
piping complete to this office as it
urgently required for general
investigation purposes.

To the Public Works Departt. for C.E.

To the Sanitary Engineer
Public Works Departt.
12/12/89

11/12/89

4/12

2-12-


BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

S. E. 1,000-17-1-99.
No. 1550



OFFICE OF SANITARY ENGINEER,
Poonamallee Road (Park Town),
Madras, 30th November 1899.

From A. A. T. Malet Esq., A. N. I. C. E.

J. A. JONES, Esq. MEM. INST. C. E., F.R.S.E.,

AG. SANITARY ENGINEER TO GOVERNMENT,

To

The Secretary to Government,

Local and Municipal Department.

SIR,



In my No. 1142 dated 24th August 1899, I asked for a

3" boring apparatus and other plant, but have not as yet received any orders on the subject. A small boring apparatus to bore to about 50 ft. in depth is urgently required for general investigation purposes.

2. I require it for Saidapet, Negapatam, Calicut and Tiruvannamalai, where Schemes are now under investigation or ordered to be investigated, and judging by the records I have examined, I consider a boring apparatus is required in 9 out of 10 schemes investigated.

3. It will facilitate the selection of sites for wells, infiltration galleries &c. and by proving the subsoils will allow of more accurate estimates of buildings, Reservoirs &c. being framed.

4. The General Superintendent, Public Works Stores informs me that he now has a 3 " boring apparatus which he can issue to me at a cost of Rs. 280 and that he can supply me with 50 ft. of old but serviceable 4" piping at a cost of Rs. 86. The total cost including carriage to my office may be put down at Rs. 375.

5. I have the honour to request that Government will instruct the General Superintendent to issue the boring apparatus and 50 ft. of 4" piping, complete to me at an early date.

I have the honour to be,

Sir,

Your most obedient servant.

Albani Chait
20.11

Ag. Sanitary Engineer to Govt.

[800-29-8-99.]

Local & Munl. (1899) Department.

CURRENT No. 24118

From

M. E. Sanitary
Engineer to Govt.
No. 1112

Dated 24.8.99.

Received 9.9.99.

Registered

Enclosures

Spare copies

SUBJECT.

Submitting an estimate of the probable cost of investigating a scheme of water supply by boring wells for the Moflah quarters of the town of Calicut.

27-11-99.

When sent for copying _____
 When copied _____
 When examined _____
 When signed 13/12 } 189 .

READ AGALY G.O., No. _____, DATED
 189 .

URRY No. _____

ENCLOSURE TO C. No. _____

USE OF GOVERNMENT A A A A A A A

TYPE OF GOVERNMENT.

TOTAL SENT WITH DITTO.

IS NOT FILED UP, BEING WANT FOR DISPATCH
 IN ORIGINAL.

N.B.—
 A = Copy in full.
 B = Not to be copied.
 P = Copy abstract only.
 Q = Copy heading only.