

Local & Munl. (1899) Department.

MISCELLANEOUS.

G.O., No. 339 M

DATED 9-3-99

INDEXED.

RECEIVED

[Despatch Abstract.]

Watersupply

Communicating to the Municipal Council of Negapatam letter from the Sanitary Engineer regarding the watersupply to that town with the request that a sum of Rs 1000 may be placed at the disposal of that officer, with delay.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Local & Munl. (1899) Department.

CURRENT No. 617m



From

Order No 339 Muns 8/2/89 The Sanitary Engineer to Govt, Madras

Communicated to the Muni.

No. 213

Cepal Council of Negapatam with the request that a sum of Rs 1000 may be placed at the disposal of the Sanitary Engineer without delay.

L.R.
7/3/99

MS 399

Dated 21st February 1899.

Received 22nd

Registered 23rd

Enclosures one

Spare copies nil

SUBJECT.

Note It seems to be unnecessary to provide for this in the estimate as suggested by the Sanitary Engineer. The money seems to be urgently required & can be allotted from the sum of Rs 1000 for further Rs 4000 reserved by the Council for expenditure on the water supply scheme. ~~Vice~~ Vice President of 20110-266 and 27. 2.99. p.m. F

Negapatam water supply

Requesting to place at his disposal Rs 1000 for further investigation ordered for the

To the Chairman, Negapatam Municipal Council
The Collector of Tanjore
Sanitary Engineer. 13/3/99

BACK PAPERS.

G.O.	No.	Department.	Date.
Office note no 274-299			

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 1026 C.

Government of Madras.

Public Works Department.

Madras, 17th. February 1899.

Office Note.

From,

The Acting Chief Engineer,

P.W.D.

To

The Sanitary Engineer.

1. The papers, plans &c connected with the Negapatam Water Supply Project are returned for revision in accordance with our personal conversation.
2. The source of supply to ^{be} the Vettaur-2½ to 3 miles above Nagore bridge beyond tidal influence-a dam and infiltration gallery to be built across the river. If the subsoil water, after filtration, is found sufficiently good and abundant, the water may be pumped direct into the towns of Negapatam and Nagore.
3. As there is no likelihood of funds being available for these works for a year or more to come, there is ample time to ascertain the quality &c of the subsoil water in the dry months at the proposed point of offtake. If the subsoil water is found unpotable, it will be necessary, as shewn by the water diagrams to store water for four months. In this case a high level channel or conduit will be required to take the water, after being pumped at the subsidiary station, to storage tanks and filters to be constructed just west of the road between Kadambadi and Nagore. Here also will be situated the main pumps and engines. At the subsidiary station, the question of using aeormotors instead of a steam pump should be considered.

4. The cost of preliminary work and recasting of plans should be estimated and funds obtained in the usual way.

(Signed) A.S. Russell,
for Ag:Chief Engineer,
P.W.D.

(True copy)



Sanitary Engineer to Govt.

617/m/99

S. E. 1,000-17-1-99.

No. 2/3

GOVERNMENT OF MADRAS.

OFFICE OF SANITARY ENGINEER,

Poonamallee Road (Park Town),

Madras, 21st Feb 1899

From



The Secretary to Government,

Local and Municipal Department.

SIR,


Nerapattam Water Supply.

With reference to the accompanying note (copy) of the Acting Chief Engineer, Public Works Department, No. 1026 C dated 17th. February 1899, I have the honor to request that a sum of Rs. 1,000 may be placed at my disposal for the further investigation ordered. As some portion of the investigation must be done during the hot weather, I request that the amount may be entered in the Municipal Budget and made available as soon as possible.

I have the honor to be,

Sir,

Your most obedient servant,



Sanitary Engineer to Govt.

202

4. The cost of preliminary work and receipting of

sh.

When ~~given~~ for copying _____
When copied 11-3-99 7/11 189.
When examined _____
When signed 11/3

READ AGAIN G.O., No.
189 ,

DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

N.B. -

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.