

1. Number of pages. 4
2. Date of repair. 24-8-37
3. Initials of Referencer

M.R.O. 1-89,000-16-10-29.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 1564. 1563 Press
Mis.

Dated 7-11-1937

Not to be folded or roughly handled

No 1572.

Extract from the Minutes of Consultation
of November 1857.

Read the following letter
No 1387.

From

The Chief Secretary

to Government

Fort Saint George

Sir,

I have the honor to apply
for the permission of Government
to the transfer of Overseer Maen-
nara from the Department of Pub-
lic Works to the Telegraph Depart-
ment.

The serious damage done to
the Telegraph lines during recent
rains, necessitates the employment
of a European artificer for the lines

about Madras.

This person has been familiar
with Telegraph work for the last 4 years.

I have obtained the approval of the
Chief Engineer to his Employment
under me, who has desired me at once
to apply for the Services of this
Overseer, so that no time may be lost,
and that if possible the Government
order on the subject may appear in this
Evening's Gazette.

I have the honor to be

Sir,

Your Most Obedt. Servt.

Madras

Dy. Supt. (Signed, M. Brookring)

Office

3^d Madras

1857

Dy. Supt. Telegraph.

Overseer Maenamara

will

will, as proposed, be transferred from
the Department of Public Works to
that of the Electric Telegraph-Madras
the Chief Engineer being it is observed
favorable to the arrangement.

(Signed, E. Maltby)

Ag. Chief Secretary

To

Dy. Supt. E. T. Madras.

Chief Engineer

Department P. Works.

James Smith

10 Feb 1857 O.D. 10th
Lam 10th 2nd 10th
182204.

Extract from the History of
Lam in the History of the

Obadiah 1st 1857
Remedy 1st 1857
182192

Applying for the
permission of Government
to the transfer of Overseer

Manumass from the
D. S. M. to the Telegraph
Department.

With an order

1865.8

Overseer Manumass

It is recommended by the
Department of Public
Works to that the Electric
Telegraph, Manumass -

1865

1865.8
1865.8
1865.8

1865.8
1865.8
1865.8

1865.8
1865.8
1865.8