1. Number of pages. 1–7.
2 Date of repair. 4-8-37
3 Initials of Repairer

M.R.O. 1—82,400—28-11-30.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

Secn. 18.8.37

G.O. No. 1571 Press Mis.

1—2

Dated 12—8—1837

Not to be folded or roughly handled

Fort Saint George, Public Works Consultation of 18th August 1857.

No. 1. Read the following letter from Colonel C. E. FABER, Chief Engineer; to H. FORBES, Esq., Acting Secretary to Government, dated 3rd August 1857, No. 2613.

SIR,

I have the honor to request that you will be so good as to bring to the notice of the Right Honorable the Governor in Council that, out of the Indents for Machinery passed by the Chief Engineer in July and August 1856, five for the Districts noted in the margin were supplied only in part, the remaining articles required by those Indents being under the process of cleaning were not reported as available for issue till the 15th January last. But previous to that date Government having ruled that, all articles of Engineering Plant and store should not be issued but on actual payment, the articles comprising the remaining portions of those Indents which could not be then despatched, will not I understand be now issued without the payment of their stock value; I have the honor therefore to request that Government may be pleased to sanction the necessary funds for the purpose.

Kistnah.
North Arcot.
Tanjore.
Tinnevelly.
Coimbatore.

2. The following list shows the description and number of the articles of Machinery to be supplied and their stock value.

	On Indent passed by the Chief Engineer 3rd July 1856. Kistnah.		On Indent passed by the Chief Engineer 12th July 1856. North Arcot		On Indent passed by the Chief Engineer 2nd July 1856. Tanjore.		On Indent passed by the Chief Engineer 9th Augt. 1856. Tinnevelly.		On Indent passed by the Chief Engineer 25th July 1856. Coimbatore.	
	No.	Value.	No.	Value.	No.	Value.	No.	Value.	No.	Value.
Double Pumps portable for clearing foundation of water	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Boring apparatus	.....	.....	6	1294 10 6	3	647 5 3	1	215 12 5	2	431 8 10
Saw circular table	.....	.....	3	1669 6 9	1	556 7 7	1	556 7 7	1	556 7 7
Cranes Iron work for transportable	2	2180 7 6	3	3270 11 3	1	1090 3 9	2	2180 7 6	2	2180 7 6
Punching and shearing machine, portable	1	829 ... 6	2	1658 1 ..	.....	.....	.....	.....	.....	.....
	.....	3009 8 ...	.....	7892 13 6	.....	2294 ... 7	.....	2952 11 6	.....	3168 7 11

3. As the District Engineers require these articles which they had long ago indented for, I have the honor to request the sanction of Government for the disbursement of their value, amounting to.

	Rs.	A.	P.
For the Kistnah Division	3,009	8	0
do. North Arcot District	7,892	13	6
do. Tanjore do.	2,294	0	7
do. Tinnevelly do.	2,952	11	6
do. Coimbatore do.	3,168	7	11
Total Rupees	19,317	9	6

No. 2. ORDER THEREON, No. 1571; dated 12th August 1857.

The Right Honorable the Governor in Council sanctions the disbursement of Rupees

Fort Saint George, Public Works Consultation of 18th August 1857.

(19,317-9-6) nineteen thousand, three hundred and seventeen, annas nine and pice six, being the value of Machinery required for the use of the District Engineers noted below.

	Rs.	A.	P.
Kistnah Division	3,009	8	0
North Arcot	7,892	13	6
Tanjore	2,294	0	7
Tinnevelly	2,952	11	6
Coimbatore	3,168	7	11
Total	19,317	9	6

(Signed) H. FORBES,
Acting Secretary to Government.

Central Office, of Fort St. George,
5th August 1857.

No 2043

From
The Chief Engineer.

To
The Secretary to Govt Fort St. G.

Sir,

I have the honor to request that you will be so good, as to bring to the notice of the Right Honorable the Governor in Council, that out of the Indents for Machinery passed by the Chief Engineer in July and August 1856, for the Districts noted in the margin were supplied only in part, the remaining articles required by those Indents being under the process of clearing were not reported as available for issue till the

Kistna
North Arcot
Tanjore
Tinnevelly
Combatore

15th January last.— Ruled previous to that date Government having ruled that all articles of Engineering Plant and Store should not be viewed but on actual payment, the articles comprising the remaining portion of the Order should not be then detached, will not be included now viewed without the payment of their stock value; & have therefore requested that Government may be pleased to cancel the Indent, if found necessary for the purpose.—

2. The following Sketch shows the description and number for which the Indents are required of the articles of Machinery & Stores.

	On Indent passed by the Chief Engineer 30 July 1856 Kistna		On Indent passed by the Chief Engineer 12 July 1856 North Arcot		On Indent passed by the Chief Engineer 28 July 1856 Tanjore		On Indent passed by the Chief Engineer 9 Aug 1856 Tinnevelly		On Indent passed by the Chief Engineer 25 July 1856 Coimbatore	
	No	Value	No	Value	No	Value	No	Value	No	Value
Double Pumps Portable for clearing foundation of Wells	3	" "	"	" "	"	" "	"	" "	"	" "
Boring apparatus		" "	6	1294 10 6	3	647 5 3	1	215 12 5	2	431 8 10
Law Circular Table		" "	3	1669 6 9	1	556 7 7	1	556 7 7	1	556 7 7
Cranes.. Iron Work for Transportable	2	2180 7 6	3	3270 11 3	1	1090 3 9	2	2180 7 6	2	2188 7 6
Punching & Shearing Machine, Portable	1	829 " 6	2	1658 1 "	"	" "	"	" "	"	" "
		3009 8 "		7892 13 6		2294 " 7		2952 11 6		3168 7 11

(5)

32

Ld

3. As the District Engineers require these articles which they had long ~~"~~ indented for, I have the honor to request the sanction of Government for the disbursement of their value, amounting to.-

~~For~~ the Tinnivelly Division 3009. 8.
——"—— North Arcot Distt. 7892.13-6
——"—— Tanjore ——"—— 2294.—"
——"—— Tinnivelly ——"—— 2952-11-6
——"—— Coimbatore ——"—— 3168. 7. 11.

Total Rupees 19317-9-6

Central Office of Qr. Mr. Genl.
~~Fort St George~~
3d August 1837.

I have the honor to be
Sir
Your most Obedt.
~~&c~~ &c
Lt. Colonel
Chief Engineer.

Lt. Gray

1st D. for March 58 £ 3.0.2
2d — April — " — 8.13.6
3d — May — " — 2.2.7
4th — June — " — 2.0.11.6
5th — July — " — 3.16.8.11
£ 19.317.0.0

Public Works 185 / Dist. 11
Dr. Towns. / 18th Augt.
No. 1550 /

From
The Chief Engr.
D. P. W.

Dated 3d
Received 4th } August 1857

No. 2613.

Requests sanction
for the disbursement of
Rs. 19317-9-6 being the
amount of the value of
Machinery & Stores to
be supplied to Certain
Dist. Engrs.

Written order
No. 1571. 12th August

Chief Engr's Office
12th August 1857.

From the Offg. Chief Engr.
D/ 2d Augt. 58 Ct. No. 1728
in Bund. 24 6
From — Do — 26th Augt. 58
Ct. No. 1955 in Bdl. 5 Ct.

From Dr. 28th October 58
No. 2588 in Cons. 25 Nov

Noted.

27th Augt. 58

£ 19317.

The Right Honorable the Governor
in Council sanctions the disbursement of
Rupees (19317-9-6) Nineteen thousand three
hundred and seventeen, Annas Nine and
Pice six, being the value of Machinery &c
required for the use of the District Engineers
noted below.

Tirhoot Division	3,000-8-—
Purneah do	7,502-13-6
Sonpore	2,294-2-7
Tirhoot	2,052-11-6
Coimbatore	3,168-4-11
	19,317-0-0

9 Copies to the Chief Engr. Dept. 15
1 — Audr. Genl. 11