1. Number of pages. 16.
2. Date of repair. 21.6.37
3. Initials of Reference. [illegible]

M.R.O. 1—32,400—28-11-30.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works **DEPARTMENT.**

Cons. dt 11-4-1857

G.O. No. 645 Press Mis.

Dated 16 4 1857.

Not to be folded or roughly handled

21.6.37

Fort Saint George, Public Works Consultation of 21st April 1857.

No. 82. Read the following letter from Colonel C. E. FABER, Chief Engineer; to H. FORBES, Esq., Acting Secretary to Government, dated 24th March 1857, No. 11247.

SIR,

I have the honor to acknowledge the receipt of Extract from the Minutes of Consultation No. 494, dated 18th March 1857, forwarding copy of a letter from the Honorable the Court of Directors, No. 13, dated 3rd December 1856, and to state, that I think it advisable that (80) eighty copies should be supplied, with a view to their being distributed as follows.

To the 20 Districts of the presidency for circulation among the several members of the Department who are under the orders of District Engineers	60
To the Superintendent of the Eastern Coast Canal	3
Chief Engineer	1
3 Superintending Engineers	3
Civil Architect	1
Garrison Engineer	1
Survey School	3
Head Quarters of the Sappers and Miners	4
Spare copies	4
	80

No. 83. ORDER THEREON, No. 695; dated 16th April 1857.

Ordered to be brought to the notice of the Honorable Court of Directors with reference to their Despatch in this Department dated 3rd December 1856, with the recommendation of this Government that 80 copies of the "Artizan" instead of three may in future be supplied.

(Signed) H. FORBES,
Acting Secretary to Government.

Central Office of P. W.
Fort St. George 24th March 1857.

No 1124/7.

From

The Chief Engineer

To

The Secretary to Government
Public Works Department

Sir,

I have the honor to acknowledge the receipt of Extract from the Minutes of Consultation No 494 dated 18th March 1857, forwarding copy of a letter from the Honorable the Court of Directors. No 13 dated 30th December 1856. and to state that I think it advisable that (80) eighty copies should be supplied, with a view to their being distributed as follows.

To the 20 Districts of the Presidency for circulation among the several members of the Department who are under the orders of District Engineers ____ 60.

To the Superintendent of the Eastern Coast Canal ____ 3

63

Carried over	63
Chief Engineer	1
3 Superintending Engineers	3
Civil Architect	1
Garrison Engineer	1
Survey School	3
Head Quarters of the Sappers & Miners	4
Spare Copies	4
	80.

Central Office of P.W.
Fort Saint George
24th March 1857.

I have the honor to be
Sir,
Your Most Obedient Servant
Wd Baker Colonel
Chief Engineer.

Comp'd Draug

Pub. to Cons. 21st March 57 f. 1-
Copy in C. L. to C.
of 18th Sept. 56 of 15
Para 89-

From the Chief Engineer
& of 20th June 56 & No 1141
in Cons. 20th July 56
Obs 70-71-

No 82-83.

C2 April 26th

Public Works 183 y Dept
Pub. to Cons. 21st April.

No 598

From
The Chief Engineer
To
The Secretary to Govt
Bombay

Dated 24th March 57
Rec'd 25th "

No 11217

Acknowledges the receipt of E. M. No. 496 of 18th March 57 forwarding a copy of Para 283 of the letter from the Honble the Court of Directors No 13 of 13th Sept 56 & states that it is advisable that 80 copies of the Artizan should be supplied for distribution in the manner stated

No 695 Dated 16th April 56

No 695

Ordered to be brought to the notice of the Honorable Court of Directors with reference to their Despatch in the Separtment Marked 3rd December 1856, with the recommendation of this Government that 80 Copies of the Artizan mentioned of three years may in future be supplied.

J. V. St. George
16th April 1857

2 Copies to the Chief Engineer