

1. Issued by *S. 10*
2. Date of *22/6/37*
3. Initials or Reference
Q

M.B.O. 1-52,400-29-11-80.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

Cons. & 21-4-1857

G.O. No.	<i>733</i>	Press
		<i>Mis.</i>
<i>167-162</i>		
Dated	<i>21-4-</i>	<i>1857</i>

Not to be folded or roughly handled

22/6/37

Fort Saint George, Public Works Consultation of 21st April 1857.

No. 161. Read the following letter from Colonel C. E. FABER, Chief Engineer; to H. FORBES, Esq., Acting Secretary to Government, dated 13th March 1857, No. 10899.

SIR,

1. With reference to Extract Minutes of Consultation No. 2199, dated 22nd November 1856, calling for my opinion on a proposed plan and estimate for draining the lines occupied by the Regiment of Native Infantry at Vizagapatam, I have the honor to state that it was necessary to call for certain information from the District Engineer, as there was nothing in the plan to shew the direction in which the water was to be carried off, or how it was to be disposed of.

2. A revised plan shewing the required details having been received, I am now able to state, that the arrangements, as described in the accompanying letter No. 934, dated 27th December 1856, from the late District Engineer of Vizagapatam meet with my approval.

3. The estimate provides for

	Rs. A. P.
11,789 Cub. yds. Earthwork @ 9 pie ₹ Cub. yd.	552 9 9
6,400 Sq. yds. Levelling @ 3 „ ₹ Sq. yd.	100 0 0
160 Cub. yds. Masonry @ Rs. 1-8 ₹ Cub. yd.	240 0 0
Superintendence and Sundries.....	107 6 3

Total Rupees..... 1,000 0 0

one thousand.

4. The rates allowed are moderate and sufficient, and I beg to recommend the work for immediate execution.

5. The delay in disposing of this question has been occasioned by the plan received with the District Engineer's letter No. 934, not containing the necessary reference, this omission has been supplied in the plan now submitted, and which was received in the Central office on the 6th Instant.

No. 162. ORDER THEREON, No. 733 ; dated 21st April 1857.

The proposal of His Excellency the Commander-in-Chief for the withdrawal of the Troops from Vizagapatam having been approved by Government in their order dated 9th April 1857, No. 340, the Right Honorable the Governor in Council does not see any necessity for draining the Military lines at that station; and he therefore declines to sanction the estimate submitted with the foregoing letter, amounting to Rupees (1,000) one thousand for that purpose.

(Signed) H. FORBES,
Acting Secretary to Government.

Viragamuthi

Military

3

Central Office of P.W.
No 10844, Fort St. George 13 March 1857.
From The Chief Engineer
To The Secretary to Government
P.W. Department.

Sir

1. With reference to Extract Minutes of Consultation No 2199 dated 22 November 1856, calling for my opinion on a proposed plan and Estimate for draining the lines occupied by the Regiment of Native Infantry at Viragamuthi. I have the honor to state that it was necessary to call for certain information from the District Engineer, as there was no thing in the plan to show the direction in which the water was to be carried off, or how it was to be disposed of.

2. A revised plan showing the required details having been received, I am now able to state that the arrangements, as described in the accompanying letter No 934 dated 27 December 1856, from the late District Engineer of Viragamuthi meet with my approval.

3.

The Estimate provides for

for:
 11789 Cub. Yds. Earthwork @ 9 p. p. (448. R. 552-9-9.
 6400 Sq. Yds. levelling @ 3 -- p. p. 100 --
 160 Cb. Yds. Masonry @ R. 1/8 p. Cb. Yds. -- 240 --
 Superintendence and Sundries -- 107-4-3.
Total Rupees 1000 --

One thousand --

4. - The rates allowed are moderate and sufficient, and I beg to recommend the work for immediate execution.

5. - The delay in disposing of this question has been occasioned by the plan received with the District Engineer's letter No 934, not containing the necessary reference; this omission has been supplied in the plan now submitted, and which was received in the Central Office on the 5th instant.

I have the honor to be

Sir

Your most Obedt. Servant

Central Off. Secy
 Fort St. George
 13 March 1837. Chief Engineer

List of Enclosures

1 Letter from the Dist. Engr. Dated 27th Decr 1836 No 934.
 1 Abstract Estimate
 1 Plan

No. 733

Extract from the Minutes of Consultation
Under date 21st April 1857

Read the following
letter from the Chief Engineer.

(Here enter 18th March/57. Re 10899)

The proposal of His
Excellency the Command-
in-Chief for the withraw-
al of the troops from
Vizagapatnam having
been approved by
Govt. in their order dated
9th April 1857. to 310.
the Right Honorable the
Governor in Council
does not see any neces-
sity for draining the
military lines at that
station, and he therefore
declines to sanction
the estimate submitted
with the foregoing letter
amounting to Rupees
(1000) one thousand,
for

At
Dy
M
M
M

371 One 25th March 1857
24th March 1857
23rd March 1857
22nd March 1857

For the Chief Engineer
and the Chief Engineer
and the Chief Engineer

For the Chief Engineer
and the Chief Engineer
and the Chief Engineer

For the Chief Engineer
and the Chief Engineer
and the Chief Engineer

At Dy

The Right Honorable
the Governor in Council
sanctions the estimate
for the drainage of the
military lines at that
station, and he therefore
declines to sanction
the estimate submitted
with the foregoing letter
amounting to Rupees
(1000) one thousand,
for

At Dy

At Dy

For the Chief Engineer
and the Chief Engineer
and the Chief Engineer

371 One 25th March 1857
24th March 1857
23rd March 1857
22nd March 1857

For the Chief Engineer
and the Chief Engineer
and the Chief Engineer

At Dy

for that purpose.

BR

9 Copies to the Chief Engr.
with 3 High Press 22.

Public Sale of 1857
Cane 2nd April
1857

Contract of 1857
2nd April 1857

Declining the amount
of the estimate amounting to
£1000 1000 per annum the
abolition of the at the population

1857/1858.

@ 15th April 1857