

MAO. 1-14-1948

MADRAS RECORD OFFICE

Government of Madras.

DEPARTMENT

G.O. No.

Press

Dated

18

Not to be folded or roughly handled

17

Fort Saint George, Public Works Consultation of 17th August 1858.

No. 86. Read the following letter from Major E. LAWFORD, Officiating Chief Engineer ;
to T. PYCROFT, Esq., Chief Secretary to Government, dated 5th August 1858,
No. 2553.

Sir,

In compliance with the order of Government contained in Extract Minutes of Consultation No. 1480, dated 29th July 1858, I have the honor to state that all the Pumps lately received and remaining in the Presidency Stores have been indented for by the Districts most requiring them, none therefore are actually available for issue to Mr. Wall, but instructions have been given that Mr. Wall should have the use of any Pumps issued to the adjoining Districts of Cuddapah and Kurnool, the same being afterwards returned to those Districts.

2. It having also come to my knowledge that Messrs. Binny and Co., have a Pump for sale for Rupees (200) and if adapted for the purposes pressed, Mr. Wall might be authorised to purchase the same, or in the event of none of the above being suited to the purpose required, others of the necessary make and power might be constructed at the Kistnah or Godavery Work shops.

No. 87. ORDER THEREON, No. 1629; dated 14th August 1858.

Communicated to the Public Department, with reference to para. 6 of Extract Minutes Consultation in that Department, dated 14th July 1858, No. 890.

(Signed) T. PYCROFT,
Chief Secretary.

12553

27
Central Office of P.W.
Fort Saint George
5 August 1858.

From.

The Officiating Chief Engineer

To

The Secretary to Government P.W.

Sir,

In compliance with the order of Government contained in Extract Minutes of Consultation No. 1480 dated 29th July 1858 I have the honor to state that all the pumps lately received and remaining in the Presidency Stores have been indented for by the Districts most requiring them. none therefore are actually available for issue to Mr. Wall. but instructions have been given that Mr. Wall should have the use of any pumps issued to the adjoining Districts of Cuddalore and Kurnool, the same being afterwards returned to those Districts.

2

It having also come to my knowledge that Messrs Binny & Co. have a pump for sale for Rupees (200---) and

if

if adapted for the purposes proposed Mr.
Wall might be authorised to purchase the
same - or in the event of none of the above
being suited to the purpose required others
of the necessary make and power might
be constructed at the Kistna or Godavery
Workshops.

I have the honor to be

Sir.

Central Office of the
Fort St. George

Your most Obedient Servant

5 August 1858

Stanford Major.
Officiating Chief Engineer

to be sent by post 22/12/22

20th Nov 1858 & forwarded
to the Secretary to Government
21st 1864

From
The officiating Chief Surgeon

The Secretary to Government

Dated 5th August 1858
Received

Enc. No. 3553 dated 18th
Aug 1858 to 19th 1858
which is forwarded to

M. C. Nelson dated 29 July, last that
all the Pump & lately received have
been indicated for by the District
Engineer and now are available for
use to the State, but that the functions

have been given for the State to have
the necessary pump to be used to the
of the State and the same stating

also that a pump to be for use only
of the State and the same stating

20th 1864

Communicated to the State
Sept, with reference to the
E. which was in that Sept, date
14th July 1858, at 8.00.

First 21st Aug 58
12th Aug 1858

Refused to be
21st 1864

1856 & 1857