a. Number of pages. 13
b. Date of repair. Contd
c. Initial

M.R.O. 1—32,400—23-11-38.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.
Con 19.10.58

G.O. No. 2160 Press Mis.
35.36
Dated 14-10- 1858

Not to be folded or roughly handled

No. 35. Read the following letter from Lieut. Colonel E. LAWFORD, Officiating Chief Engineer; to the Secretary to Government, dated 30th September 1858, No. 4124.

SIR,

With reference to Extract Minutes Consultation No.1925, dated 18th September 1858, I have the honor to forward copy of a letter* from the Acting District Engineer of North Arcot, from which it appears that Sub-Overseer Teagaroy Moodelly bore the character of a drunkard when employed in that District.

* No. 1176, dated 24th September 1858.

2. I beg therefore that Government will be pleased to notify the Sub-Overseer's dismissal from the service.

Letter from JAMES H. DOPPING, Esq., Acting District Engineer of North Arcot; to the Chief Engineer, dated Camp Arcot, 24th September 1858, No. 1176.

SIR,

1. I have the honor to acknowledge the receipt of your Proceedings No. 3860, subscribed to Extract Minutes Consultation No. 1925, dated 18th Instant, calling upon me for a report on Teagaroy's character while he was employed in this District.

Teyagaroy Moodelly, Sub-Overseer.

2. He was often warned for Drunkenness by Captain Collyer under whom he was employed as Office Maistry.

3. Subsequently he was placed under me on the channels from the Paulaur Annicut, and was fined to the extent of Rupees twenty-one (21)* for being drunk on frequent occasion, besides being severely reprimanded.

* At different periods.

No. 36. ORDER THEREON, No. 2160; dated 14th October 1858.

As the report of the Acting District Engineer of North Arcot fully corroborates the charge of drunken habits, brought against Sub-Overseer Teagaroy Moodelly by the District Engineer of Malabar, the dismissal of that individual from his appointment in the Public Works Department, under the authority conveyed in Extract Minutes Consultation, 18th September 1858, No. 1925, to the Officiating Chief Engineer, is hereby confirmed.

(Signed) T. PYCROFT,
Chief Secretary.

No. 2160 P.W.D.

Extract from the Minutes of Consultation
Under date the 14th October 1858.

Read the following letter
from the Offg. Chief Engineer
(Received 30th September 58 No 4124)

As the report of the
Acting District Engr of North
Arcot fully corroborates the
charge of drunken habits, brought
against Sub Overseer Teagaraya
Moodelly, by the District Engr
of Malabar, the dismissal of
that individual from his appoint-
ment in the Public Works Dept,
under the authority conveyed in
Ex: Mins: Cons: 18th Sept 58, No
1925, to the Offg: Chief Engr, is here-
by confirmed.

W.D.

10 Copies to the Offg Chief Engr & Despd 16th

North Arcot Dist.t Engr.s Office
Camp Arcot 24th Septr. /58.

No. 1176
1858/59.

From, James W. Dopping Esquire
Jg. District Engineer of North Arcot.

To, The Chief Engineer D.P.W.
Fort St. George.

Sir,

1. I have the honor to acknowledge the receipt of your Proceedings No. 3860, Sub. Jeyagaroy (Moodely) Sub Overseer } scribed to Extract Minutes Cons. No. 1925, dated 18th Instant, calling upon me for a report on Jeyagaroy's character while he was employed in this District.

2. He was often warned for Drunkenness by Captain Collyer under whom he was employed as Office Maistry.

3. Subsequently he was placed under me on the Channels from the Paulaur Annicut, and was fined to the extent of Rs. Twenty one /21/ for being drunk on frequent occasions, besides being severely reprimanded at different period.

I have the honor to be Sir
Your most obedient Servant
/Signed/ J.W. Dopping C.E.
Jg. Dist.t Engr. of N.A.

/True Copy/

Lieut.t Colonel.
Offg. Chief Engineer.

Comp.d 1860

Public Works Dept. 1858 Septr.
Ex. to Coimr Jg.r Cuddapah
Dated 24th Septr. 1858.
Received Novr. 1858.

No. 2160.

Extract Minutes of Cons.
Dated 16th Decr. 1858.

Paragraph 35 to 36.

Comprising the dismissal of Jeyagaroy Moodely Sub Overseer from his appointment in Public Works Department.

Extract Rect.

No 4124

From,

The Officiating Chief Engineer

To,

The Secretary to Government

P.W.D

Madras.

Sir,

With reference to Extract Minutes
Consultation, No. 1925, dated 18th September 1858,
I have the honor to forward copy of a letter from the
No. 1176, dated 24th September 58 } Acting District Engineer of North Arcot, from
~~which it appears~~ that sub Overseer Jeyagarey Broad
bore the character of a drunkard when employed
in that District.

2. I beg therefore that Government will be
pleased to notify the sub Overseers dismissal from
the service.

I have the honor to be,
Sir,
Your Most Obedient Servt

Central Office of P.W.
Fort St. George
30th September 1858

Lieut. Colo
Offg. Chief Engineer.

Compd 1088

Enclosure in a letter
From,
The Offg. Chief Engineer
To The Secretary to Govmt
P.W.D

Dated 30 September 1858
Rec'd

No. 4124

1858
Copy of a letter from the
Offg. District Engr of North
Arcot, reports on the character
of Jeyagarey Broadelias sub
Overseer while he was employed
in North Arcot District.

calcd. R12

Cons: 21st Sept 6/58 No 43844.

P W — 1858 Department
Dy to Cons: 19th October.
No: 2290.

From;

The Offg Chief Engineer.

To,

The Secretary to Govert
P. W. D.

Dated 30th September 1858
Rd 1st Octr

No: 4124

Enclosure 1

S&E 1st No 2160 — 11th October 1858.

Forwards with reference to Exc. Mems. Cons. No: 1925, dated 18th September 1858, Copy of a letter from the Offg District Engr North Arcot, reporting the character of Sub Overseer Jeyagara Mudy and requests that Govert will notify the Sub Overseers dismissal from the Service.

No 35 35

Cancelled 12