

1. Date of receipt 10-1-38
2. Initials of reference

M.B.O. 1-23,400-28-11-80.

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.
Cen 29.10.58

G.O. No. 2289	Press Mis.
185.86.	
Dated 29-10-18 58	

Not to be folded or roughly handled

9

Fort Saint George, Public Works Consultation of 29th October 1858.

No. 185. Read the following Extract from the Proceedings of the Board of Revenue, dated 26th October 1858, No. 4044.

Read letter from the Collector of Nellore, dated 23rd October 1858, In Con. 26th October 1858. bringing to notice the present state of the Irrigation Works in his District, and requesting the sanction of Government should be applied for the services of the Revenue Establishment to carry on emergent repairs to the breached tanks.

(Here enter No. 179.)

Resolved that the above letter be laid before Government with the Board's recommendation that no time be lost in undertaking the repair of the Irrigation works of the Nellore District.

2. The Board would also suggest that such emergent repairs as the District Engineer cannot promptly execute be entrusted to the Revenue Department, in order to avoid further loss.

(A true Extract.)

(Signed) J. D. SIM,
Secretary.

No. 186. ORDER THEREON, No. 2289 ; dated 29th October 1858.

Ordered that the above Proceedings and the letter accompanying from the Collector of Nellore be forwarded to the Officiating Chief Engineer, and that he be requested with reference to Mr. Elton's remarks in paras. 3 and 4 respecting the Alloor Tank and the precarious state of others as well as the statement that some of those breached have not yet been repaired, to explain under what circumstances these Irrigation works have been neglected.

2. The Collector recommends and the Board of Revenue support the application that the services of the Revenue establishment should be applied to the execution of emergent repairs during the next two months. The Government observe that the permission solicited is already possessed by the Collectors and they would refer Mr. Elton, to Rule 82 of the Public Works Code published at page 592 of Mr. Grant's book.

(Signed) W. H. BAYLEY,
Acting Secretary to Government.

No. 4044.

Extract from the Proceedings of the Board of Revenue, dated 26th October 1858.
In Com. 26th October 1858. Read letter from the Collector of Nellore, dated 23d October 1858,

bringing to notice the present state of the Irrigation Works in his District, and requesting the sanction of Government should be applied for the services of the Revenue Establishment to carry on emergent repairs to the breached tanks.

(Here enter No. 179.)

Resolved that the above letter be laid before Government with the Board's recommendation that no time be lost in undertaking the repair of the Irrigation works of the Nellore District.

2. The Board would also suggest that such emergent repairs as the District Engineer cannot promptly execute be entrusted to the Revenue Department, in order to avoid further loss.

(A true Extract.)



Secretary.

To

T. PYCROFT, Esq., Chief Secretary to Government.
Copy to Collector of Nellore.

Extract from the minutes of Consultation Under date the 29th Decr 1858
 Extract from the Proc. of the B. of Riv. (Proc. entered Oct 15th 1858)
 P. to 2539. Ordered that the above Proceedings and the letter accompanying from the Collector of Bellara be forwarded to the Off^{ce} Chief Engineer, and that he be requested with reference to Mr Elton's letter to inform us respecting the dilapidated state of the precarious state of the ^{as well as} the statements that some of these breaches have not yet been repaired, to explain under what circumstances these irrigation works have been neglected.

W M

The Collector recommends to the Bd of Res support the application that the services of the persons established should be applied to the execution of urgent repairs during the next two months. The Bd. deems that the former solicited is already possessed by the Collector & they wd refer Mr Elton to Rule 82 of the Pto. Code published at page 572 of Mr Grant's book.

10 Copies to the Off^{ce} Chief Eng^r Dated 30th Decr 1858
 3 — — — — — B. of Riv.

17th 3rd Aug 1858 27th 1858

17th 1858 27th 1858
 29th Decr 1858

Extract from the Proceedings of the Board of Revenue

27th Decr 1858
 27th Decr 1858

1858

Copy in the Chief Engineer's Office
 27th Decr 1858

1858

27th Decr 1858. 29th Decr 1858. Extract from the Proceedings of the Board of Revenue, 27th Decr 1858. The Collector of Bellara, in a letter from the Collector of Bellara, has informed that some time back in writing, the repairs of the irrigation works of that District, and suggesting that such urgent repairs as the District Engineer cannot himself execute be entrusted to the Revenue Department.

2000th May 15th 1858

Public Works Dept
Can. 29th October

24th 2289.

Engraved Map. of Can.

20 / 29th October 1858

From the Office of the Engr.

of the Ordnance & Survey

From 20th May 1858 to 29th Oct 1858

Leaving before the Office

Chief Engineer to explain in

under what circumstances

certain Brigades were

in the line have been

replaced.

Massive