

(1) Number of pages 6(2) Date of repair 17.10.28(3) Initials of the Referencer 4

MADRAS RECORD OFFICE.

Government of Madras.

P. K. K. K. DEPARTMENT.
Can 3711/85

G.O. No. <u>2733</u>	Press Mis.
<u>253</u>	
Dated <u>23-11-1857</u>	

Not to be folded or roughly handled

11

*Proceedings of the Madras Government, Public Works Department,
for the month of November 1859.*

No. 52. Read the following letter from Lieutenant-Colonel J. H. BELL, Chief Engineer ;
to J. D. BOURDILLON, Esq., Secretary to Government, dated 17th November 1859,
No. 7337.

With reference to the Proceedings of Government No. 2530, dated the 27th ultimo, I have
the honor to state that the District Engineer of Cuddapah now
1 Letter from District Engineer, Cuddapah, No. 800, dated 4th November 1859. reports that the cost of repairing the Appaiapúllí dyke in that
district, can be met from the repair funds at his disposal, but
that his object in applying for a special maintenance allowance was to keep up an establishment
to superintend and cultivate the growth of darbáh grass, wavili, and other shrubs at the foot
and on the slopes of the dyke.

2. The maintenance of a fixed establishment for the purpose in view seems to be very desirable, but it can be charged against the repair funds as an extra establishment, under the provisions of rule I in the order of Government, No. 1439, dated
Grant's C. O. B. page 369. 15th August 1856, and if this course is approved, the District
Engineer will be instructed accordingly, and the establishment will be strictly limited to the
necessary number and period of employment.

No. 53. ORDER THEREON, 23rd November 1859, No. 2733.

The course proposed in this letter is approved.

(Signed) J. D. BOURDILLON,
Secretary to Government.

Central Office of P. W.
Fort Saint George,
17 November, 1859.

From The Chief Engineer

To The Secretary to Government
Public Works Department

Revenue
Irrigation.

Sir,

With reference to the Proceedings
of Government N: 2530 dated the 27 Ultimo.

Encl. 1. Letter from
Dist. Eng. Cuddapah
N: 800 D/4: N: 10/59

I have the honor to state that the District
Engineer of Cuddapah now reports that
the cost of repairing the Appaiapulli
Dyke in that District, can be met from
the repair funds at his disposal, but
that his object in applying for a
special maintenance allowance
was to keep up an Establishment to
superintend and cultivate the growth
of Darb'ah grass, Mavili, and other
shrubs at the foot and on the slopes
of the Dyke.

2 The maintenance of a fixed
establishment for the purpose in view
seems

seems to be very desirable, but it can
be charged against the repair funds
as an extra establishment, under the
provisions of Rule I in the order of
Government. N^o 1489 dated 15th August 56, ^{franks C. O. 13.}
and if this course is approved the Dist^t ^{Page 369.}
Engineer will be instructed accordingly,
and the Establishment will be strictly
limited to the necessary number and
period of employment.

I have the honor to be
Sir

Your most Obedt Servant

Lt. Lieut. Coll.
Dy. Chief Eng^r C. Circle

M. L. Lieut. Coll.
Chief Engineer

W. M. M. M.

Cons. 31st Oct/59 124956
n-19th Augth/58. 58-39

20th of Jan. 58. 29
No: 2996.

27th Dec-2733.

From

The Chief Engineer
To The Secretary to Govt.
P.M.G.

The same program
in this letter is dependent.

Dated 1st

Re: 18th Dec/59

Cons. 18th Dec/59

With reference to order

of Govt. No. 2530 dated 27th

Ultimo Report that the

cost of maintaining the

Alphacipulli Dyke in the

Euclidial District can be

met out of the repair funds

of the District that the Dyke
is to be maintained
by the District Govt. can also
be charged to these funds
under the provisions of the
order of Govt. No. 2530 dated
Ultimo order.

W. J. J.

27th Dec-2733.
23rd Dec/59

Copy to the Chief Engineer District

18th Nov. 18. 22nd