

Ap. 411.

District Engineers Office  
Bellari 3 January 1860.

From Captain J. T. Fisher  
District Eng<sup>r</sup> of Bellari

To The Deputy Chief Engineer  
Northern Circle  
Fort St. George

Sir, In reply to Extract from the Proceed-  
ings of the Chief Engineer N<sup>o</sup> 87/60 dated  
24<sup>th</sup> ultimo I have the honor to inform you  
that no sheds have been constructed,  
those entered in the Budget were  
disapproved by General Coffin

I have the honor to be  
Sir,

Your most Obedient servant  
W. T. Fisher Captain  
District Engineer of  
Bellari

W. T. Fisher to Mr. M. M. M.

From  
The District Engineer  
of Chandernagor

To  
The Deputy Chief Engineer

R. P. W.

Dist. of Chandernagor

1702/60

Dated 3<sup>rd</sup> January

Rec<sup>d</sup> 9<sup>th</sup> Dec

1860

No. 1080

Reports that there are  
no sheds for shot still in  
the Cantonment.

Got of 5 March 1860

From 1860 P.M.D.  
The District Engineer  
of Malabar  
To The Dy. Chief Engineer  
Northern Circle

Dated 3<sup>rd</sup> January 1860

Received of D<sup>o</sup>

N<sup>o</sup> 411. JMB

MS 626/60.

Informing that no sheds  
have been constructed, those  
entered in the Budget were  
disapproved by General  
Coffee.

N<sup>o</sup> 36.

7  
District Engineer's Office  
Malabar  
Calicut 16<sup>th</sup> February 1860

From The District Engineer  
Malabar

To The Deputy Chief Engineer  
Southern Circle D.P.W.

Sir,

In reply to Extract of Proceedings No 140  
dated 24<sup>th</sup> December last, I have the honor  
to report that I am not aware to what use  
the Punishment Shed, lately erected for the  
European Detachment at Mallespore, can be appropriated, as I know of no Building  
the erection of which is in contemplation at  
the station, and which, by the substitution  
of this shed, would be unnecessary. The Punish-  
ment Shed might have been turned into  
a Gun shed, but one third of the estimate of  
the latter work has been expended. If there is  
no objection however to keeping the Guns in this  
open shed the amount laid out already from  
the Estimate of Rs 1200 - - - might be sacri-  
ficed.

2. I know of no use which can be made  
at present of the Gun Shed at Cannanore,  
but

but I would advise its being kept unoccupied until the Military Buildings contemplated at the station are erected, when probably some use may be found for it.

I. I have received Memo. No. 10140 dated 9<sup>th</sup> Instant calling for this Report, which has been delayed solely on account of my waiting for the opinion of the Brigadier on the subject, whom I addressed through the Brigade Major as per margin. In reply to the former communication he requested copy of the Government Proceedings on the subject, but I have not heard since.

\* Letter No. 3 dated  
22<sup>nd</sup> Jan'y 1860.  
\* Letter No. 18 dated  
12<sup>th</sup> Jan'y 1860.

I have the honor to be,

Sir,

Your most Obedt servant

Heard Capt

District Engineer  
Malabar.

Central Office of Pub. Works  
Sépiak Nam  
5<sup>th</sup> March 1860.

N<sup>o</sup> 11036

From: The Chief Engineer  
To: The Secretary to Government  
Public Works Department

Sir: Having communicated the Proceedings of Government N<sup>o</sup> 2953 dated 19<sup>th</sup> December 1859 to the Engineers of those Districts and charges in which European Troops have been stationed, and received their replies, I have the honor to report, for the information of the Supreme Government, as follows upon the subject matter of their letter N<sup>o</sup> 5234 of 29<sup>th</sup> November 1859 viz: the use to which punishment Sheds, erected under their authority, and not now required, can be put.

The only District in which a punishment Shed has been erected is Malabar, and Captain Bean reports that he is not aware of any Building in course of construction, or estimated for, at Mallappuram for which the punishment Shed at that station could be substituted, unless it were the Gun Shed, fully one third of the

Estimate

Bellary  
Trichinopoly  
Malabar  
Barrison Engineer  
Bangalore  
Jaistadalla

Given in Council N<sup>o</sup> 2496.  
Dated 30<sup>th</sup> Aug 1860.

Copy of the above for the 11036.

Selection made

from the District Engineer

of the Malabar

of the Malabar

Recd 28<sup>th</sup> Dec 1860

No. 36.

3<sup>rd</sup> Dec 1860/60.

stating that the District Engineer is not aware of what are the Punishment Sheds built for the Malabar District. He is not aware of any Sheds built for the Malabar District.

Estimate for which has, however, been spent. If there is no objection to the sums being kept in an open shed, this work, upon which Refus 429-14-8. have been expended, might be stopped and the District Engineer desired to realize the building materials, the balance of the Estimate can also be cancelled. - thus effecting a saving to Government of Rs 770-1-11.

Sanctioned for  
immediate execution  
by M.L. 12 Oct/88.  
No 2134.

3. The delay in answering this reference has been caused by the District Engineer of Malabar not having replied to my requisition till the 16<sup>th</sup> of last month. Captain Bean gives as his reason for not replying sooner that he was waiting for the opinion of the Brigadier, who up to the date of Captain Bean's letter had not communicated the same to him.

Central Office P/r  
Sept 1860  
5 March 1860.

I have the honor to be,

Sir,

Your most obedient servant.

J. Bell Colonel  
Chief Engineer.

To, The Secretary to Government  
Public Works Department

P. W. O.

No 555  
No 555-5

(11)

Captain C. H. Dickens  
Officiating Secretary to the Government of India.

Sir

With reference to Capt. Fraser's letter of the 29<sup>th</sup> Novem-  
ber last No 8284, I am direct-  
ed by the Honorable the Govern-  
or in Council to forward a  
report from the Chief Engi-  
neer, on the use to which  
"punishment sheds" can be  
put.

*[Signature]*

*[Handwritten notes in margin]*  
Chief Engineer  
19<sup>th</sup> Dec 1860

dated 5<sup>th</sup> March 1860 No 11036  
with six enclosures

From J. E. Gray  
16<sup>th</sup> March/60

P.H. No. 20: Dec/53 as  
154-155

22<sup>nd</sup> 1860 21<sup>st</sup> M.  
Do not put 22<sup>nd</sup> March.

From, The Chief Engineer

To, Mr. Secy to Govt

22<sup>nd</sup> 1860  
No 93

Enc 6 No 11036

Referring to the

information of the existence  
and on the use to which  
punishment sheds can  
be put.

No 555. 16. March

No 79.

Copy sent to the  
in Oct/ to the  
of the 76 March/60

Public Works 1860-1861  
No. of Govt. to be made.

No. 355.

To the Off. Secretary to the  
Govt. of India.  
16th March 1860.

Forwarding Chief  
Engineer's report on the  
use to which "Punishment  
Shed" can be put.

No 79 & 80.

⑦

District Engineer's Office  
Malabar

No. 411.

District Engineer's Office  
Bellari 3 January 1860.

From  
Captain J. T. Fisher  
District Eng<sup>r</sup> of Bellari

To  
The Deputy Chief Engineer  
Northern Circle  
Fort St George

Sir,  
In reply to Extract from the Proceed-  
ings of the Chief Engineer No 876 dated  
24<sup>th</sup> ultimo I have the honor to inform you  
that no sheds have been constructed;  
those entered in the Budget were  
disapproved by General Coffin

I have the honor to be  
Sir,

Your most Obedient servant

W. T. Fisher Captain  
District Engineer of  
Bellari

Shed the amount laid out already from  
estimate of Rs 1200 - - - might be sacri-

Know of no use which can be made  
out of the Gun Shed at Cannanore,  
but

W. T. Fisher  
No. 411

From

The District Engineer  
of Circars

To  
The Deputy Chief Engineer

R. S. W.

Dist. of Bellari

No. 411

Dated 3<sup>rd</sup> January 1860

Recd 9<sup>th</sup> Dec 1860

No. 1080

Reports that there are  
no sheds for what will be  
the Contment.

Got of 5 March 1860

From 1860 P.W.D.  
The District Engineer  
of Ballari

To The Dy. Chief Engineer  
Northern Circle

Dated 3<sup>rd</sup> January 1860

Received 9<sup>th</sup> D<sup>o</sup>

N<sup>o</sup> 411. JMD

MT 626/60.

It informs that no sheds  
have been constructed, those  
entered in the Budget were  
disapproved by General  
Coffee.

N<sup>o</sup> 36.

District Engineer's Office  
Malabar

Calicut 16<sup>th</sup> February 1860

From The District Engineer  
Malabar.

To The Deputy Chief Engineer  
Southern Circle D.P.W.

Sir,

In reply to Extract of Proceedings No 429  
dated 24<sup>th</sup> December last, I have the honor  
to report that I am not aware to what use  
the Permitment shed, lately erected for the  
European Detachment at Mallespore, can be appropriated, as I know of no Building  
the erection of which is in contemplation at  
the station, and which, by the substitution  
of this shed, would be unnecessary. The Permit-  
ment shed might have been turned into  
a Gun shed, but one third of the estimate of  
the latter work has been expended. If there is  
no objection however to keeping the Guns in the  
open shed the amount laid out already from  
the Estimate of Rs 1200 - - - might be sacri-  
ficed.

x 429-14-8

2. I know of no use which can be made  
at present of the Gun Shed at Cannanore,  
but