

(1) Number of pages 8(2) Date of repair 11.11.38(3) Initials of the Referencer CP

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.
Low Walled

G.O. No.	750	Press
		~~Mis.~~
51.52		
Dated	11-11-18	60.

Not to be folded or roughly handled

CP
11.11.38

18

*Proceedings of the Madras Government, Public Works Department,
for the month of April 1860.*

No. 51. Read the following letter from Colonel J. H. BELL, Chief Engineer, to J. D. BOURDILLON, Esq., Secretary to Government, dated Chepauk, 24th March 1860, No. 11,666:—

With reference to my letter, No. 10,742 of the 28th ultimo, I have the honor to forward the Report of the District Engineer of Salem, regarding the daily removal of sewage from Barracks and Jails, which was not received from the Inspector General of Jails in time to accompany my general Report on the subject.

1 Letter No. 86, dated 7th March 1860.
1 Abstract of the above.

2. I also forward an Abstract of the Report, which I beg may be attached to the Summary of Replies which accompanied my letter above referred to.

No. 52. ORDER THEREON, 14th April 1860, No. 750.

Orders have already been passed on the other Reports; and as that now submitted contains no new matter, it will be sufficient to record it.

2. As regards Captain Gahagan's propositions, however, the Governor in Council must remark that it would be matter of regret that the spacious and handsome new Jail at Salem should be provided only with the very rude and unseemly mode of sewage intended.

(Signed) C. G. MASTER,
Dy. Secretary to Government.

23

Circular No. CXII 29th September 1859.
Abstract of replies from District Engineers

There are no Barracks in this District. For the Jail at Salem proposes to effect the daily removal of soil and urine by providing each Cell with a Covered & bucket of Salvanized Iron which shall be emptied each morning into a Cart (the body of which is an oblong box of Salvanized iron) which will convey the ordure to a distance from the Jail, where it will be emptied into a pit. For the temporary Jail at Tirapattur proposes similar Salvanized iron buckets emptying by a 4" pipe through the wall into a Cistern 20 feet deep outside.

Central Office of C. W.
Chepauk. ...
24 March 1860

J. H. Bell Colonel
Chief Engineer

Central Office of P. W.
Lebanon

24 March 1860.

N^o 11666

From The Chief Engineer
To The Secretary to Government
Public Works Department

Sir,

With reference to my letter
N^o 10742 of the 28th ultimo I have the
honor to forward the report of the District
Engineer of Salem, regarding the daily removal
of Sewage from Barracks and Jails, which
was not received from the Inspector General
of Jails in time to accompany my general report
on the subject.

2. I also forward an abstract
of the report which they may be
attached to the summary of replies which
accompanied my letter above referred
to

Enclosures - 2.
1. Letter N^o 86 274
March 1860.
1. Abstract of the
above -

1860 Department

Enclosure in a letter from
the Chief Engineer to the
Secretary to Govt. P. W. D.
dated 24th March 1860
N^o 11666.

1860 34/60.

Abstract of the
Report of the District Eng^r
Salem regarding the daily
removal of sewage from
Barracks and Jails.

To.

Chepank... }
24 March 1860 }

I have the honor to be,
Sir,
Your most Obedt. servant

W. L. Bell Colonel
Chief Engineer

To
The Secretary to Government.
Public Works Department

682-57-

1353 in Dec 15th
June A: 1753

Ms. A. 9. 2.

S.M.
J. D. O. S. M.
Wm. J. O. S. M.
J. D. O. S. M.

Friend
 Dear Sir
 In the Secretary to Genl
 A. M. D.

Stated 21 } March 1862
 Received 24 }

1.750 m. April 6. 1866.

27. 1. 10 in regard
to the 3^d he returned
towards report of
the District Eng^r of Salem regar-
ding the daily removal of
deposits from the banks and jail
with an abstract of the report
on the subject to be attached
to the summary of replies for-
warded with the letter of 19th 12
dated 28th Feb^y last.

102750

Doctors have already been
asked on the other report, and as
that now submitted contained no new
matter, it will be sufficient to meet
it.

2. As regards Capt. G. G. G. G.
propositions, however, the Governor in
Council must remark that it is
would be better to ~~report~~ ^{report} that the
observers and comments now
will not be taken account of, provided
only with the very note and
understandably made of a very important
ed.

Dr. J. H. George }
14th April 1860 }

10. Leaves Chelidonium

24.10.16.