M.R.O. I—77,006—3-6-37.

(1) Number of pages 6

(2) Date of repair 20-5-02

(3) Initials of the Referencer

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 259 Press / Mis.-

313-314

Dated 19-2- : 1902.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department, 19th February 1862.

No. 313. Read the following letter from Lieutenant-Colonel J. CARPENDALE, Acting Deputy Chief Engineer, Central Circle, to Lieutenant-Colonel W. H. HORSLEY, Chief Engineer and Secretary to Government, Public Works Department, dated Chepauk, 7th February 1862, No. 10,302 :—

SIR,

1 Letter from the District Engineer, Cuddapah, No. 783, dated 17th January 1862.
1 Do. No. 644, dated 3rd December 1861, with one enclosure.
1 Plan.
1 Estimate.
1 Specification.

1. I have the honor to enclose an abstract estimate amounting to Rupees 920 accompanied by drawings of a calingulah and a specification, for restoring the Guttupalli tank in the Sidhout Táluq of Cuddapah.

2. The tank was breached in the latter end of 1858, and the works proposed are, filling the breaches and constructing a calingulah for the escape of surplus water, which will prevent a recurrence of the injury.

3. The highest year's revenue under the tank is Rupees 239-13-9, the average of the last five years is Rupees 237, for there has been no decrease since the breaches in 1858, the land having been cultivated by the means of wells and by dry crops. It is expected, however, that if the tank is not made serviceable the Ryots will give up the land.

4. The plan and estimate have been countersigned by the Collector, they have been examined in this Office and aproved of, and I now request the sanction of Government to the expenditure in the current year from the repair funds of the District, for although the work cannot be called a restoration, as the revenue has not decreased, and is in one sense a repair, the cost of the calingulah is more than it is competent for this Office to sanction.

No. 314. ORDER THEREON, 19th February 1862, No. 259.

Sanctioned. The opinion of the Board of Revenue should however have been obtained previous to the submission of the estimate to Government.

(Signed) W. H. HORSLEY, Lieut.-Colonel,
Secretary to Government.

No 10302

Deputy Chief Engr's Office
Central Circle
Chepauk
7th February 1862.

From
Lieutenant Colonel J. Carpendale
Acting Deputy Chief Engineer C.C.

To
Lieutenant Colonel W. H. Horsley
Chief Engineer and Secretary
to Government P.W.D.

Sir,

Public

I have the honor to transmit
Abstract estimate Amounting to Rupees 920
accompanied by drawings of a Caliguladb
and a Specification for restoring the Puttu
pallu tank in the Siddhout taluck of
Cuddapah.

The tank was breached in
the latter end of 1858. and the works proposed
are, filling the breaches, and constructing a
Caliguda.

1 Plan
1 Estimate
1 Specification

Caliguala for the escape of Surplus water which will prevent a recurrence of the injury.

3 The highest years revenue under the tank is Rupees 239-13-9, the average of the last five years is Rupees 237, for there has been no decrease since the breaches in 1858, the land having been cultivated by the means of wells & by dry crops. It is expected however that if the tank is not made serviceable the Ryots will give up the land.

4. The Plan and Estimate have been countersigned by the Collector, they have been examined in this Office and approved of, and I now request the sanction of Government to the expenditure in the Current Year from the Repair funds of the District, for although the work cannot be called a restoration, as the revenue has not decreased, and is in one sence a repair, the cost of the Caliguala is more than it is competent for this

Office

6

Office to sanction.

I have the honor to be
Sir
Your Most Obedient Servant
J Goldsworthy Capt
Actg Dy Chief Engr C.C.

Deputy Chief Engrs
Office Central Circle
Chepauk
7 February 1862.

To
Lieutenant Colonel W. A. Horsley
Chief Engineer and Secretary
to Government P.W.D.
Fort St George

1862. Dep.t
Rec.d Post for February
342

From
Lieut.t Col.l Copplestone
Acting Dy Chief Engr C.

To
Lieut.t Col.l W.H. Horsley
Chief Engineer and
Secretary to Govt. W.D.

Date 7th Feby 1862.
Rec.d 7th do
No 10302

Enc.d 6 returns

Forwards Plan and
Estimate Amounting to Rs
920 for repairing the Gantupalle
Tank found in the Cuddapah
District and Constructing a
Calingulah and Requests Sanc.n
from Government for expenditure
in the Current year from the
Reliance funds.

No 259 - 19 Feb.y
Sanctioned an Order.

No 259.
Sanctioned - The opinion
of the Board of Revenue
should however have been
obtained previous to the sub-
mission of the Estimate to Govt.

Fort St George
19th February 1862

13 Copies

To The Depy Chief Engr C. C. with 6 Encls. Desp.d 20
Asst Paynaster.
Accountant

No 3183 & 3184.