M.R.O. 1—77,006—8-6-37.

(1) Number of pages 6

(2) Date of repair 1-12-42

(3) Initials of the Referencer

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 2041 Press ~~Mis.~~

430-431

Dated 17-7-1865.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department,
17th *July* 1865.

No. 430. Read the following letter from Lieutenant-Colonel E. A. FOORD, R. E., Superintending Engineer, 5th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Salem, 10th July 1865, No. 803:—

1 Estimate.
1 Survey.

SIR,

With reference to G. O. No. 1,439 of the 29th May, I have the honor to forward with my countersignature an estimate of Rupees 2,190, received from the Superintending Engineer, 7th Division, for constructing groynes on the Cauvery bank, Coimbatore District, and to state that the groynes on the sites proposed by the Superintending Engineer will not be injurious to the Salem bank of the river.

No. 431. ORDER THEREON, 17th July 1865, No. 2,041.

CIVIL WORKS, No. 57.

Caroor Range.

1. Under the explanation afforded the Governor in Council sanctions the the estimate submitted with this letter, amounting to Rs. 2,190, for the construction of groynes on the right bank of the Cauvery river in the Coimbatore District.

2. There are no funds at the disposal of Government for appropriation to the work. The Superintending Engineer of the 7th Division will accordingly be requested to report whether he can provide the amount required, and if so, from what source.

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 7th Division.
,, Do. do. 5th do.
,, Controller of Public Works Accounts.
,, Accountant General.

Exd. S. T. Augustin.

Revised Estimate of the Probable Expense for Constructing a New Groyne and Joining old Groyne with the bank near the Village of Vongal in the Caroor Range Combatoor District.

Taluq	Nature of work	Measurement L	B.	D.	Cubical Contents	Superficial Contents	Particulars of Work	Price	Rate	Amount of each Article	Work	Explanation of the necessity of work &c.	By whom recommended
Caroor	Constg. New Groyne & joining old Groyne with the bank	200 --	12 --	10 --	24000		Correcting a New Groyne					Vide my Letter to the Collr. No 107 dated 15th Decr. 1864 with the Plan and Estimate submitted by	Mr. G. E. Wilson Ex. Agent
		150 --	12 --	10 --	18000		Joining old Groyne with the bank						
					42000		6 ft. or $1555\frac{5}{9}$ 6ths of a New roughstone work	1	6	@ 6d. 2138	14 2		
											2138 14 2		
							Sundries & Contingencies @ 2½ Rs. per Cent				51 1 10		
							Total Estimate Rs.				2190 -- --		

Caroor Range Office
Caroor 23rd June 1865

Approved
Supt Engr

To Board's Col
Supt Engr 5th Div

G. E. Wilson
Executive Agent
Caroor Range

2560

No 803 Supg. Engrs. Office 5th Division
Salem, 18th July, 1865

From Capt. & Lieut. C. A. Ford R.E.
Supg. Engineer 5th Division

To Colonel C. A. Orr R.E.
Secretary to Government P.W.D.

Sir, With reference to G.O. No. 439 of the 29th May, I have the honor to forward with my countersignature an Estimate of Rupees 2190 received from the Superintending Engineer 3rd Division for constructing groynes on the Cauvery bank, Coimbatore District, and to state that the groynes on the sites proposed by the Superintending Engineer will not be injurious to the Salem bank of the river.

I have the honor to be,
Sir,
Your most Obedt Servt

Edwd Lobbett
Supg. Engr. 5th Div.

Enclosures 2.
1 Estimate
1 Survey

Camp Jaroli

O.P.R.
From
The Superintending Engineer
Cauvery Range
No 2786/865
The Chief Engineer
&c &c &c

Dated 23rd June 1865.
Rec'd 1st July
No 12.

Revised Estimate
For Constructing a
new Groyne and joining
the Groyne under Repair
near the Village of
Koyal in the Salem
Range Coimbatore

Registered
Rupees 2190-0-0
Recd 17th July 1865 H.O.

Rec'd 1865 Dec 30
Pro. 5th July
No 2536

From
The Supg. Engineer
5th Dn
To
The Secretary to
Government N.P.W.

Dated 10th July 1865.
Rec'd 11 "
No. 803.
E 2

Forwarding an Estimate
of Rs. 2190 for Constructing
Groynes on the bank of
the Cauvery, Combatore
District and stating that
the Groynes will not be
injurious to the Salem
bank of the River.

c.no 2041-17th July 1865-
Wilts an Order.

Nos. 480. 481.

c. 14th July 1865 Dft - 15th

Carr for Range

To the Superintending Engineer
7th Dn
Copy forwarded
for favorable consideration
Sd/- W. J.
Controller of P.W. Accounts
Accountant General
Sd/- 18th July

Ord W J

c.no. 2041

Under the explanation afforded, the Governor in Council sanctions the estimate submitted with this letter amounting to Rs 2190 for the construction of groynes on the right bank of the Cauvery river in the Coimbatore District.

There are no funds at the disposal of Govt for appropriation to the work. The Superintending Engineer of the 7th Division will accordingly be requested to report whether he can provide the amount required, and if so from what source.

Fort St George
17th July 1865