

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No.	2397	~~Press~~
		~~Mis.~~
433-434		
Dated	18	8 = 18.65.

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
18th August 1865.*

No. 433. Read the following Proceedings of the Madras Government in the
Military Department :—

Intimating that the Mount and the General Hospital should be supplied by the
Public Works Department with the earth-delivery apparatus required for
Privies. (Here enter 12th August 1865, No. 2,991.)

No. 434. ORDER THEREON, 18th August 1865, No. 2,397.

MILITARY WORKS, No. 36.

Communicated to the Superintending
Engineer of the 4th Division, who will
issue orders for the immediate execution
of the works, reporting the source from which their cost has been defrayed.
(True Extract.)

(Signed) CHARLES, A. ORR, Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 4th Division, } With G. O. No. 2,629 of 1865, Mily. Dept.
,, Controller of Public Works Accounts, }
,, Accountant General.
,, Military Department.

31

MILITARY DEPARTMENT.
PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following papers :—

From the Acting Controller of Military Accounts, Fort Saint George, 3rd August 1865, A; to the Secretary to Government, Military Department.

With advertence to my report, H, dated 8th July 1865, paragraph 2, and to Government Order thereon, No. 2629 of 15th idem, I have the honor to forward letter from the Barrack Master, No. 539, dated 25th July 1865, bringing to notice that the supply of the earth-delivery apparatus for Privies should be made by the Department of Public Works.

2. Being purely experimental, the construction of this apparatus was considered of a temporary nature, not bringing it under the designation of a fixture.

3. On re-consideration, the Barrack Master's opinion appears to me to be correct.

4. The orders of Government are necessary to the project being carried out in the Public Works Department.

From the Barrack Master, Presidency, Fort Saint George, 25th July 1865, No. 539; to the Acting Controller of Military Accounts, Fort Saint George.

I have the honor to submit the accompanying letters in reference to the Order of Government, Military Department, dated 15th July 1865, No. 2629, and to the supply of the earth-delivery apparatus for Privies.

From the tenor of your letter on the subject, it would appear that you considered, that these articles should be provided by the Commissariat, I would however mention that they are "fixtures," and as such, the work should be executed by the Department Public Works,—the Mount supply being made by the Range Officer, and that for the General Hospital, by the Executive Engineer at the Presidency.

ORDER, No. 2991, 12th August 1865.

Communicated to the Department of Public Works, in view to the necessary orders for the execution of the work being issued in that Department.
(True Extract.)

Macmillan
Deputy Secretary to Government.

To the Controller of Military Accounts, with an enclosure.

- " Public Works Department. *With 20 copies.*
- " Barrack Master, Presidency.
- " President Sanitary Commission.
- " Quarter Master General.

100
100

17
230
2397

Communicated to the Mayor.

Attending Surgeon of the 4th Dr.

who will spare no labor the

invaluable execution of the

work, reflecting the service & com

which their co-laborers are

To the Honorable Surgeon

of the 4th Division

Contract of 1865

Securities General
Sullivan, Daniel
1861
1865
1865

51

of 1868 Dept
Proc of Govt for August
No 2037

Proc of Govt in the
Military Dept

Of 12 Augt
Rec 15

No 2991

Intimating
that the Mount & the
Genl Hospital should
be supplied by the
S. V. Dept with the
certain delivery ap-
-paratus required for
Prinies.

No 400-404

With the order

no 2397 - 18th Augt 1865