

(1) Number of pages 20

(2) Date of repair 10-10-18

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works **DEPARTMENT.**

G.O. No.	2993	Press Mis.
Dated	10-10-18	65.

Not to be folded or roughly handled

115

*Proceedings of the Madras Government, Public Works Department,
10th October 1865.*

Read the following letters :—

No. 197. From Captain J. G. RYVES, R. E., Superintending Engineer, 1st Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Waltair, 27th September 1865, No. 1,087.

SIR,

Adverting to G. O. No. 2,025 of 17th July last, and to your Memorandum No. 182, of 12th instant, I have the honor to inform you that the system of scalding Soldiers' cots in iron boilers not having been adopted in this Division, iron pans for the immersion of the cots have not been provided.

No. 198. From Lieutenant-Colonel G. V. WINSOM, R. E., Superintending Engineer, 2nd Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Masulipatam, 20th September 1865, No. 71.

SIR,

With reference to G. O. No. 2,025, dated 17th July 1865, and Memorandum No. 182, dated 12th instant, I have the honor to state that as there are no troops in this Division, the plan of the boiler alluded to therein has not been tried.

No. 199. From Captain A. S. MOBERLY, R. E., Superintending Engineer, 3rd Division, to Colonel C. A. ORR, R. E., Secretary to Government, Public Works Department, dated Bellary, 25th July 1865, No. 94.

SIR,

1. With reference to G. O. No. 2,025, of the 17th instant, requesting to report whether the plan of bug boiler sanctioned in Military Proceedings, No. 3,499, dated 4th October 1864, has been adopted, I have the honor to inform you that the above Order does not appear to have been forwarded to this Office, although it is referred to in Military Proceedings, No. 3,856 of 31st October 1864, which were communicated in G. O. Public Works Department, No. 3,211 of 8th November 1864.

2. On inquiry regarding this subject, I find that the Order above referred to was communicated to the Military and Commissariat Departments, and that the

Rupees 160 for each boiler.

Deputy Assistant Commissary General at this Station purchased two sugar boilers and handed them over to the European Regiment, but did not put them up, as the amount sanctioned was exceeded. This Department has had nothing to do with these bug boilers.

No. 200. From Colonel A. J. M. BOILEAU, R. E., Superintending Engineer, 4th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Public Works Department, dated Madras, 2nd August 1865, No. 1,216.

SIR,

With reference to G. O. No. 2,025, dated 17th July 1865, I have the honor to report that the pattern boiler alluded to therein has not yet been constructed in this Division, as I am awaiting the sanction of Government to the Estimate forwarded with my letter No. 3,194, dated 3rd October 1864, recorded in G. O. No. 2,927 dated 12th idem.

*Proceedings of the Madras Government, Public Works Department,
10th October 1865.*

No. 201. From Lieutenant-Colonel E. A. FOORD, R. E., Superintending Engineer, 5th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Bangalore, 22nd July 1865, No. 946.

SIR,
I have the honor to state with reference to the Order of Government of the 17th July 1865, No. 2,025, that the plan of boiler sanctioned in Military Proceedings, No. 3,499, dated 4th October 1864, has been adopted in the 5th Division.

No. 202. From Captain R. F. OAKES, R. E., Acting Superintending Engineer, 6th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Sennavoor, 20th September 1865, No. 1,067.

SIR,
With reference to Memorandum No. 182, dated 12th instant, calling for a reply to G. O. No. 2,025, dated 17th July, I have the honor to call your attention to my letter in reply, dated 21st July, and to inform you that nothing has been done relative to the provision of iron pans for the immersion of cots in the 6th Division.

No. 203. From Lieutenant-Colonel G. W. WALKER, R. E., Superintending Engineer, 7th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Calicut, 27th September 1865, No. 137.

SIR,
With reference to your Memorandum, No. 182 of 12th September, I cannot find that any information was ever sent to this Division as to what was the plan of bug boiler substituted at Bellary for that originally proposed, though a Government Order approving of it was received. No such plan of boiler has accordingly been made use of in this Division.

No. 204. From Lieutenant-Colonel F. J. MOBERLY, R. E., Superintending Engineer, 8th Division, to Colonel C. A. ORR, R. E., Secretary to Government, Department Public Works, dated Courtallum, 24th July 1865, No. 639.

SIR,
In reply to G. O. No. 2,025, 7th July 1865, I have the honor to report that there are no European troops in this Division, and therefore no boiler has been constructed.

No. 205. ORDER THEREON, 10th October 1865, No. 2,993.

MILITARY WORKS, No. 10.

The foregoing papers will be communicated to the Military Department, with reference to paragraph 2 of Proceedings in that Department, No. 2,560, dated 11th July 1865.
(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

To the Military Department.

Exd. S. T. Augustin.

Superintending Engineer's Office, 1st Divⁿ, Wallajah
27th September 1865.
315
From
Captain J. G. Dyne, R.E.
Superintending Engineer, 1st Divⁿ.
To
Colonel C. A. Orr, R.E.
Secretary to Govt., D.P.W.
Madras.
Sir,
Adverting to G. O. No. 2,025 of 17th July last and to your Memorandum No. 182 of 12 instant, I have the honor to inform you that the system of scalding soldiers' cots in iron boilers not having been adopted in this Division. Iron Pans for the immersion of the cots have not been provided.
I have the honor to be,
Sir,
Your most Obedt^l Servant,
J. G. Dyne, R.E.
Superintending Engineer, 1st Divⁿ.

194. 2

10/10/19



The City Engineer
Peterson

Reading: *Chloris*

de la main: That is

William A. Leach
abolitionist in Boston
abolition have not been
abolition in the Union

ME 2943-107026/65

7th 1865
 No. of ~~Conf. for~~ ~~Station~~
 From No. 3688.
 The Superintending Engr
 IInd Division
 To The Secretary of Govt
 D. 1277
 Dated Masulipatam 20 Sept/65
 Received. — 26 D

Stating that as there
 are no troops in this
 Division the plan of
 the Boiler allowed to
 in G.O. No. 2025 dated
 17th July 1865 has
 not been tried —

7/12/65
 W.

No. 2993 - 10th Oct/65

No. 198

To
 The Secretary
 Public

Sir,
 With reference
 to instant requesting
 of bug boiler sanctioned
 No. 3499 dated 4th Octo
 have the honor to inform
 does not appear to have
 although it is referred
 No. 3856 of 31st Dec. 1864
 ted in G. O. No. 2025 dated 17th July 1865

On inquiry regarding
 that the order above referred
 the Military and Comm
 that the Deputy Asst
 this station purchased
 them over to the European
 put them up, as the amount
 exceeded. This Department
 with these Bug boilers.

Rupees 160 for
 each boiler.

4
N^o 1216. Superintending Engineers Office
4th Division Madras
2^d August 1865.

From
Colonel A. J. M. Boileau R. E.
Superintending Engineer 4th Divⁿ

To
Colonel C. A. Orr R. E.
Secretary to Government P. W. D.

Sir,
With reference to G. O. N^o 2025
dated 17th July 1865 I have the honor to
report that the pattern boiler alluded to therein
has not yet been constructed in this Division
as I am awaiting the sanction of Govern-
ment to the Estimate forwarded with my
letter N^o 3194 dated 3^d October 1864 recorded
in G. O. N^o 2927 dated 12th idem.

I have the honor to be
Sir

Your Most Obedient Servant
A. Boileau Col R. E.
Supg Engr 4th Division

27th July 1865
The Secy to Government
P. W. D.
4th Division

The Secy to Government
P. W. D.
4th Division

25th July 1865
N^o 2025

Inform that the
Plan of a new boiler construction
in this Divⁿ N^o 2025 17th July 1865
has been adopted as a standard
Plan and that the Dept. has
been willing to take the
construction of a new boiler for
the Engineer's Office at Delhi

27th July 1865
N^o 2025-104

700

10/10/67.

1/11

From,

Captain P. F. Baker, R.E.

Acting Supg Engineer
6th Div.

To,

Colonel C. A. Carr, R.E.

Secretary to Government
D. P. W.

Sir,

With reference to Memo
No. 182, dated 12th Instant, calling for
a reply to G.O. No. 2025, dated 17th July,
I have the honor to call your atten-
tion to my letter in reply dated
21st July, and to inform you that
nothing has been done relative
to the provision of Iron Pans for
the immersion of Coko in the
6th Division.

I have the honor to be
Sir,

Your most Obedt Servt
P. F. Baker

Captain R.E.
Acting Supg Engr 6th Div.

1866
10/10/67
10/10/67
10/10/67

The Supg Engineer
6th Division

To the Secretary
to Government

10/10/67
10/10/67
10/10/67

10/10/67

Requests that the
Pattern Order for delivery
be referred to in G.O.
No. 2025 dated 17th July 1865
has not been conducted
in this Division.

10/10/67 - 10/10/67/65 -

4 37
 10/137
 7
 Calcut 27th September 1865
 136
 From
 The Superintendent Engineer
 7th Dⁿ

To
 The Secretary to Government
 Department of Works
 Sir,

With reference to your Memo
 No 182 of 12th September I cannot find
 that any information was ever sent
 to this Division as to what was the
 plan of Bug Boiler substituted at
 Bellary for that originally proposed,
 though a Government Order approv-
 ing of it was received. - No such
 plan of Boiler has accordingly been
 made use of in this Division
 I remain Sir your
 Obedt Servant

Wm Walker Esq
 Asst Engineer 7th Dⁿ

Received
 The Secretary to Government
 6th Dⁿ
 10/137

The Secretary to
 Government
 6th Dⁿ

Received
 10/137
 10/1067

Nothing that
 nothing has been

8 M 1865. 2nd. 1st!
Pro: of Govt for October
No 3785
From
The Superintending Engineer
7. Dr.
To the Secretary to Government
G. P. M.

No 137
Dated 27th September 1865
Received 23 October ..

no 2993 - 10th Oct 1865.

It takes that no information
was ever sent to this Division
as to what was the plan
of the Boiler substituted
at Bellary for that origi-
nally proposed consequently
no such plan of Boiler has been
made use of in this Div.

No 203

Sup: Engineer's Office
K. 639. Calcutta 24th July 1865.
From
Lieut Colonel J. H. Moberly D. P.
Superintending Engineer
J. H. Moberly D. P.
Secretary to Government
D. P. M.

Sir
In reply to G.O. 2025. 17th
July 1865. I have the honor to report
that there are no European troops in
this Division, and therefore no boiler
has been constructed.

Yours
J. H. Moberly
Superintending Engineer
Lieut Colonel J. H. Moberly D. P.

8 M 1865
Pro: of Govt for Octob
From No 3783

907 1865
Pro: of Govt for Octob
From No 2840

The Sup^a Engineer
8th Division

To
The Secy to Govt
D. S. W.

Dated 24th
Recd 31 July 1865

Reports that no Boiler
has been constructed in the
8th Division as there are
no European Troops.

W. J. C.

no 2993 - 10th Oct 1865

No 204.

Read

From the S. Inf. 1st Bn.

Reporting on the adoption
of the plan in his Bn. of
long boilers sanctioned for
14 ft. 2 1/2 foot at Bellary.

Do.	2 nd Bn.	14 ft. 20 in
Do.	3 rd " "	14 ft. 25 in
Do.	4 th " "	14 ft. 20 in
Do.	5 th " "	14 ft. 22 in
Do.	6 th " "	14 ft. 20 in
Do.	7 th " "	14 ft. 27 in
Do.	8 th " "	14 ft. 26 in

The
will be con
the Milita
reference to
in that A

PT 18662 Opte
Young Good Friend

2/26/98

Pro: of the Dr. Good

2/26/98

Reading letters etc
in the British Consulate
relative to - communication to the
Military Department

18662 Opte