

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.**Government of Madras.***Public works* **DEPARTMENT.**

G.O. No.	3572	Press
		~~Mis.~~
503-504		
Dated	21. //.	1865.

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
21st November 1865.*

No. 503. Read the following Circular from the Secretary to the Government of India, Public Works Department, (Military Works), to the Secretary to the Government of Madras, Public Works Department, dated Simla, 20th October 1865, No. 105:—

1. In "Conclusion" No. 5 of Public Works Department Circular No. 89 of 1864, it is laid down that the height of the wards in both floors of double-storied barracks shall be 20 feet from floor to wall plate.
2. On farther consideration, however, the Governor General in Council has decided that a height of 16 feet will suffice for the lower floors, when these are not intended to be occupied as dormitories.
3. When both floors are to be occupied as dormitories, the height of 20 feet should be maintained for both.

(Signed) A. B. SAMPSON,
Asst. Secy. to the Govt. of India.

No. 504. ORDER THEREON, 21st November 1865, No. 3,522.

MILITARY WORKS, No. 20.

Communicated to the Military Department, and to the Superintending Engineers for information and guidance, with reference to the Proceedings of Government, No. 179, dated 19th January 1865.
(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

To the Military Department.
,, Superintending Engineers.

Exd. S. T. Augustin,

3522.

Communicated to the
Military Department, and
to the Superintending Engineer
for information and guidance,
with reference to the Pro-
ceedings of Government No.
179 dated 19 January 1865.

Frank & George
21st Nov 1865

Mr. Joseph
Superintendent

133

W. B.

Dec 22nd 1865

*To V 1865 Data
Pr. of Govt for Circular
No 4480*

Military Works.

CIRCULAR No. 105.

To

FROM

SECY. TO GOVT. OF INDIA,
IN THE P. W. DEPT.

Dated SIMLA, 20th October, 1865.

Received

10

With reference to Public Works Department Circular No. 89 of 1864, regarding the height of wards of both floors of double-storied barracks, decides that a height of 16 feet will suffice for the lower floors when these are not intended to be occupied as dormitories, otherwise the height of 20 feet should be maintained.

With an Order

210.3522-2125 Nov 1/15

2.15-22 Nov 15

2.15-22 Nov 15