

(1) Number of pages 82(2) Date of repair 12-1-66

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public & work DEPARTMENT.

G.O. No.	841	Press
298-290		Mis.
Dated	14-3-	1866

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
14th March 1866.*

No. 298. Read the following letter from the Superintending Engineer, 3rd Division, to the Secretary to Government, Public Works Department, dated Bellary, 3rd March 1866, No. 223 :—

With reference to G. O. No. 1,401 of the 23rd May 1865, I have the honor to inform you that in January last I inspected the work in the Sidhout Taluq where Mr. Damerum is at present employed, and regret to state that I had to reprimand him for carelessness and inattention. I had also to reprimand Mr. Sub-Engineer Blacker, who has charge of that Range, and I think that perhaps some of Mr. Damerum's carelessness may be attributed to want of proper supervision on the part of Mr. Blacker.

No. 299. ORDER THEREON, 14th March 1866, No. 841.

ESTABLISHMENT, No. 29.

1. The Superintending Engineer of the 3rd Division will be informed that he is competent to dispense with the services of Overseer Damerum should that Subordinate continue to prove himself unequal to the executive charge of a Taluq.

2. Mr. Sub-Engineer Blacker will be warned that further carelessness and inattention to his duties, or failure to exercise a proper supervision over the proceedings of his Subordinates, will subject him to the severe displeasure of Government.

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 3rd Division.

Exd. S. T. Augustin.

that

No 223. Superintendent Engineer's Office
Bellevue 3rd March 1866. c/b
From, The Superintendent Engineer
3rd Division

To, The Secretary to Government
P. M. D.

Sir,
With reference to G. O. No 1401
of the 28th May 1865, I have the honor to inform
you that in January last, I inspected the work
in the Sid Road Tunnel where Mr. Samerum is at
present employed and regret to state that I had
to reprimand him for carelessness and inattention.
I had also to reprimand Mr. Sub Engineer Blacker
who has charge of that Range and I think that
perhaps some of Mr. Samerum's carelessness
may be attributed to want of proper supervision
on the part of Mr. Blacker.

Yours Geo

A. W. C. Major P. M.
Superintendent Engineer
3rd Division

10841-115 March 1866

Public Works Dept.
No 821
Proceedings of the Madras Government
Under date the 14th March 1866
Read the following
From the Supt Engineer
of the S. P. Dept
(There enter 3rd March 1866
10223)

The Superintending Engineer of the 3^d Division will be informed that he is competent to dispense with the services of Overseer Damerum should that subordinate continue to prove himself unequal to the executive charge of a Taluq.

2 Mr Sub Engineer Blackier will be warned that

16

To J. May 3rd 1851

March

25-11-29 - Cii ✓

To W 1866 Dept
Pro: of Govt for March

A^o 841

Pro: of the March 1866

Of 14th March 1866

Mr Damerum, Queen
Casapah District. - The
Supg. Engrs & Co. informed
that the services of - may
be dispensed with, should
he continue to prove himself
unequal to the executive charge
of a Subg.

Mr Blacker, Sub. Engrs, Casapah
Dist., warned, that further carelessness
and inattention to his duties will
subject him to the severe displeasure
of Government.

A^o 298-299

c. 9th March 1866. D. 135