

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. <i>2174</i>	Press
<i>474-475.</i>	~~Mis.~~
Dated <i>19-7-</i>	<i>1867.</i>

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
19th July 1867.*

No. 474. Read the following letter from the Acting Superintending Engineer,
4th Division, to the Secretary to Government, Department Public Works,
dated Madras, 11th July 1867, No. 1,818 :—

1 Estimate. 1. With reference to paragraph 8
of the Order of Government No. 1,494,
dated 17th May 1867, I have the honour to submit, for the sanction of Government,
an estimate amounting to Rupees 110, being the probable expenditure for working
the Guindy engine during the current year.

2. It will be observed that the salary of the Engine Driver and Stokers have
been excluded from the estimate, as the charge may properly form a debit to the
head of Petty Establishment.

3. A sum of Rupees 57 has already been sanctioned in the G. O. above
quoted, and the additional amount of Rupees 53 is now asked for because the former
sum only represented the balance of estimate for the working of the engine to the
close of the last official year. I have the honour to request that the balance, Rs. 53,
may be provided from the Reserve "Civil Buildings."

No. 475. ORDER THEREON, 19th July 1867, No. 2,174.

CIVIL WORKS, No. 67.

His Excellency the Governor in
Council considers it inexpedient to
carry out any further the experiment
of supplying the Government House and grounds of Guindy Park with water from
the Adyar by means of pumps driven by steam-power, and he desires that the
establishment attached to the works be discharged, and that the engine, with
pumps and piping, be returned into the Public Works Stores. The Superintending
Engineer will take measures for disposing of the pump-house and other buildings
in the most advantageous manner.

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 4th Division.
" Officer in charge of the Store Department.
" Controller of Public Works Accounts.

Exd. S. T. Augustin.

35

Superintending Engineers Office
4th Division Madras
N^o 1818. 11th July 1867.

From

Brig^d Colonel J. Bean R. E.
Acting Superintending Engineer 4th Divⁿ

To
Colonel C. A. Orr R. E.
Secretary to Government D.P.W.

Sir,

With reference to para 8 of the
order of Government N^o 1494 dated 17th
May 1867, I have the honor to submit for
the sanction of Government, an Estimate
amounting to Rupees 110, being the probable
expenditure for working the Gindly Engine
during the current year.

2 It will be observed that the
Salary of the Engine Driver and Stokers
have been excluded from the Estimate as
the charge may properly form a debit to
the head of Petty Establishment.

3 A sum of Rupees 57 has already
been sanctioned in the G. O. above quoted,
and

to be
? time to

and the additional amount of Paper 53 is
now asked for because the former sum only
represented the balance of Estimate for the
working of the Engine to the close of the
last Official year. I have the honor to
request that the balance 53 may be provided
from the Reserve "Civil Buildings."

I have the honor to be

Sir

Your Most Obedient Servant

Wm. D. Bell

Acting Superintd. G.

57

58

22/4
Pro of Govt for duty
From 1/2 5/8
In 1/2 1/2 by 1/2 1/2

To
The Secretary to
Government P.H.S.

dated 11/2 July 1867
received 12/2 July 1867
No 1818

Ex: me:

Submitting for sanction
an estimate of Rs 110 being
the probable expenditure for
working the pump engine
during the current year
no. 2174. 19th July 1867

No. 474

C. 16 July 1867 CR. 1867

Circulation

Public Works Department.

21/4

no. 2174

PROCEEDINGS of the MADRAS GOVERNMENT.

Under date the 19th July 1867

Read the following

From the Asst Engineer
of the 4 Division (Here enter No. 1818 dated 11 July 67)

I am sorry that this
matter is not settled
earlier but I consider
helpful & finally think
to continue this scheme
in the 1st supply
indicated to the
House of Lords
which would be
a useful work for
public money N.

This Excellency
the Governor in Council
considers it inexpedient
to carry out any further
the experiment of supplying
the Government House and
grounds of Quindry Park
with water from the Adyar
by means of pumps driven
by steam power, and he
desires that the Establish-
ment attached to the
works be discharged, and
that the engine, with pumps
and

piping, be returned into the
Public Works Stores. The
Superintending Engineer
will take measures for
disposing of the Pump-
house and other buildings
in the most advantageous
manner

W.H.

To
The Supy bys to "In. Larkins etc."
"Officer in ch of the New Dept."
for continuation.

Sept 24/97

P. W. 1867. Department.
Proc of Govt. for Vuby
No. 2174

PROCEEDINGS OF GOVERNMENT *of India*

Dated 19th July 1867

Issuing instructions
for the removal of the engine
to and for the discharge of the
Establishment connected with
the supplying of Govt. House
and grounds at Quindry Park
with water from the Adyar
by means of Steam power.

No. 474-475

c. 15 July 1867 Or. 1867