M.R.O. 1—77,006—8-6-37.

(1) Number of pages_____

(2) Date of repair_____

(3) Initials of the Referencer_____

MADRAS RECORD OFFICE.

Government of Madras.

Public works **DEPARTMENT.**

G.O. No. 2406 Press / Mis.

193-94

Dated 8 8 1867.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department,
8th August 1867.

No. 193. Read the following letter from the Acting Deputy Controller of Public Works Accounts, in charge, to the Secretary to Government, Department Public Works, dated Madras, 30th July 1867, No. 1,207 :—

Copy of letter from the Superintending Engineer, 3rd Division, dated 22nd July 1867, No. 1,176.

1. I have the honor to bring to the notice of Government that an expenditure of Rupees 787-9-8 was incurred during the last official year in "repairing the Agly* tank supply channel," while only Rupees 50 were appropriated towards the work during that year, or an excess expenditure over allotment of Rupees 737-9-8. The matter having been brought to the notice of the Superintending Engineer of the 3rd Division, with a request that he will intimate the circumstances under which the excess took place, that Officer states that Mr. Watkins, the Executive Agent in charge of the Pennacondah Range, exceeded the allotment without his (Superintending Engineer's) authority, and that on his attention being called to it, he replied that he has not exceeded the total allotment under "Agricultural," but took the excess from sums that had been allotted for other works but could not be spent. The work is still in progress.

* Bellary District, Pennacondah Range.

2. I now report this excess to Government under paragraph 90, Section II, of the Manual of Accounts.

No. 194. ORDER THEREON, 8th August 1867, No. 2,406.

ACCOUNT, No. 25.

The Controller of Public Works Accounts is authorized to pass the expenditure incurred last year in excess of the allotment for the repair of the Agly tank supply channel in the Bellary District; but the Government request the Superintending Engineer of the 3rd Division to impress upon his Executive Officers the necessity for timely intimation being given of such excesses, with a view to the adjustment of the outlay by transfers from other assignments.

(True Extract.)

(Signed) J. H. M. SHAW STEWART, Major, R.E.,
Under Secretary to Government.

To the Controller of Public Works Accounts.
" Superintending Engineer, 3rd Division.

Exd. S. T. Augustin.

No. 1176.

Inspg. Engineer's Office 3d Div.
Bellary 22nd July 1867.

To
The Superintending Engineer
3rd Division.

To
The Controller of P.W. Accounts
Madras.

Sir,

With reference to your letter No. 841 of 25 Ultimo, I have the honor to inform you that the excess expenditure of Rupees 707-9-8 over the sanctioned allotment of Rs. 80/- on "Agly Tank Inspoly Channel" was incurred by the Inspecting Sapper Watkins, without the authority of this Office and on calling his attention to this he states he has not exceeded the total allotment under the head but took it from sums that had been allotted for other works but not entirely spent.

I have &c.

(Signed) A. Mockerly Major R.E.
Superintending Engineer
3rd Div.

(True Copy.)
W. Hart
Lg. Dfa. Controller of P.W. Accounts
in charge.

Office of the Controller of P.W. Accts
Madras 30th July 1867

No. 1207

From The Acting Deputy Controller P.W. Accts in charge
To The Secretary to Government P.W.

Sir,

I have the honour to bring to the notice of Government that an expenditure of Rupees 787-9-8 was incurred during the last official year in "repairing the Ogly Tank Supply channel;" while only Rupees 50 were appropriated towards the work during that year, or an excess expenditure over allotment of Rupees 737-9-8. The matter having been brought to the notice of the Superintending Engineer of the 3rd Division with a request that he would intimate the circumstances under which the excess took place, that Officer states that Mr Fatterine, the Executive Agent in charge of the Pennacondah Range, exceeded the allotment without his (Superintending Engineer's) authority and that on his attention being called to it, he replied that he has not exceeded the total allotment under "Agricultural"; but took the excess from sums that had been allotted for other works but could not be spent. The work is still in progress.

Coimbatore District
Pennacondah Range

2 I now report this excess to Government under para: 90, Section II of the Manual of Accounts

I have the honour to be,
Sir,
Your most obedt Servant,

W A Stark
Actg Controller in charge

No. 2406

Public Works Department

PROCEEDINGS of the MADRAS GOVERNMENT.

Under date the 8th August 1867

Read the following

Letter from the Controller of Public Works Accounts, (Here enter No. 127 dated 30 July 67.

The Controller of Public Works Accounts is authorized to pass the expenditure incurred last year in excess of the allotment for the repair of the Ayly tank supply channel in the Bellary District but the Government request the Superintending Engineer of the 3rd Division to impress upon his Executive Officers the necessity for timely intimation being given of such excesses, with a view to the adjustment of the outlay

Copy to Mr. Secretary Ochterlony, Public Works Department, Fort St. George

Copy to the Superintending Engineer of the 3rd Division, Bellary

Copy to the Executive Engineer, Bellary

Copy to the Executive Engineer, Ceded Districts

Copy to the Executive Engineer, Nellore

Copy to the Executive Engineer, Cuddapah

Copy to the Executive Engineer, Kurnool

Copy to the Executive Engineer, Guntoor

Copy to the Executive Engineer, Kistna

Copy to the Executive Engineer, Godavery

Copy to the Executive Engineer, Vizagapatam

Copy to the Executive Engineer, Ganjam

Copy to the Executive Engineer, Salem

Copy to the Executive Engineer, Coimbatore

Copy to the Executive Engineer, Malabar

Copy to the Executive Engineer, South Canara

Copy to the Executive Engineer, Madura

Copy to the Executive Engineer, Tinnevelly

Copy to the Executive Engineer, Trichinopoly

Copy to the Executive Engineer, Tanjore

Copy to the Executive Engineer, South Arcot

Copy to the Executive Engineer, Chingleput

Copy to the Executive Engineer, North Arcot

Copy to the Executive Engineer, Nilgiris

Copy to the Executive Engineer, Coimbatore Irrigation Division

Copy to the Executive Engineer, Cauvery Delta Division

Copy to the Executive Engineer, Kistna Delta Division

Copy to the Executive Engineer, Godavery Delta Division

Copy to the Executive Engineer, Pennair Delta Division

Copy to the Executive Engineer, Palaur Anicut Division

Copy to the Executive Engineer, Pennair Anicut Division

Copy to the Executive Engineer, Cauvery Anicut Division

Copy to the Executive Engineer, Kistna Anicut Division

Copy to the Executive Engineer, Godavery Anicut Division

Copy to the Executive Engineer, Vellaur Anicut Division

Copy to the Executive Engineer, Coleroon Anicut Division

Copy to the Executive Engineer, Arrangements for raising funds for the Ayly tank supply channel in the Bellary District

Copy to the Executive Engineer, Loan Officer

Copy to the Executive Engineer, Ayly tank supply channel in the Bellary District

Copy to the Executive Engineer, Pennair Anicut Division

Copy to the Executive Engineer, Bellary

Copy to the Executive Engineer, Ceded Districts

Copy to the Executive Engineer, Nellore

Copy to the Executive Engineer, Cuddapah

Copy to the Executive Engineer, Kurnool

Copy to the Executive Engineer, Guntoor

Copy to the Executive Engineer, Kistna

Copy to the Executive Engineer, Godavery

Copy to the Executive Engineer, Vizagapatam

Copy to the Executive Engineer, Ganjam

Copy to the Executive Engineer, Salem

Copy to the Executive Engineer, Coimbatore

Copy to the Executive Engineer, Malabar

Copy to the Executive Engineer, South Canara

Copy to the Executive Engineer, Madura

Copy to the Executive Engineer, Tinnevelly

Copy to the Executive Engineer, Trichinopoly

Copy to the Executive Engineer, Tanjore

Copy to the Executive Engineer, South Arcot

Copy to the Executive Engineer, Chingleput

Copy to the Executive Engineer, North Arcot

Copy to the Executive Engineer, Nilgiris

Copy to the Executive Engineer, Coimbatore Irrigation Division

Copy to the Executive Engineer, Cauvery Delta Division

Copy to the Executive Engineer, Kistna Delta Division

Copy to the Executive Engineer, Godavery Delta Division

Copy to the Executive Engineer, Pennair Delta Division

Copy to the Executive Engineer, Palaur Anicut Division

Copy to the Executive Engineer, Pennair Anicut Division

Copy to the Executive Engineer, Cauvery Anicut Division

Copy to the Executive Engineer, Kistna Anicut Division

Copy to the Executive Engineer, Godavery Anicut Division

Copy to the Executive Engineer, Vellaur Anicut Division

Copy to the Executive Engineer, Coleroon Anicut Division

Arrangements to raise funds for the Ayly tank supply channel in the Bellary District

Loan Officer

Ayly tank supply channel in the Bellary District

Pennair Anicut Division

Bellary

No. 2406 - 8th August 1867

Copy to Mr. Secretary Ochterlony, Public Works Department, Fort St. George

outlay by transfers
from other assignments.

P. W. 156 . *Department.*

No.

PUBLIC WORKS GOVERNMENT.

Dated

To

The Controller
& Asst. Gen. P.W.

Despatched
22

Received 2nd August 67 02.5m

No. 3
Public Works

Certificate of Engineer

Certificate of Chief Engineer

Certificate of Secretary

Certificate of Auditor

Certificate of Superintendent